

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifierTrade name **EP Thixotropic Hardener****1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture Construction chemicals**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Saint-Gobain Weber Limited

Dickens House

Enterprise Way

Flitwick

Bedfordshire

MK45 5BY

1.4 Emergency telephone number: Product safety department

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Hardener

(Contd. of page 1)

Hazard pictograms

GHS05 GHS07

Signal word Danger**Hazard-determining components of labelling:**

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Trimethylhexan-1,6-diamin

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 25620-58-0 EINECS: 247-134-8	Trimethylhexan-1,6-diamin ☠ C R34; ☠ Xn R22; ☠ Xi R43 R52/53 ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	25 - 50%
CAS: 2855-13-2 EINECS: 220-666-8	3-aminomethyl-3,5,5-trimethylcyclohexylamine ☠ C R34; ☠ Xn R21/22; ☠ Xi R43 R52/53 ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	25 - 50%
CAS: 57-55-6 EINECS: 200-338-0	1,2-Propandiol substance with a Community workplace exposure limit	2 - 5%

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Hardener

Additional information For the wording of the listed risk phrases refer to section 16.

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30 °C).

After swallowing If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

The product must not get into watercourses or into the soil.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Hardener

(Contd. of page 3)

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS No.	Designation of material	%	Type	Value	Unit
57-55-6	1,2-Propandiol				
WEL	Long-term value: 474* 10** mg/m ³ , 150* ppm *total vapour and particulates **particulates				

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

Protection of hands: Protective gloves.

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	Yellowish
Odour:	Amine-like
Odour threshold:	Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	150 °C (DIN)

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Hardener

(Contd. of page 4)

Flash point:	96 °C (DIN ISO 2592)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	350 °C (DIN 51794)
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	2.6 Vol % (DIN 51649)
Upper:	12.6 Vol % (DIN 51649)
Oxidising properties	Not determined.
Vapour pressure:	Not determined.
Density:	Not determined
Bulk density:	Not applicable.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix
Segregation coefficient (n-octanol/water) log Pow:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent separation test:	Not determined
Solvent content:	
Organic solvents:	2.4 %
EU-VOC	2.39 %
Solids content:	0.5 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Hardener

(Contd. of page 5)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

Components	Type	Value	Species
25620-58-0 Trimethylhexan-1,6-diamin			
Oral	LD50	910 mg/kg	(rat)
2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine			
Oral	LD50	1030 mg/kg	(rat)
Dermal	LD50	1840 mg/kg	(rabbit)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Strong irritant with the danger of severe eye injury.

Sensitisation: No sensitising effects known.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test	Effective concentration	Method	Assessment
25620-58-0 Trimethylhexan-1,6-diamin			
EC 10/16h	72 mg/l	(pseudomonas putida (Bacteria))	
EC50/24h	31.5 mg/l	(water flea)	
EC50/72h	29.5 mg/l	(scenedesmus subspicatus (Alge))	
LC0/48h	150 mg/l	(orfe)	
LC50/48h	174 mg/l	(orfe)	
2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine			
EC 10	1120 mg/l	(pseudomonas putida (Bacteria))	
EC 10/18h	1120 mg/l	(pseudomonas putida (Bacteria))	
EC50/24h	42 mg/l	(water flea)	
EC50/48h	23 mg/l	(water flea)	
EC50/72h	37 mg/l	(scenedesmus subspicatus (Alge))	
LC50/48h	185 mg/l	(orfe)	
LC50/96h	110 mg/l	(Brachydanio rerio (Zebrabärbling))	

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine	
EBAB	0.79 log Pow (-)

Behaviour in environmental systems:

12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Hardener

(Contd. of page 6)

Additional ecological information:**General notes:**

Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods**European waste catalogue**

Possible waste code. The concrete waste code depends of the source of the waste.

Uncleaned packaging:**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA

UN2735

14.2 UN proper shipping name

ADR

2735 AMINES, LIQUID, CORROSIVE, N.O.S.
(TRIMETHYLHEXAMETHYLENEDIAMINES,
ISOPHORONEDIAMINE)

IMDG, IATA

AMINES, LIQUID, CORROSIVE, N.O.S.
(TRIMETHYLHEXAMETHYLENEDIAMINES,
ISOPHORONEDIAMINE)

14.3 Transport hazard class(es)

ADR



Class

8 (C7) Corrosive substances.

Label

8

IMDG, IATA



Class

8 Corrosive substances.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Hardener

(Contd. of page 7)

Label	8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups	Warning: Corrosive substances. 80 F-A,S-B Alkalis
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN2735, AMINES, LIQUID, CORROSIVE, N.O.S. (TRIMETHYLHEXAMETHYLENEDIAMINES, ISOPHORONEDIAMINE), 8, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.

(Contd. on page 9)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Hardener

(Contd. of page 8)

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R34 Causes burns.

R43 May cause sensitisation by skin contact.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Department issuing MSDS: Product safety department.**Contact:**

Dr Sara Kelly

SHEQ Systems Manager

Weber

Tel: 01525 722145

Fax: 01525 718988

Email: sara.kelly@netweber.co.uk

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

GB