

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifierTrade name **EP Thixotropic Resin****1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture Construction chemicals**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Saint-Gobain Weber Limited

Dickens House

Enterprise Way

Flitwick

Bedfordshire

MK45 5BY

1.4 Emergency telephone number: Product safety department

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture**Classification according to Regulation (EC) No 1272/2008**

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2

H315 Causes skin irritation.

Eye Irrit. 2

H319 Causes serious eye irritation.

Skin Sens. 1

H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS07



GHS09

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Resin

(Contd. of page 1)

Signal word Warning**Hazard-determining components of labelling:**

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)
 Bisphenol-F-Epichlorhydrine-Resin MG \leq 700
 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Hazard statements

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P273 Avoid release to the environment.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P363 Wash contaminated clothing before reuse.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 25068-38-6 NLP: 500-033-5	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) 	25 - 50%
CAS: 9003-36-5	Bisphenol-F-Epichlorhydrine-Resin MG \leq 700 	25 - 50%
CAS: 68609-97-2 EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs 	5 - 10%
CAS: 100-51-6 EINECS: 202-859-9	Benzyl alcohol 	5 - 10%

Additional information For the wording of the listed risk phrases refer to section 16.

GB

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Resin

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30 °C).

After swallowing If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

The product must not get into watercourses or into the soil.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Resin

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.**Further information about storage conditions:** None.**7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Respiratory protection: Not required.**Protection of hands:** Not required.**Eye protection:** Goggles recommended during refilling**Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Appearance:**

Form:	Viscous
Colour:	Not determined.
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value:	Not applicable.
------------------	-----------------

Change in condition

Melting point/Melting range:	Undetermined.
-------------------------------------	---------------

Boiling point/Boiling range:	206 °C (DIN)
-------------------------------------	--------------

Flash point:	99 °C (DIN ISO 2592)
---------------------	----------------------

Flammability (solid, gaseous):	Not applicable.
---------------------------------------	-----------------

Ignition temperature:	184 °C (DIN 51794)
------------------------------	--------------------

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Resin

(Contd. of page 4)

Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	1.3 Vol % (DIN 51649)
Upper:	13.0 Vol % (DIN 51649)
Oxidising properties	Not determined.
Vapour pressure at 20 °C:	0.1 hPa (DIN 51640)
Density:	Not determined
Bulk density:	Not applicable.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix
Segregation coefficient (n-octanol/water) log Pow:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent separation test:	Not determined
Solvent content:	
Organic solvents:	6.9 %
EU-VOC	6.87 %
Solids content:	20.2 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Resin

(Contd. of page 5)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

Components	Type	Value	Species
25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)			
Oral	LD50	15000 mg/kg	(rat)
Dermal	LD50	23000 mg/kg	(rabbit)
9003-36-5 Bisphenol-F-Epichlorhydrine-Resin MG ≤ 700			
Oral	LD50	23800 mg/kg	(rat)
Dermal	LD50	> 2000 mg/kg	(rabbit)
68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs			
Dermal	LD50	26800 mg/kg	(rat)
100-51-6 Benzyl alcohol			
Oral	LD50	1230 mg/kg	(rat)
Dermal	LD50	2000 mg/kg	(rabbit)
Inhalative	LC50/4 h	4178 mg/l	(rat)
7631-86-9 silicon dioxide, chemically prepared			
Oral	LD50	10000 mg/kg	(rat)
Dermal	LD50	> 2000 mg/kg	(rabbit)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Strong irritant with the danger of severe eye injury.

Sensitisation: No sensitising effects known.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test	Effective concentration	Method	Assessment
25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)			
EC50/48h	1.8 mg/l	(water flea)	
EC50/96h	220 mg/l	(Selenastrum capricornutum (green alge))	
LC50/96h	2 mg/l	(orfe)	
9003-36-5 Bisphenol-F-Epichlorhydrine-Resin MG ≤ 700			
EC50/96h	2.54 mg/l	(orfe)	
LC50/48h	2.55 mg/l	(water flea)	
68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs			
EC50/48h	6.08 mg/l	(water flea)	
LC50/96h	>5000 mg/l	(orfe)	

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Resin

(Contd. of page 6)

100-51-6 Benzyl alcohol

EC 10	400 mg/l (pseudomonas putida (Bacteria))
EC50/24h	400 mg/l (water flea)
EC50/96h	400 mg/l (water flea)
	640 mg/l (scenedesmus quadricauda (Alge))
LC50/48h	645 mg/l (orfe)
LC50/96h	10 mg/l (sunfish)
	460 mg/l (monnow)

12.2 Persistence and degradability No further relevant information available.**12.3 Bioaccumulative potential****100-51-6 Benzyl alcohol**

EBAB	1.1 log Pow (Bioakkumulation)
------	-------------------------------

Behaviour in environmental systems:**12.4 Mobility in soil** No further relevant information available.**Ecotoxicological effects:****Behaviour in sewage processing plants:****Type of test Effective concentration Method Assessment****100-51-6 Benzyl alcohol**

EC 50 (3h)	79 mg/l (scenedesmus quadricauda (Alge))
------------	--

Other information:**100-51-6 Benzyl alcohol**

BSB (5)	1550 mg O ₂ /g (-)
---------	-------------------------------

Additional ecological information:**General notes:**

Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods**European waste catalogue**

Possible waste code. The concrete waste code depends of the source of the waste.

Uncleaned packaging:**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

GB

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Resin

(Contd. of page 7)

SECTION 14: Transport information

14.1 UN-Number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR IMDG IATA	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxyresin, Epoxy Resin), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3 Transport hazard class(es) ADR, IATA	
	
Class	9 Miscellaneous dangerous substances and articles.
IMDG	
	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA):	Product contains environmentally hazardous substances: Epoxy Resin, Epoxyresin Yes Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user EMS Number:	Warning: Miscellaneous dangerous substances and articles. F-A,S-F
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Resin

(Contd. of page 8)

ADR**Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

IMDG**Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":UN3082, ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S., 9, III**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

R20/22 Harmful by inhalation and if swallowed.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Department issuing MSDS: Product safety department.**Contact:**

Dr Sara Kelly

SHEQ Systems Manager

Weber

Tel: 01525 722145

Fax: 01525 718988

Email: sara.kelly@netweber.co.uk

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.03.2015

Revision: 23.03.2015

Trade name EP Thixotropic Resin

(Contd. of page 9)

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

GB