

DESCRIPTION

rbs Driveseal is a penetrating colourless sealer and is based on a carefully sourced blend of chemicals.

rbs Driveseal will greatly increase concrete surface anti-abrasion properties on driveways, paving and walkways.

Ideal for imprinted concrete, block paving and standard concrete driveways.

ADVANTAGES

- Protects many surfaces from abrasion and water penetration.
- Non-slip and restricts weed growth.
- Quick drying.
- Single component, i.e. no mixing involved.
- Can be used both internally and externally.
- Gives an attractive gloss finish.

APPLICATION

rbs Driveseal is supplied as a ready to apply product by brush or non-atomising spray. Do not over apply and brush out any runs that may occur. After about 20 minutes the sealer should have soaked into the concrete, and then further coats should be applied until no more material is absorbed. Allow 2 to 3 hours to elapse between coatings. Normally 2 coatings are sufficient but on 3 coatings may be needed on very porous surfaces.

Use only in well ventilation areas and away from sources of ignition.

TECHNICAL DATA

Appearance	Low viscosity liquid
Specific Gravity @ 15.6c	0.907
Flash Point (PMCC)	43°C
Viscosity cSt @ 40°C	N/A
Average Coverage	5-12 m ² per litre
Recommended Dilution	Non required

HEALTH & SAFETY

When working with rbs Driveseal suitable protective clothing, eye/face protection and gloves should be worn. For further health and safety information, please refer to the relevant Safety Data Sheet

PACKAGING

rbs Driveseal is available in 5 and 25 Litre containers.

STORAGE

rbs Driveseal should be stored in metal containers under dry, frost-free conditions away from direct sunlight, under such conditions the shelf life is at least twelve months, if unopened.

IMPORTANT NOTE

Whilst all reasonable care is taken in compiling technical data on the Company's products, all recommendations or suggestions regarding the use of such products are made without guarantee, since the conditions of use are beyond the control of the Company.

It is the responsibility of the customer to satisfy himself that each product is fit for the purpose for which he intends to use it, that the actual conditions of use are suitable, and that in the light of our continual research and development programme the information relating to each product has not been superseded.