



# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

## RIW 35: RIW Cementfill FC

Revision 4  
Revision date 2017-04-10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name RIW 35: RIW Cementfill FC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description Cementitious repair mortar.

#### 1.3. Details of the supplier of the safety data sheet

Company RIW Limited  
Address Arc House  
Terrace Road South  
Binfield, Bracknell  
Berkshire RG42 4PZ  
Web www.riw.co.uk  
Telephone 01344 397788  
Email enquiries@riw.co.uk  
Email address of the competent person enquiries@riw.co.uk

#### 1.4. Emergency telephone number

Emergency telephone number 01344 397788  
Company RIW Limited  
0800 - 1700 Monday - Friday

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008 Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;

#### 2.2. Label elements

##### Hazard pictograms



##### Signal Word

Danger

##### Hazard Statement

Skin Irrit. 2: H315 - Causes skin irritation.  
Skin Sens. 1: H317 - May cause an allergic skin reaction.  
Eye Dam. 1: H318 - Causes serious eye damage.  
STOT SE 3: H335 - May cause respiratory irritation.

##### Precautionary Statement: Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P271 - Use only outdoors or in a well-ventilated area.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

## RIW 35: RIW Cementfill FC

Revision 4

Revision date 2017-04-10

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
<b>Precautionary Statement: Storage</b>	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

## 2.3. Other hazards

<b>Other hazards</b>	Contains soluble chromium (VI) controlled by the addition of a reducing agent to no more than 2ppm by dry weight of cement when mixed with water, for a period of 12 months from the date of manufacture under the stipulated storage conditions. Use of this product after the end of this period or under different storage conditions may increase the risk of an allergic reaction. PPE must still be worn. R41 - Risk of serious damage to eyes.
----------------------	---

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Crystalline Quartz (Silica Flour)		14808-60-7	238-878-4		40 - 50%	
Portland Cement		65997-15-1			20 - 30%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;
Calcium aluminate sulfate		12005-25-3			1 - 10%	EUH066; Skin Sens. 1: H317;
Glass fibre filler		65997-17-3			1 - 10%	
Silica fume		69012-64-2	273-761-1		1 - 10%	
Dolomite		16389-88-1	240-440-2		1 - 10%	
Hydrated Lime (Calcium hydroxide)		1305-62-0	215-137-3		1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318;
Sodium nitrite	007-010-00-4	7632-00-0	231-555-9		0.5 - 1%	Ox. Sol. 3: H272; Acute Tox. 3: H301; Aquatic Acute 1: H400;

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
<b>Eye contact</b>	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Not applicable.
--	-----------------

## 5.2. Special hazards arising from the substance or mixture

	This product is not flammable.
--	--------------------------------

## 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## RIW 35: RIW Cementfill FC

Revision 4

Revision date 2017-04-10

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

	Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

**6.2. Environmental precautions**

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

**6.3. Methods and material for containment and cleaning up**

	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	--

**6.4. Reference to other sections**

	SECTION 13: Disposal considerations. SECTION 7: Handling and storage. SECTION 8: Exposure controls/personal protection.
--	---

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

**7.2. Conditions for safe storage, including any incompatibilities**

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.1.1. Exposure Limit Values**


## RIW 35: RIW Cementfill FC

Revision 4  
Revision date 2017-04-10

## 8.1.1. Exposure Limit Values

Crystalline Quartz (Silica Flour)	WEL 8-hr limit ppm: WEL 15 min limit ppm: WEL 8-hr limit mg/m3 total inhalable dust: 10 WEL 8-hr limit mg/m3 total respirable dust: 0.1	WEL 8-hr limit mg/m3: WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust: -
Dolomite	WEL 8-hr limit ppm: WEL 15 min limit ppm: WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 4 WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Glass fibre filler	WEL 8-hr limit ppm: 15 WEL 15 min limit ppm: WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Hydrated Lime (Calcium hydroxide)	WEL 8-hr limit ppm: -  WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 5  WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Portland Cement	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: 10 WEL 8-hr limit mg/m3 total respirable dust: 4	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

## 8.2. Exposure controls

	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear:.. Suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

## RIW 35: RIW Cementfill FC

Revision 4  
Revision date 2017-04-10

## 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Powder
<b>Colour</b>	Grey
<b>Odour</b>	Characteristic
<b>Odour threshold</b>	No data available
<b>pH</b>	Not applicable.
<b>Melting point</b>	Not applicable.
<b>Freezing Point</b>	Not applicable.
<b>Initial boiling point</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.
<b>Vapour pressure</b>	Not applicable.
<b>Vapour density</b>	Not applicable.
<b>Fat Solubility</b>	Not determined
<b>Partition coefficient</b>	Not determined
<b>Viscosity</b>	Not applicable.
<b>Solubility</b>	Miscible in water

## 9.2. Other information

<b>Conductivity</b>	Not determined
<b>Surface tension</b>	Not determined
<b>Bulk Density</b>	1200 - 1600 g/cm <sup>3</sup>
<b>Gas group</b>	Not applicable.

## Further information

	pH of ready to use product = above 12.
--	--

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

<b>Acute toxicity</b>	No data is available on this product.
<b>Skin corrosion/irritation</b>	Irritating to skin.
<b>Serious eye damage/irritation</b>	Strong irritant with the danger of severe eye damage.
<b>Respiratory or skin sensitisation</b>	May cause sensitisation by inhalation and skin contact.
<b>Germ cell mutagenicity</b>	No mutagenic effects reported.
<b>Carcinogenicity</b>	No carcinogenic effects reported.
<b>Reproductive toxicity</b>	No observed effect concentration.

## 11.1.3. Hazard Information

	In contact with water or body fluids, alkalis are released which can cause irritation of the skin. Continuous or repeated exposure over a period of time may cause burns or an allergic reaction.
--	---

## 11.1.4. Toxicological Information

	No data available
	Inhalation of particles of free silica in the respirable range can give rise to fibrosis of the lungs (commonly referred to as silicosis). Prolonged exposure to dust may cause irritation to the respiratory system.

## SECTION 12: Ecological information

## RIW 35: RIW Cementfill FC

Revision 4  
Revision date 2017-04-10

## 12.1. Toxicity

	No data available
--	-------------------

## 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

## 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

## Partition coefficient

	RIW 35: RIW Cementfill FC Not determined
--	--

## Further information

	Do not flush into surface water.
--	----------------------------------

## SECTION 13: Disposal considerations

## General information

	Dispose of in compliance with all local and national regulations.
--	---

## Disposal of packaging

	After final product withdrawal, all residues must be removed from containers (drip-free, powder-free or paste-free).
--	--

## SECTION 14: Transport information

## 14.1. UN number

	The product is not classified as dangerous for carriage.
--	--

## 14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

## 14.3. Transport hazard class(es)

	The product is not classified as dangerous for carriage.
--	--

## 14.4. Packing group

	The product is not classified as dangerous for carriage.
--	--

## 14.5. Environmental hazards

	The product is not classified as dangerous for carriage.
--	--

## 14.6. Special precautions for user

	The product is not classified as dangerous for carriage.
--	--

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	The product is not classified as dangerous for carriage.
--	--

## Further information

	The product is not classified as dangerous for carriage.
--	--

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	This Safety Data Sheet has been prepared in accordance with Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Classification has been made in accordance with Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation).
-------------	--

## RIW 35: RIW Cementfill FC

Revision 4

Revision date 2017-04-10

**SECTION 16: Other information****Other information**

<b>Revision</b>	This document differs from the previous version in the following areas:. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 15 - Regulations.
<b>Data sources</b>	Data extracted from individual component Safety Data Sheets.
<b>Text of Hazard Statements in Section 3</b>	Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation. EUH066 - Repeated exposure may cause skin dryness or cracking. Ox. Sol. 3: H272 - May intensify fire; oxidiser. Acute Tox. 3: H301 - Toxic if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life.

**Further information**

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--