

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

CEMPOLAY DEEP INTERNAL FLC Supercedes Date: 11-Feb-2019 Revision date 06-Apr-2020 Revision Number 1.03

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

work.

1.1. Product Identifier

Product NameCEMPOLAY DEEP INTERNAL FLCPure substance/mixtureMixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Building and construction
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

### Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

### E-mail address

SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

United Kingdom Ireland +44 (1785) 272650 +353 (1) 8624900 (Monday- Friday 9am-5pm)

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1 - (H317)

### 2.2. Label Elements

Contains: Cement, portland, chemicals



Signal word DANGER

#### **Hazard statements**

H315 - Causes skin irritation.H317 - May cause an allergic skin reaction.H318 - Causes serious eye damage.

**CEMPOLAY DEEP INTERNAL FLC** 

Supercedes Date: 11-Feb-2019

## **Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P261 Avoid breathing dust.

P280 - Wear protective gloves and eye/face protection.

- P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER or doctor.
- P362 + P364 Take off contaminated clothing and wash it before reuse.
- P402 + P404 Store in a dry place. Store in a closed container.
- P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3. Other Hazards

Product dust may be irritating to eyes, skin and respiratory system

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers

Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2. Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	40 - <80	^		[4]
Cement, portland, chemicals	266-043-4	65997-15-1	10 - <20	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317)		

NOTE [4] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex IV of REACH

#### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### CEMPOLAY DEEP INTERNAL FLC Supercedes Date: 11-Feb-2019

General advice	If medical advice is needed, have product container or label at hand.	
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.	
Eye contact	Consult an ophthalmologist. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.	
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).	
4.2. Most important symptoms and	l effects, both acute and delayed	
Symptoms	Causes serious eye damage. Inhalation of dust in high concentration may cause irritation of respiratory system. Irritating to skin.	
4.3. Indication of any immediate m	edical attention and special treatment needed	
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.	
SECTION 5: Firefighting mea	asures	
5.1. Extinguishing media		
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.	
5.2. Special hazards arising from the	he substance or mixture	
Creatific horando origina from the	Product is or contains a sensitiser. May cause sensitisation by skin contact.	
chemical		
	Carbon oxides.	
chemical	Carbon oxides.	

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Avoid generation of dust.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.

### CEMPOLAY DEEP INTERNAL FLC Supercedes Date: 11-Feb-2019

6.3. Methods and material for containment and cleaning up		
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.	
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.	
6.4. Reference to other sections		
Reference to other sections	See section 8 for more information. See section 13 for more information.	

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Use personal protective equipment as required.		
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Protect from moisture.		
7.3. Specific end use(s)			
<b>Specific Use(s)</b> Building and construction work.			
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.		
Other information	Observe technical data sheet.		

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

### Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Quartz 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m³	TWA: 0.1 mg/m <sup>3</sup>
Cement, portland, chemicals 65997-15-1	-	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Limestone 1317-65-3	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Calcium sulfate 7778-18-9	-	TWA: 10 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	-
Dust RR-12364-8	-	TWA: 10 mg/m³ TWA: 4 mg/m³	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

CEMPOLAY DEEP INTERNAL FLC Supercedes Date: 11-Feb-2019

## Derived No Effect Level (DNEL) Quartz (14808-60-7)

<b>Predicted No Effect Concentration</b>	No information available.
(PNEC)	

8.2.	Exposure	<u>controls</u>
------	----------	-----------------

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipmen	t
Eye/face protection	Tight sealing safety goggles. Face protection shield. Wear safety glasses with side shields (or goggles).
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Gloves must conform to standard EN 374. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
Skin and body protection	Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid generation of dust. Possible nuisance dust.
Recommended filter type:	Particle filter device (DIN EN 143). with filter for particulates. Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour threshold	Solid Powder No information available No information available No information available	
Property_	Values_	Remarks • Method
pH	Not applicable .	
Melting point / freezing point	Not applicable	
Boiling point / boiling range	Not applicable .	
Flash point	Not applicable .	
Evaporation rate	Not applicable .	
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive limits	No data avallable	
Vapour pressure	No data available	
Vapour pressure Vapour density	No data available	
Relative density	No data available	
Water solubility	Cement based products react and	
Water Solubility	solidify in contact with water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	Not applicable . mm²/s	
Dynamic viscosity	Not applicable	

CEMPOLAY DEEP INTERNAL FLC Supercedes Date: 11-Feb-2019 Revision date 06-Apr-2020 Revision Number 1.03

Explosive properties Oxidising properties	No data available No data available		
9.2. Other information Solid content (%) Softening Point VOC Content (%) Density	100 Not relevant No information available No information available		
SECTION 10: Stability and re	eactivity		
10.1. Reactivity			
Reactivity	No information available.		
10.2. Chemical stability			
Stability	Stable under normal conditions.		
Explosion Data Sensitivity to mechanical impact	None.		
Sensitivity to static discharge	None.		
10.3. Possibility of hazardous reac	tions		
Possibility of hazardous reactions	None under normal processing.		
10.4. Conditions to avoid			
Conditions to avoid	Product cures with moisture. Protect from moisture.		
10.5. Incompatible materials			
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents.		
10.6. Hazardous decomposition products			
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.		
SECTION 11: Toxicological	information		
11.1. Information on toxicological	effects		
Information on likely routes of exp	osure		

Product Information		
Inhalation	May cause irritation of respiratory tract.	
Eye contact	Causes serious eye damage.	
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.	
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.	
Symptoms related to the physical, chemical and toxicological characteristics		

United Kingdom, Ireland - BE

### CEMPOLAY DEEP INTERNAL FLC Supercedes Date: 11-Feb-2019

Symptoms

Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Numerical measures of toxicity

**Acute Toxicity** 

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz	>2000 mg/kg (Rattus)		
14808-60-7			
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rattus)	LD50 >2000 mg/Kg	

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Causes serious eye damage.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity

12.2. Persistence and degradability		
Persistence and degradability	No information available.	
12.3. Bioaccumulative potential		
Bioaccumulation	No information available.	

.

### CEMPOLAY DEEP INTERNAL FLC

Supercedes Date: 11-Feb-2019

Chemical name		Partition coefficient	Bioconcentration factor (BCF)
Quartz		-	0
14808-60-7			
<u>12.4. Mobility in soil</u>			
Mobility in soil	No information available.		
12.5. Results of PBT and vPvB assessment			
PBT and vPvB assessment	The components in this formulation do not meet the criteria for classification as PBT or vPvB.		
12.6. Other adverse effects			
Other adverse effects	No information available.		

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 10 13 06 particulates and dust (except 10 13 12 and 10 13 13) 10 13 14 waste concrete and concrete sludge
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# SECTION 14: Transport information

Land transport (ADR/RID) 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not applicable None
IMDG 14.1 UN number	Not regulated
14.2 Proper Shipping Name 14.3 Transport hazard class(es)	Not regulated Not regulated
14.4 Packing group	Not regulated
14.5 Marine Pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR	)
14.1 UN number	Not regulated
14.2 Proper Shipping Name	Not regulated

CEMPOLAY DEEP INTERNAL FLC Supercedes Date: 11-Feb-2019

14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Cement, portland, chemicals	65997-15-1	47

**47** where product supplied with reducing agent the packaging must be marked with the storage conditions and storage period appropriate to maintaining the activity of the reducing agent to keep the content of soluble chromium VI below 2mg/Kg.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

#### Persistent Organic Pollutants Not applicable

#### **National Regulations**

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

CEMPOLAY DEEP INTERNAL FLC Supercedes Date: 11-Feb-2019

### Full text of H-Statements referred to under section 3

H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H335 - May cause respiratory irritation

Legend TWA STEL Ceiling * SVHC PBT vPvB STOT RE	TWA (time-weighted average) STEL (Short Term Exposure Limit) Ceiling Limit Value Skin designation Substance(s) of Very High Concern Persistent, Bioaccumulative, and Toxic (PBT) Chemicals Very Persistent and very Bioaccumulative (vPvB) Chemicals Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue

#### Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	06-Apr-2020
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **End of Safety Data Sheet**