

SAFETY DATA SHEET Ultracrete Envirobed HA 104

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Ultracrete Envirobed HA 104

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier

Instarmac Group plc Danny Morson Way Birch Coppice Business Park Dordon, Tamworth Staffordshire. B78 1SE United Kingdom Tel: +44 (0) 1827 872244 Fax: +44 (0) 1827 874466 email@instarmac.co.uk www.instarmac.co.uk

1.4. Emergency telephone number

+44 (0)7971 217 347

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Classification (1999/45/EEC)

Physical and Chemical Hazards	Not classified.
Human health	Skin Irrit. 2 - H315;Eye Dam. 1 - H318;Skin Sens. 1 - H317;STOT SE 3 -
	H335
Environment	Not classified.
Xi;R37/38, R41. R43.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2. Label elements

Contains PORTLAND CEMENT

Label In Accordance With (EC) No. 1272/2008



Signal Word	Danger	
Hazard Statements		
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H335	May cause respiratory irritation.
Precautionary Statements		
	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER or doctor/physician.
	P501	Dispose of contents/container in accordance with local regulations.

Ultracrete Envirobed HA 104

Supplementary Precautionary Statements

onto	
P272	Contaminated work clothing should not be allowed out of the workplace.
P261	Avoid breathing vapour/spray.
P264	Wash contaminated skin thoroughly after handling.
P321	Specific treatment (see medical advice on this label).
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P332+313	If skin irritation occurs: Get medical advice/attention.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

2.3. Other hazards

Contains chromium (VI). May produce an allergic reaction.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

HIGH ALUMINA CEMENT			10-30%
CAS-No.:	EC No.:		
Classification (EC 1272/2008) Eye Dam. 1 - H318, H319 Eye Irrit. 2 - H318, H319 STOT SE 3 - H335		Classification (67/548/EEC) Xi;R41,R36/37.	
Lignosulphate			< 1 %
CAS-No.: 8061-52-7	EC No.: 232-506-4		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Not classified.	
PORTLAND CEMENT			10-30%
CAS-No.: 65997-15-1	EC No.:		
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335		Classification (67/548/EEC) Xi;R37/38,R41. R43.	
Quartz			1-10%
CAS-No.: 14808-60-7	EC No.: 238-878-4		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Not classified.	

Quartz			10-30%
CAS-No.: 14808-60-7	EC No.: 238-878-4		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Not classified.	
SILICA SAND			10-30%
SILICA SAND CAS-No.: 14808-60-7	EC No.: 238-878-4		10-30%

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Risk of serious damage to eyes.

Inhalation

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

Ingestion

Do not induce vomiting. Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing. Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media Water. Foam. 5.2. Special hazards arising from the substance or mixture

Unusual Fire & Explosion Hazards No unusual fire or explosion hazards noted. 5.3. Advice for firefighters

5.5. Advice for firenginters

Special Fire Fighting Procedures No specific fire fighting procedure given.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not allow to enter drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like. Avoid generation and spreading of dust.

6.4. Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Store in closed original container at temperatures between 5°C and 30°C. This product must be stored in unopened bags, clear of the ground in cool dry conditions and protected from excessive drafts. If stored correctly and used within 6 months of the date shown on the bag, the activity of the reducing agent will be maintained and this product will contain, when mixed with water, no more than 0.0002% (2 ppm) soluble Chromium (VI) of the total dry weight of the cement.

Shelf life in correct for sealed bags is 6 months. Please note: the use of this product after the end of the declared storage period may increase the risk of an allergic reaction.

7.3. Specific end use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
HIGH ALUMINA CEMENT			10 mg/m3			
Lignosulphate			5 mg/m3			
PORTLAND CEMENT	WEL		10 mg/m3			
Quartz	WEL		0.3 mg/m3			
Quartz	WEL		0.3 mg/m3			
SILICA SAND	WEL		0.1 mg/m3			

WEL = Workplace Exposure Limit.

Lignosulphate (CAS: 8061-52-7)

Ingredient Comments

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment





Process conditions

Provide eyewash station.

Engineering measures

Provide sufficient ventilation for operations causing dust formation.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided. Dust mask/respirator.

Hand protection

Use suitable protective gloves if risk of skin contact.

Eye protection

Wear dust resistant safety goggles where there is danger of eye contact.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Powder, dust
Colour	Grey.
Relative density	1.6-2.0 @ 20°C
9.2. Other information	

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal temperature conditions and recommended use. 10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

10.5. Incompatible materials

Materials To Avoid Strong acids. Strong alkalis. 10.6. Hazardous decomposition products

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation

May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged contact with wet cement/mixture may cause burns.

Eye contact Risk of serious damage to eyes. Health Warnings Contains chromium (VI). May produce an allergic reaction.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Dispose of waste and residues in accordance with local authority requirements. <u>13.1. Waste treatment methods</u>

SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

Chemicals (Hazard Information & Packaging) Regulations. The Control of Substances Hazardous to Health (Amendment) Regulations 2004

Environmental Listing

Control of Pollution Act 1974. Rivers (Prevention of Pollution) Act 1961.

Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply. Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

National Regulations

Workplace Exposure Limits 2005 (EH40) The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007).

15.2. Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

General information

If further information on training is required contact Instarmac Group plc				
Revision Date	12/01/2016			
Revision	20			
Supersedes date	17/07/2015			
Risk Phrases In Full				
R36/37	Irritating to eyes and respiratory system.			
R37/38	Irritating to respiratory system and skin.			
R43	May cause sensitisation by skin contact.			
NC	Not classified.			
R41	Risk of serious damage to eyes.			

Ultracrete Envirobed HA 104

Hazard Statements In Full	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.

Disclaimer

The purpose of the above information is to describe the products only in terms of health and safety requirements. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. It is the users obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date specified.

All goods are supplied in accordance with Instarmac Group plc's general conditions of sale, copies of which may be obtained by telephoning sales on 01827 872244



SAFETY DATA SHEET ENVIROBED BOTTLE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name ENVIROBED BOTTLE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier

safety data sheet Instarmac Group plc Danny Morson Way Birch Coppice Business Park Dordon, Tamworth Staffordshire. B78 1SE United Kingdom Tel: +44 (0) 1827 872244 Fax: +44 (0) 1827 874466 email@instarmac.co.uk www.instarmac.co.uk

1.4. Emergency telephone number

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

	Physical and Chemical Hazards	Not classified.
	Human health	Not classified.
	Environment	Not classified.
Classification (1999/45/EEC)	Not classified.	
The Full Text for all R-Phrases and H	Hazard Statements are Displayed i	n Section 16.

Human health

See section 11 for additional information on health hazards.

Environment

The product is not expected to be hazardous to the environment.

2.2. Label elements

Label In Accordance With (EC) No. 1272/2008

No pictogram required.

2.3. Other hazards

Not Classified as PBT/vPvB by current EU criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

FOAM CONTROL AGENT			< 1 %
CAS-No.: 64742-65-0	EC No.: 265-169-7		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Not classified.	
METHYL-2H or METHYL-4 (3:1) Mixt	ure of EC NO 220-239-6		< 1 %
CAS-No.: 55965-84-9	EC No.:		
Classification (EC 1272/2008)		Classification (67/548/EEC)	
Acute Tox. 3 - H301 Acute Tox. 3 - H311		T;R23/24/25 C;R34	
Acute Tox. 3 - H331		R43	
Skin Corr. 1B - H314		N;R50/53	
Skin Sens. 1 - H317			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Remove affected person from source of contamination. Contact physician if discomfort continues.

Inhalation

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

Ingestion

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions. Do not give victim anything to drink if he is unconscious. **Skin contact**

Skin contact

Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Get medical attention if any discomfort continues.

Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

None under normal conditions.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted. Specific hazards

Not known.

5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Use protective equipment appropriate for surrounding materials.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

GENERAL. Wear necessary protective equipment.

6.4. Reference to other sections

For personal protection, see section 8. Collect and dispose of spillage as indicated in section 13. See section 11 for more detailed information on health effects and symptoms.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations.

7.2. Conditions for safe storage, including any incompatibilities

Store at moderate temperatures in dry, well ventilated area.

Storage Class

Unspecified storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
FOAM CONTROL AGENT	WEL					
METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6	WEL		0.20 mg/m3			

WEL = Workplace Exposure Limit.

Ingredient Comments

No exposure limits noted for ingredient(s).

8.2. Exposure controls

Engineering measures

Not relevant

Respiratory equipment

No specific recommendations.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves.

Eye protection

Wear approved safety goggles.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

9.2. Other information

Not available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

Liquid

10.2. Chemical stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

Not applicable. **Hazardous Polymerisation** Unknown.

10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

No information available.

General information

No specific health warnings noted.

Inhalation No specific health warnings noted.

Ingestion

May irritate and cause stomach pain, vomiting and diarrhoea.

Skin contact

Irritating to skin.

Eye contact

Irritating to eyes. Health Warnings

This chemical may cause skin/eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

There are no data on the ecotoxicity of this product.

12.1. Toxicity

No information available

12.2. Persistence and degradability

No information available

Degradability

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

The product is non-volatile.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

Control of Substances Hazardous to Health.

ENVIROBED BOTTLE

Approved Code Of Practice

Safety Data Sheets for Substances and Preparations.

National Regulations

Health and Safety at Work Act (As Amended) 1974 Control of Substances Hazardous to Health Regulations 2002 (as amended) Water hazard classification

N/A.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information			
Only trained personnel shoul	ld use this material.		
Issued By	HS&E Manager.		
Revision Date	26/11/2013		
Revision	12		
Supersedes date	01/05/2013		
Safety Data Sheet Status	Approved.		
Risk Phrases In Full			
R34	Causes burns.		
R43	May cause sensitisation by skin contact.		
NC	Not classified.		
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.		
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
Hazard Statements In Full			
H314	Causes severe skin burns and eye damage.		
H317	May cause an allergic skin reaction.		
H331	Toxic if inhaled.		
H301	Toxic if swallowed.		
H311	Toxic in contact with skin.		
H410	Very toxic to aquatic life with long lasting effects.		
H400	Very toxic to aquatic life.		



SAFETY DATA SHEET Envirobed Flowable 18kg bag

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Envirobed Flowable 18kg bag Product name 1.2. Relevant identified uses of the substance or mixture and uses advised against Uses advised against No specific uses advised against are identified. 1.3. Details of the supplier of the safety data sheet Supplier Instarmac Group plc Danny Morson Way Birch Coppice Business Park Dordon, Tamworth Staffordshire. B78 1SE United Kingdom Tel: +44 (0) 1827 872244 Fax: +44 (0) 1827 874466 email@instarmac.co.uk www.instarmac.co.uk

1.4. Emergency telephone number

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

	Physical and Chemical Hazards	Not classified.
	Human health	Skin Irrit. 2 - H315;Eye Dam. 1 - H318;Skin Sens. 1 - H317;STOT SE 3 - H335
	Environment	Not classified.
Classification (1999/45/EEC)	Xi;R37/38, R41. R43.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

See section 11 for additional information on health hazards.

Environment

The product is not expected to be hazardous to the environment.

2.2. Label elements

Contains PORTLAND CEMENT

Label In Accordance With (EC) No. 1272/2008



Signal Word	Danger	
Hazard Statements		
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H335	May cause respiratory irritation.
Precautionary Statements		
	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.

Envirobed Flowable 18kg bag

	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER or doctor/physician.
	P501	Dispose of contents/container in accordance with local regulations.
Supplementary Precautionary S	Statements	
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P261	Avoid breathing vapour/spray.
	P264	Wash contaminated skin thoroughly after handling.
	P321	Specific treatment (see medical advice on this label).
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P312	Call a POISON CENTER or doctor/physician if you feel unwell.
	P332+313	If skin irritation occurs: Get medical advice/attention.
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P362	Take off contaminated clothing and wash before reuse.
	P363	Wash contaminated clothing before reuse.
	P403+233	Store in a well-ventilated place. Keep container tightly closed.
	P405	Store locked up.

2.3. Other hazards

Not Classified as PBT/vPvB by current EU criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

CALCIUM ALUMINATE			10-30%
CAS-No.:	EC No.:		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Xi;R36/38.	
PORTLAND CEMENT			10-30%
CAS-No.: 65997-15-1	EC No.:		
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335		Classification (67/548/EEC) Xi;R37/38,R41. R43.	
Quartz			10-30%
CAS-No.: 14808-60-7	EC No.: 238-878-4		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Not classified.	
SILICA SAND			30-60%
CAS-No.: 14808-60-7	EC No.: 238-878-4		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Not classified.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Remove affected person from source of contamination. Contact physician if discomfort continues.

Inhalation

Move into fresh air and keep at rest. Get medical attention if any discomfort continues.

Ingestion

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions. Do not give victim anything to drink if he is unconscious.

Skin contact

Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Get medical attention if any discomfort continues.

Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

None under normal conditions.

Unusual Fire & Explosion Hazards No unusual fire or explosion hazards noted.

Specific hazards

Not known.

5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Use protective equipment appropriate for surrounding materials.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

GENERAL. For waste disposal, see section 13.

6.4. Reference to other sections

For personal protection, see section 8. Collect and dispose of spillage as indicated in section 13. See section 11 for more detailed information on health effects and symptoms.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

No specific usage precautions noted.

7.2. Conditions for safe storage, including any incompatibilities

Store at moderate temperatures in dry, well ventilated area.

Storage Class

Unspecified storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		TWA - 8 Hrs		TWA - 8 Hrs STEL - 15 Min		• 15 Min	Notes
PORTLAND CEMENT	WEL		10 mg/m3						
Quartz	WEL		0.3 mg/m3						
SILICA SAND	WEL		0.3 mg/m3						

WEL = Workplace Exposure Limit.

Ingredient Comments

No exposure limits noted for ingredient(s).

8.2. Exposure controls

Protective equipment



Engineering measures

Not relevant

Respiratory equipment

No specific recommendations. Respiratory protection may be required.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves.

Eye protection

Wear approved safety goggles.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance

Powder, dust

9.2. Other information

Not available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

Not applicable. Hazardous Polymerisation Unknown. 10.4. Conditions to avoid

Envirobed Flowable 18kg bag

There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

No information available.

General information

No specific health warnings noted.

Inhalation No specific health warnings noted.

Ingestion

May irritate and cause stomach pain, vomiting and diarrhoea.

Skin contact Irritating to skin.

Eye contact

Irritating to eyes.

Health Warnings

This chemical may cause skin/eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

There are no data on the ecotoxicity of this product.

12.1. Toxicity

No information available

12.2. Persistence and degradability

No information available **Degradability** There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: The product is non-volatile.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

Statutory Instruments

Control of Substances Hazardous to Health.

Approved Code Of Practice

Safety Data Sheets for Substances and Preparations.

National Regulations

Health and Safety at Work Act (As Amended) 1974 Control of Substances Hazardous to Health Regulations 2002 (as amended)

Water hazard classification

N/A.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

Only trained personnel should use this material.Issued ByHS&E Manager.Revision Date11/09/2013Revision3Supersedes date14/12/2012Safety Data Sheet StatusApproved.

Envirobed Flowable 18kg bag

Risk Phrases In Full

R36/38	Irritating to eyes and skin.
R37/38	Irritating to respiratory system and skin.
R43	May cause sensitisation by skin contact.
NC	Not classified.
R41	Risk of serious damage to eyes.
Hazard Statements In Full	
H318	Causes serious eye damage.

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.