

SAFETY DATA SHEET CONBEXTRA EP10 BASE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CONBEXTRA EP10 BASE

Product number 1158021UK9, A1158131UK9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Base Component of Two-part Epoxy Grout

1.3. Details of the supplier of the safety data sheet

Supplier Fosroc Limited

Drayton Manor Business Park

Coleshill Road Tamworth Staffordshire B78 3XN England

Tel: +44 (0) 1827 262222 Fax: +44 (0) 1827 262444 enquiryuk@fosroc.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1827 265 279 (Monday-Sunday 24 hours a day)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 2 - H411

Human health May cause skin sensitisation or allergic reactions in sensitive individuals.

Environmental The product contains a substance which is toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

2.2. Label elements

Hazard pictograms







Signal word

Danger

CONBEXTRA EP10 BASE

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P261 Avoid breathing vapour/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/ container in accordance with national regulations.

Contains EPOXY RESIN (Type A) (Number average MW <= 700), EPOXY RESIN (Type F) (Number

average MW <= 700), 1.4 BUTANE DIGLYCIDYL ETHER

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P310 Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EPOXY RESIN (Type A) (Number average MW <= 700)

30-60%

CAS number: 25068-38-6 EC number: 500-033-5 REACH registration number: 01-

2119456619-26-XXXX

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

Formaldehyde, oligomeric reaction products with 1-chloro-

30-60%

2,3-epoxypropane and phenol

CAS number: 9003-36-5 EC number: 500-006-8

Classification

Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

CONBEXTRA EP10 BASE

1.4 BUTANE DIGLYCIDYL ETHER 10-30%

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under observation. Get medical

attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact Remove affected person from source of contamination. Rinse immediately with plenty of

water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse

for at least 15 minutes. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin contact Skin irritation. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

CONBEXTRA EP10 BASE

Hazardous combustion

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Spillages or uncontrolled

discharges into watercourses must be reported immediately to the Environmental Agency or

other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Provide adequate ventilation. Avoid the formation of mists. Avoid

inhalation of vapours/spray and contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

EPOXY RESIN (Type A) (Number average MW <= 700) (CAS: 25068-38-6)

DNEL Workers - Inhalation; Short term systemic effects: 12.25 mg/m³

Workers - Inhalation; Long term systemic effects: 12.25 mg/m³

PNEC - Fresh water; 0.006 mg/l

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (CAS: 9003-36-5)

DNEL Workers - Inhalation; Long term systemic effects: 29.39 mg/m³

Workers - Dermal; Long term systemic effects: 104.15 mg/kg/day

Workers - Dermal; Short term local effects: 8.3 µg/cm2

PNEC - Fresh water; 0.003 mg/l

- marine water; 0.0003 mg/l

- STP; 10 mg/l

1.4 BUTANE DIGLYCIDYL ETHER (CAS: 2425-79-8)

DNEL Industry - Dermal; Long term systemic effects: 9.26 mg/kg/day

Industry - Inhalation; Long term systemic effects: 1.63 mg/m³

PNEC - STP; 100 mg/l

- Fresh water; 0.024 mg/l

- Sediment (Freshwater); 0.084 mg/kg

- marine water; 0.0024 mg/l

- Sediment (Marinewater); 0.0084 mg/kg

- Soil; 0.0027 mg/kg

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Butyl rubber. Nitrile rubber.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective

clothing in case of contact.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Do not eat, drink or smoke when using this product. Do not smoke in work

Respiratory protection

Respiratory protection may be required if excessive airborne contamination occurs. Gas filter,

type A2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid. Colour Straw. Odour Mild.

Odour threshold Not determined.

pН Not determined.

CONBEXTRA EP10 BASE

Melting point Not determined.

Initial boiling point and range >200°C @ 1 atm

Flash point >150°C

Evaporation rate Not determined.

Evaporation factor Not determined.

Flammability (solid, gas) No.

Upper/lower flammability or

explosive limits

The product is not flammable.

Other flammability Not applicable.

Vapour pressure 0.1 kPa @ 25°C

Vapour density Not determined.

Relative density 1.15 @ 25°C

Bulk density Not applicable.

Solubility(ies) Insoluble in water.

Partition coefficient Not applicable.

Auto-ignition temperature Not determined.

Decomposition Temperature Not determined.

Viscosity Not determined.

Explosive properties Not considered to be explosive.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Acids. Alkalis. Amines.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

CONBEXTRA EP10 BASE

10.6. Hazardous decomposition products

Hazardous decomposition When heated, vapours/gases hazardous to health may be formed. Oxides of carbon.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - dermal

ATE dermal (mg/kg) 7,971.01

Acute toxicity - inhalation

ATE inhalation (gases ppm) 32,608.7

ATE inhalation (vapours mg/l) 79.71

ATE inhalation (dusts/mists

mg/l)

10.87

Serious eye damage/irritation

Serious eye damage/irritation Causes eye irritation.

Skin sensitisation

Skin sensitisation May cause sensitisation by skin contact.

Inhalation Gas or vapour may irritate the respiratory system.

Ingestion May cause discomfort if swallowed.

Skin contact Irritating to skin. May cause sensitisation by skin contact.

Eye contact Irritating to eyes.

Route of exposure Skin and/or eye contact

Toxicological information on ingredients.

EPOXY RESIN (Type A) (Number average MW <= 700)

Acute toxicity - oral

Acute toxicity oral (LD50

5,000.0

mg/kg)

Species Rat

Notes (oral LD50) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 20,000.0

mg/kg)

Species Rabbit

ATE dermal (mg/kg) 20,000.0

Skin corrosion/irritation

Animal data Rabbit Moderately irritating.

Skin sensitisation

CONBEXTRA EP10 BASE

Skin sensitisation May cause sensitisation by skin contact.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

1.4 BUTANE DIGLYCIDYL ETHER

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Acute toxicity - inhalation

ATE inhalation (gases 4,500.0

ppm)

ATE inhalation (vapours 11.0

mg/l)

ATE inhalation 1.5

(dusts/mists mg/l)

SECTION 12: Ecological information

Ecotoxicity Dangerous for the environment. May cause long-term adverse effects in the aquatic

environment.

12.1. Toxicity

Toxicity The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

EPOXY RESIN (Type A) (Number average MW <= 700)

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 3.6 mg/l, Leuciscus idus (Golden orfe)

LC₅o, 96 hours: 2 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 1.8 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC50, 72 hours: 11 mg/l, Scenedesmus capricornutum (fresh water algae)

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: >1000 mg/l, Daphnia magna

1.4 BUTANE DIGLYCIDYL ETHER

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 19.8 mg/l, Fish

CONBEXTRA EP10 BASE

Acute toxicity - aquatic EC₅₀, : 75 mg/l, Daphnia magna

invertebrates 24 hours

12.2. Persistence and degradability

Persistence and degradability The product is not expected to be biodegradable.

Ecological information on ingredients.

EPOXY RESIN (Type A) (Number average MW <= 700)

Persistence and degradability

The product is not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not applicable.

Ecological information on ingredients.

EPOXY RESIN (Type A) (Number average MW <= 700)

Partition coefficient log Pow: 3.242

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Partition coefficient : log Pow = Approximately 3.8 at 25 C

12.4. Mobility in soil

Mobility The product is insoluble in water.

Ecological information on ingredients.

EPOXY RESIN (Type A) (Number average MW <= 700)

Mobility The product has poor water-solubility.

Adsorption/desorption

coefficient

Water - Koc: 445 @ °C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

EPOXY RESIN (Type A) (Number average MW <= 700)

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste is classified as hazardous waste.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3082
UN No. (IMDG) 3082
UN No. (ICAO) 3082
UN No. (ADN) 3082

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS EPOXY RESIN (Type A) (Number average MW <= 700), EPOXY RESIN (Type F) (Number average

MW <= 700))

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS EPOXY

RESIN (Type A) (Number average MW <= 700), EPOXY RESIN (Type F) (Number average

MW <= 700))

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS EPOXY

RESIN (Type A) (Number average MW <= 700), EPOXY RESIN (Type F) (Number average

MW <= 700))

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS EPOXY

RESIN (Type A) (Number average MW <= 700), EPOXY RESIN (Type F) (Number average

MW <= 700))

14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID classification code M6

ADR/RID label 9

IMDG class 9

ICAO class/division 9

ADN class 9

Transport labels



14.4. Packing group

ADR/RID packing group

IMDG packing group

ICAO packing group

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-F

ADR transport category 3

Emergency Action Code •3Z

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (-)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

90

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Guidance Workplace Exposure Limits EH40.

Respiratory protective equipment at work (HSG53).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General informationThe user must be instructed in the proper work procedure and be familiar with the contents of

these instructions.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 31/07/2018

Revision 4a

Supersedes date 14/04/2015

Hazard statements in full H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.



SAFETY DATA SHEET CONBEXTRA EP10 HARDENER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CONBEXTRA EP10 HARDENER

Product number A1151132UK9, 1158023UK9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hardener component of two part epoxy system

1.3. Details of the supplier of the safety data sheet

Supplier Fosroc Limited

Drayton Manor Business Park

Coleshill Road Tamworth Staffordshire B78 3XN England

Tel: +44 (0) 1827 262222 Fax: +44 (0) 1827 262444 enquiryuk@fosroc.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1827 265 279 (Monday-Sunday 24 hours a day)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 3 - H412

Human health Prolonged or repeated contact with skin may cause redness, itching, irritation and

eczema/chapping. The product contains a small amount of sensitising substance. May cause

skin sensitisation or allergic reactions in sensitive individuals.

Environmental The product contains a substance which is harmful to aquatic organisms and which may

cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Hazard pictograms





Signal word Danger

CONBEXTRA EP10 HARDENER

Hazard statements H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P260 Do not breathe vapour/ spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Contains TRIMETHYL HEXAMETHYLENEDIAMINE, PARA TOLUENE SULPHONIC ACID MONO

HYDRATE

Supplementary precautionary

statements

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

TRIMETHYL HEXAMETHYLENEDIAMINE

60-100%

CAS number: 25620-58-0 EC number: 247-134-8

Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412

CONBEXTRA EP10 HARDENER

PARA TOLUENE SULPHONIC ACID MONO HYDRATE

1-5%

CAS number: 6192-52-5 EC number: 695-067-1

Classification

Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. Get medical attention if any

discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention immediately.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after

washing.

Eye contact Remove affected person from source of contamination. Rinse immediately with plenty of

water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse

for at least 15 minutes. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Difficulty in breathing. Coughing, chest tightness, feeling of chest pressure. May cause an

asthma-like shortness of breath. Severe irritation of nose and throat. Headache. Nausea,

vomiting.

Ingestion May cause chemical burns in mouth and throat.

Skin contact May cause sensitisation by skin contact. May cause serious chemical burns to the skin.

Eye contact Eye contact may cause serious and potentially irreversible injuries.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

products

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. Oxides of nitrogen.

5.3. Advice for firefighters

CONBEXTRA EP10 HARDENER

Protective actions during

firefighting

No specific firefighting precautions known.

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with

skin and eyes.

6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in

vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty

of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid inhalation of vapours/spray and contact with skin and

eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

CONBEXTRA EP10 HARDENER

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. Polyvinyl chloride (PVC). Nitrile rubber.

Viton rubber (fluoro rubber).

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact. Use barrier creams to

minimise skin contact.

Hygiene measures Provide eyewash station and safety shower. Do not smoke in work area. Wash at the end of

each work shift and before eating, smoking and using the toilet. Promptly remove any clothing

that becomes contaminated. Wash promptly with soap and water if skin becomes

contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat,

drink or smoke.

Respiratory protection Respiratory protection may be required if excessive airborne contamination occurs. It is

recommended to use respiratory equipment with combination filter, type A2/P2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colourless.

Odour Amine.

Odour threshold Not determined.

pH (concentrated solution): 11

Melting point Not determined.

Initial boiling point and range >230°C @ 1 atm

Flash point 110°C

Evaporation rate Not determined.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 1.2 vol %

Other flammability Not determined.

Vapour pressure 0.002 kPa @ 20°C

Vapour density Not determined.

Relative density 0.88 - 0.90 @ 20°C

Bulk density Not applicable.

Solubility(ies) Miscible with water.

Partition coefficient Not determined.

Auto-ignition temperature 350°C

Decomposition Temperature Not determined.

Explosive properties Not considered to be explosive.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

CONBEXTRA EP10 HARDENER

9.2. Other information

Other information Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Acids.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Reacts with Acids, Alkalis and Oxidising Agents

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

products vapours. Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 517.22

Inhalation Harmful by inhalation. May cause damage to mucous membranes in nose, throat, lungs and

bronchial system.

Ingestion Harmful if swallowed. May cause burns in mucous membranes, throat, oesophagus and

stomach.

Skin contact Causes burns. Harmful in contact with skin. May cause sensitisation by skin contact.

Eye contact Causes burns. Risk of serious damage to eyes.

Acute and chronic health

hazards

This product is corrosive.

Route of exposure Inhalation Ingestion. Skin and/or eye contact

Target organs No specific target organs known.

Toxicological information on ingredients.

TRIMETHYL HEXAMETHYLENEDIAMINE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 910.0

mg/kg)

Species Rat

Skin sensitisation

CONBEXTRA EP10 HARDENER

Skin sensitisation Sensitising

SECTION 12: Ecological information

EcotoxicityThe product contains a substance which is harmful to aquatic organisms and which may

cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity Ecotoxic to fish/daphnia/algae

Ecological information on ingredients.

TRIMETHYL HEXAMETHYLENEDIAMINE

Acute aquatic toxicity

Acute toxicity - fish LC50, 48 hours: 174 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic

invertebrates

EC₅₀, 24 hours: 31.5 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

 EC_{50} , 72 hours: 29.5 mg/l, Scenedesmus subspicatus

Acute toxicity - EC10, 16 hours: 72 mg/l, Pseudomonas putida

microorganisms

12.2. Persistence and degradability

Persistence and degradability The product is not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not relevant.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Note that fully cured material is not considered as hazardous

waste.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 2327

CONBEXTRA EP10 HARDENER

UN No. (IMDG) 2327 UN No. (ICAO) 2327

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

TRIMETHYLHEXAMETHYLENEDIAMINES

Proper shipping name (IMDG) TRIMETHYLHEXAMETHYLENEDIAMINES

Proper shipping name (ICAO) TRIMETHYLHEXAMETHYLENEDIAMINES

Proper shipping name (ADN) TRIMETHYLHEXAMETHYLENEDIAMINES

14.3. Transport hazard class(es)

ADR/RID class 8
ADR/RID label 8
IMDG class 8
ICAO class/division 8

Transport labels



14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

Emergency Action Code 2X

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

80

Transport in bulk according to Not relevant.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Control of Substances Hazardous to Health Regulations 2002 (as amended).

CONBEXTRA EP10 HARDENER

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Guidance Workplace Exposure Limits EH40.

Approved Classification and Labelling Guide (Sixth edition) L131.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms ATE: Acute Toxicity Estimate. used in the safety data sheet DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration. Kow: Octanol-water partition coefficient.

General information For professional users only. The user must be instructed in the proper work procedure and be

familiar with the contents of these instructions.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 16/07/2019

Revision 5

Supersedes date 22/05/2017

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.