

SAFETY DATA SHEET NITOMORTAR S BASE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name NITOMORTAR S BASE

Product number A1925061UK9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Base Component of Three-Part Epoxy System

1.3. Details of the supplier of the safety data sheet

Supplier Fosroc Limited

Drayton Manor Business Park

Coleshill Road Tamworth Staffordshire B78 3XN England

Tel: +44 (0) 1827 262222 Fax: +44 (0) 1827 262444 enquiryuk@fosroc.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1827 265 279 (Monday-Sunday 24 hours a day)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 2 - H411

Human health The product contains a sensitising substance. May cause sensitisation or allergic reactions in

sensitive individuals.

Environmental The product contains a substance which is toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

2.2. Label elements

Hazard pictograms







Signal word

Danger

NITOMORTAR S BASE

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P261 Avoid breathing vapour/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Contains reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight

≤ 700), Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and

phenol, 1.4 BUTANE DIGLYCIDYL ETHER

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P310 Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin

(number average molecular weight ≤ 700)

CAS number: 25068-38-6 EC number: 500-033-5 REACH registration number: 01-

2119456619-26-XXXX

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

Formaldehyde, oligomeric reaction products with 1-chloro-

30-60%

30-60%

2,3-epoxypropane and phenol

CAS number: 9003-36-5 EC number: 500-006-8

Classification

Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

NITOMORTAR S BASE

1.4 BUTANE DIGLYCIDYL ETHER 10-30%

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

CALCIUM CARBONATE 1-5%

CAS number: 471-34-1 EC number: 207-439-9 REACH registration number: 01-

2119486795-18-XXXX

Classification
Not Classified

TITANIUM DIOXIDE 1-5%

CAS number: 13463-67-7 EC number: 236-675-5 REACH registration number: 01-

2119489379-17-XXXX

Classification
Not Classified

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under observation. Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation May cause respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin contact Skin irritation. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact Irritation of eyes and mucous membranes.

NITOMORTAR S BASE

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor
No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion

products

Carbon monoxide (CO). Oxides of carbon. Thermal decomposition or combustion may

liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known. Control run-off water by containing and keeping it

out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Spillages or uncontrolled

discharges into watercourses must be reported immediately to the Environmental Agency or

other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area

with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid the formation of mists. Avoid inhalation of vapours/spray

and contact with skin and eyes. Do not eat, drink or smoke when using the product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

NITOMORTAR S BASE

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

CALCIUM CARBONATE

Long-term exposure limit (8-hour TWA): 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): 4 mg/m³ respirable dust

TITANIUM DIOXIDE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) (CAS: 25068-38-6)

DNEL Workers - Inhalation; Short term systemic effects: 12.25 mg/m³

Workers - Inhalation; Long term systemic effects: 12.25 mg/m³

PNEC - Fresh water; 0.006 mg/l

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (CAS: 9003-36-5)

DNEL Workers - Inhalation; Long term systemic effects: 29.39 mg/m³

Workers - Dermal; Long term systemic effects: 104.15 mg/kg/day

Workers - Dermal; Short term local effects: 8.3 $\mu g/cm2$

PNEC - Fresh water; 0.003 mg/l

- marine water; 0.0003 mg/l

- STP; 10 mg/l

1.4 BUTANE DIGLYCIDYL ETHER (CAS: 2425-79-8)

DNEL Industry - Dermal; Long term systemic effects: 9.26 mg/kg/day

Industry - Inhalation; Long term systemic effects: 1.63 mg/m³

PNEC - STP; 100 mg/l

- Fresh water; 0.024 mg/l

- Sediment (Freshwater); 0.084 mg/kg

- marine water; 0.0024 mg/l

- Sediment (Marinewater); 0.0084 mg/kg

- Soil; 0.0027 mg/kg

TITANIUM DIOXIDE (CAS: 13463-67-7)

DNEL Industry - Inhalation; Long term local effects: 10 mg/m³

Consumer - Oral; Long term systemic effects: 700 mg/kg/day

PNEC - Fresh water; 0.127 mg/l

- Sediment (Freshwater); >=1000 mg/kg

- marine water; 1 mg/l

- Sediment (Marinewater); >= 100 mg/kg

Soil; 100 mg/kgSTP; 100 mg/l

8.2. Exposure controls

NITOMORTAR S BASE

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational

exposure limits for the product or ingredients.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. Wear protective gloves made of the

following material: Butyl rubber. Nitrile rubber.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective

clothing in case of contact.

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet. Wash

promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Do not eat, drink or smoke when using this product. Do not smoke in work

area.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Viscous liquid.

Colour White.

Odour Mild.

Odour threshold Not determined.

pH Not determined.

Melting point Not determined.

Initial boiling point and range >200°C @ 1 atm

Flash point >150°C Closed cup.

Evaporation rate Not determined.

Evaporation factor Not determined.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not determined.

Other flammability Not applicable.

Vapour pressure <0.1 kPa @ 20°C

Vapour density Not determined.

Relative density 1.18 @ 20°C

Bulk density Not applicable.

NITOMORTAR S BASE

Solubility(ies) Insoluble in water.

Partition coefficient Not applicable.

Auto-ignition temperature >300°C

Decomposition Temperature Not determined.

Viscosity Not determined.

Explosive properties Not considered to be explosive.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Amino, hydroxyl or carboxyl groups

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not known.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Thermal decomposition:- Oxides of carbon. Irritant fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Acute toxicity oral (LD50

2,000.0

mg/kg)

Species Rat

Notes (oral LD₅₀) The toxological assessment is based on a knowledge of the toxicity of the product's

components.

Acute toxicity - dermal

ATE dermal (mg/kg) 8,579.67

Acute toxicity - inhalation

ATE inhalation (gases ppm) 35,098.67

NITOMORTAR S BASE

ATE inhalation (vapours mg/l) 85.8

ATE inhalation (dusts/mists

mg/l)

Inhalation

Gas or vapour may irritate the respiratory system.

Ingestion May cause discomfort if swallowed.

11.7

Skin contact Irritating to skin. May cause sensitisation by skin contact.

Eye contact Irritating to eyes.

Route of exposure Skin and/or eye contact

Toxicological information on ingredients.

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

5,000.0

Species Rat

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 20,000.0

mg/kg)

Species Rabbit

ATE dermal (mg/kg) 20,000.0

Skin corrosion/irritation

Animal data Rabbit Moderately irritating.

Skin sensitisation

Skin sensitisation May cause sensitisation by skin contact.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

1.4 BUTANE DIGLYCIDYL ETHER

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Acute toxicity - inhalation

ATE inhalation (gases 4,500.0

ppm)

ATE inhalation (vapours

11.0

mg/l)

NITOMORTAR S BASE

ATE inhalation 1.5 (dusts/mists mg/l)

TITANIUM DIOXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅o

-,

5,000.0

mg/kg)

Species Rat

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅ dust/mist mg/l)

6.82

Species Rat

ATE inhalation (dusts/mists mg/l)

6.82

SECTION 12: Ecological information

Ecotoxicity The product contains a substance which is toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 3.6 mg/l, Leuciscus idus (Golden orfe)

LC₅₀, 96 hours: 2 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 1.8 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC50, 72 hours: 11 mg/l, Scenedesmus capricornutum (fresh water algae)

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >1000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: >1000 mg/l, Daphnia magna

1.4 BUTANE DIGLYCIDYL ETHER

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 19.8 mg/l, Fish

Acute toxicity - aquatic EC₅₀, : 75 mg/l, Daphnia magna

invertebrates 24 hours

TITANIUM DIOXIDE

NITOMORTAR S BASE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >1000 mg/l mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: >100 mg/l mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The product is not expected to be biodegradable.

Ecological information on ingredients.

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Persistence and

degradability

The product is not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product contains potentially bioaccumulating substances.

Partition coefficient Not applicable.

Ecological information on ingredients.

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Partition coefficient log Pow: 3.242

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Partition coefficient : log Pow = Approximately 3.8 at 25 C

TITANIUM DIOXIDE

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Mobility Viscous liquid. Insoluble in water.

Ecological information on ingredients.

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Mobility The product has poor water-solubility.

Adsorption/desorption

coefficient

Water - Koc: 445 @ °C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Other adverse effects

NITOMORTAR S BASE

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority. Waste is suitable for

incineration.

Disposal methods Dispose of waste via a licensed waste disposal contractor. Dispose of waste to licensed waste

disposal site in accordance with the requirements of the local Waste Disposal Authority. Note

that fully cured material is not considered as hazardous waste.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

UN No. (ADN) 3082

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS EPOXY

RESIN (Type A and Type F)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS EPOXY

RESIN (Type A and Type F)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS EPOXY

RESIN (Type A and Type F)

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS EPOXY

RESIN (Type A and Type F)

14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID classification code M6

ADR/RID label 9

IMDG class 9

ICAO class/division 9

ADN class 9

Transport labels



14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III

NITOMORTAR S BASE

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-F

ADR transport category 3

Emergency Action Code •3Z

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

90

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Guidance Workplace Exposure Limits EH40.

Respiratory protective equipment at work (HSG53).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information The user must be instructed in the proper work procedure and be familiar with the contents of

these instructions.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 23/10/2019

Revision 5b

Supersedes date 26/05/2017

SDS number 12725

NITOMORTAR S BASE

Hazard statements in full H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.



SAFETY DATA SHEET NITOMORTAR S HARDENER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name NITOMORTAR S HARDENER
Product number A1925032UK9 A1925082UK9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hardener component for epoxy resin mortar

1.3. Details of the supplier of the safety data sheet

Supplier Fosroc Limited

Drayton Manor Business Park

Coleshill Road Tamworth Staffordshire B78 3XN England

Tel: +44 (0) 1827 262222 Fax: +44 (0) 1827 262444 enquiryuk@fosroc.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1827 265 279 (Monday-Sunday 24 hours a day)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Repr. 1B -

H360F

Environmental hazards Aquatic Chronic 3 - H412

Human health Dust or splashes from the mixture may cause permanent eye damage. Corrosive to skin and

eyes. The product contains a sensitising substance. May cause sensitisation or allergic

reactions in sensitive individuals.

Environmental The product contains a substance which is harmful to aquatic organisms.

2.2. Label elements

Hazard pictograms







Signal word

Danger

NITOMORTAR S HARDENER

Hazard statements H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H360F May damage fertility.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.

Contains TRIETHYLENETETRAMINE, DIETHYLENETRIAMINE, Bisphenol A

Supplementary precautionary

statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe vapour/ spray. P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

1-5%

P273 Avoid release to the environment.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

TRIETHYLENETETRAMINE

Aquatic Chronic 3 - H412

CAS number: 112-24-3	EC number: 203-950-6
Classification	
Acute Tox. 4 - H312	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	

DIETHYLENETRIAMINE		10-30%
CAS number: 111-40-0	EC number: 203-865-4	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		

NITOMORTAR S HARDENER

BENZYL ALCOHOL 10-30%

CAS number: 100-51-6 EC number: 202-859-9 REACH registration number: 01-

2119492630-38-xxxx

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Irrit. 2 - H319 Aquatic Chronic 2 - H411

Bisphenol A <1%

CAS number: 80-05-7 EC number: 201-245-8 REACH registration number: 01-

2119457856-23

Substance of very high concern (SVHC).

Classification

Eye Dam. 1 - H318 Skin Sens. 1 - H317 Repr. 1B - H360F STOT SE 3 - H335

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments This product contains a substance that is a SVHC.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Never give

anything by mouth to an unconscious person. Do not induce vomiting. Keep affected person

warm and at rest. Get medical attention immediately.

Ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not

induce vomiting. Rinse mouth thoroughly with water. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention

immediately.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing

immediately and wash skin with soap and water. Get medical attention promptly if symptoms

occur after washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Upper respiratory irritation. Coughing, chest tightness, feeling of chest pressure.

Ingestion May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Skin contact Chemical burns. May cause skin sensitisation or allergic reactions in sensitive individuals.

Eye contact Eye contact may cause serious and potentially irreversible injuries.

4.3. Indication of any immediate medical attention and special treatment needed

NITOMORTAR S HARDENER

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during

firefighting

Containers close to fire should be removed or cooled with water.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, Personal precautions

clothing or apron, as appropriate. Do not breathe vapour.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,

> clothing or apron, as appropriate. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Avoid contamination of ponds or watercourses with

washing down water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Provide adequate ventilation. Avoid contact with skin and eyes. Avoid the formation of mists. Usage precautions

Do not use in confined spaces without adequate ventilation and/or respirator.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

NITOMORTAR S HARDENER

DIETHYLENETRIAMINE

Long-term exposure limit (8-hour TWA): WEL 1 ppm 4.3 mg/m³ SL

Bisphenol A

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

Ingredient comments WEL = Workplace Exposure Limits

BENZYL ALCOHOL (CAS: 100-51-6)

DNEL Workers - Inhalation; Short term systemic effects: 110 mg/m³

Workers - Inhalation; Long term systemic effects: 22 mg/m³ Workers - Dermal; Short term systemic effects: 40 mg/kg bw/day Workers - Dermal; Long term systemic effects: 8 mg/kg bw/day

PNEC - Fresh water; 1 mg/l

- marine water; 0.1 mg/l

- STP; 39 mg/l

8.2. Exposure controls

Protective equipment







Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection

Wear protective gloves made of the following material: Nitrile rubber. Viton rubber (fluoro

rubber). Polyvinylidene chloride/polyethylene (PVDC/PE).

Other skin and body

protection

Wear apron or protective clothing in case of contact.

Hygiene measures Provide eyewash station and safety shower. Wash at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly with soap and water if skin becomes

contaminated. Promptly remove any clothing that becomes wet or contaminated.

Respiratory protection
No specific recommendations. Respiratory protection must be used if the airborne

contamination exceeds the recommended occupational exposure limit. Organic vapour filter.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Amber.

Odour Musty (mouldy). Amine.

Odour threshold Not determined.

pH Not applicable.

NITOMORTAR S HARDENER

Melting point Not applicable.

Initial boiling point and range >180°C @ 1 atm

Flash point >110°C

Evaporation factor Not determined.

Flammability (solid, gas) Not applicable.

Other flammability Not determined.

Vapour pressure 0.1 kPa @ 20°C

Vapour density Not determined.

Relative density 0.98 @ 20°C

Bulk density Not applicable.

Solubility(ies) Partially soluble in water.

Partition coefficient Not determined.

Viscosity <15 P @ 20°C

Explosive properties Not applicable.

Oxidising properties Not determined.

9.2. Other information

Other information Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable at normal ambient temperatures and when used as recommended.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

Reactions with the following materials may generate heat: Isocyanates. Epoxides.

10.4. Conditions to avoid

Conditions to avoid Avoid heat. Avoid freezing.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong oxidising agents. Alkalis - inorganic. Alkalis - organic.

10.6. Hazardous decomposition products

Hazardous decomposition Ammonia or amines. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 2,314.52

Acute toxicity - dermal

NITOMORTAR S HARDENER

ATE dermal (mg/kg) 1,319.97

Acute toxicity - inhalation

ATE inhalation (dusts/mists

mg/l)

26.12

Inhalation May cause respiratory system irritation.

Ingestion Causes burns. May cause chemical burns in mouth and throat. May cause stomach pain or

vomiting. Ingestion of significant amounts may result in severe systemic effects.

Skin contact Product has a defatting effect on skin. May cause allergic contact eczema. May cause

sensitisation by skin contact. Causes burns. Harmful in contact with skin.

Eye contact Irritating and may injure eye tissue if not removed promptly.

Acute and chronic health

hazards

May cause sensitisation by skin contact.

Route of exposure Inhalation Ingestion. Skin and/or eye contact

SECTION 12: Ecological information

Ecotoxicity Dangerous for the environment if discharged into watercourses.

12.1. Toxicity

Toxicity Ecotoxic to fish/daphnia/algae

12.2. Persistence and degradability

Persistence and degradability The product is not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation. Not expected to be bioaccumulative.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility Mobile. The product is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

NITOMORTAR S HARDENER

UN No. (ADR/RID) 1760 UN No. (IMDG) 1760 UN No. (ICAO) 1760 UN No. (ADN) 1760

14.2. UN proper shipping name

Proper shipping name CORROSIVE LIQUID, N.O.S. (CONTAINS DIETHYLENETRIAMINE,

(ADR/RID) TRIETHYLENETETRAMINE)

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S. (CONTAINS DIETHYLENETRIAMINE,

TRIETHYLENETETRAMINE)

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S. (CONTAINS DIETHYLENETRIAMINE,

TRIETHYLENETETRAMINE)

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S. (CONTAINS DIETHYLENETRIAMINE,

TRIETHYLENETETRAMINE)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group

ICAO packing group

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

NITOMORTAR S HARDENER

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Control of Substances Hazardous to Health Regulations 2002 (as amended).

EU legislation Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Guidance Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Only trained personnel should use this material. For professional users only.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 23/10/2019

Revision 7c

Supersedes date 26/05/2017

Hazard statements in full H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H360F May damage fertility.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.



SAFETY DATA SHEET NITOMORTAR S AGGREGATE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name NITOMORTAR S AGGREGATE

Product number A1925023UK9, A1925083UK9

Synonyms; trade names NITOMORTAR S FILLER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Filler component of three part of epoxy resin system

1.3. Details of the supplier of the safety data sheet

Supplier Fosroc Limited

Drayton Manor Business Park

Coleshill Road Tamworth Staffordshire B78 3XN England

Tel: +44 (0) 1827 262222 Fax: +44 (0) 1827 262444 enquiryuk@fosroc.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1827 265 279 (Monday-Sunday 24 hours a day)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements NC Not Classified

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

NITOMORTAR S AGGREGATE

QUARTZ (SiO2) 60-100%

Classification
Not Classified

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information No specific recommendations.

Inhalation Move affected person to fresh air at once.

Ingestion Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Irritation of nose, throat and airway.

IngestionNo specific symptoms known.Skin contactNo specific symptoms known.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Not relevant. No unusual fire or explosion hazards noted.

Hazardous combustion

products

No known hazardous decomposition products.

5.3. Advice for firefighters

Protective actions during Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

firefighting clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

NITOMORTAR S AGGREGATE

Methods for cleaning up

Avoid generation and spreading of dust. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid inhalation of dust and contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

QUARTZ (SiO2)

Long-term exposure limit (8-hour TWA): WEL 0,1 mg/m³ Respirable crystalline silica

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of dust. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex).

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

NITOMORTAR S AGGREGATE

Hygiene measures This product contains silica sands.

> The grain size distribution of silica sand present means that it is not classified as hazardous. However, any respirable crystalline dust generated by secondary processing may cause

health effects.

Prolonged and /or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and

breathlessness.

Occupational exposure to respirable crystalline silica dust should be monitored and controlled. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

When using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Dusty powder.

Colour Grey.

Odour Odourless.

Odour threshold Not applicable.

pН Not applicable.

Melting point >1600°C

Initial boiling point and range Not determined.

Flash point 42°C

Evaporation rate Not applicable.

Flammability (solid, gas) Technically not feasible.

Vapour pressure Not applicable.

Bulk density 1.7 kg/l

Insoluble in water. Solubility(ies)

Partition coefficient Not applicable.

Auto-ignition temperature Not applicable.

Viscosity Not applicable.

Explosive properties Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Non Reactive Inert material

10.2. Chemical stability

NITOMORTAR S AGGREGATE

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Does not decompose when used and stored as recommended. Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects This product has low toxicity.

Inhalation Dust in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged and frequent contact may cause redness and irritation.

Eye contact Dust in the eyes will cause irritation.

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be toxic to aquatic organisms.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

12.4. Mobility in soil

Mobility The product is insoluble in water and will sediment in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

NITOMORTAR S AGGREGATE

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste packaging should be collected for reuse or recycling.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

EU legislation Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Guidance Workplace Exposure Limits EH40.

Approved Classification and Labelling Guide (Sixth edition) L131.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

NITOMORTAR S AGGREGATE

SECTION 16: Other information

General information The user must be instructed in the proper work procedure and be familiar with the contents of

these instructions.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 23/10/2019

Revision 4c

Supersedes date 26/05/2017

SDS number 12727

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.