

# SAFETY DATA SHEET RENDEROC RP252 LIQUID

This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided for information only.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name RENDEROC RP252 LIQUID

Product number A2229022UK9

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Liquid component of thin layer levelling mortar system.

## 1.3. Details of the supplier of the safety data sheet

Supplier FOSROC Limited DO NOT USE

## 1.4. Emergency telephone number

Emergency telephone +44 (0) 1827 265 279 (Monday-Sunday 24 hours a day)

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

**Human health** See Section 11 for additional information on health hazards.

**Environmental** The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements NC Not Classified

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

2,2-DIMETHYL 1,3-PROPANEDIOL 1-5%

Classification

Skin Irrit. 2 - H315

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments This product does not contain any hazardous ingredients, or ingredients with national

workplace exposure limits.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General information No specific recommendations. Move affected person to fresh air and keep warm and at rest in

a position comfortable for breathing.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Keep affected person under observation.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing

immediately and wash skin with soap and water.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Rinse with water. Continue to rinse

for at least 15 minutes. Get medical attention if any discomfort continues.

## 4.2. Most important symptoms and effects, both acute and delayed

**General information** No specific symptoms noted.

**Ingestion** May cause discomfort if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards Material can splatter above 100'C. Polymer film can burn. Irritant fumes.

Hazardous combustion

products

Does not decompose when used and stored as recommended.

## 5.3. Advice for firefighters

Protective actions during

firefighting

Move containers from fire area if it can be done without risk. No specific firefighting precautions known. Control run-off water by containing and keeping it out of sewers and

watercourses.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as

soon as possible. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

**Reference to other sections** For waste disposal, see section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** For professional users only. Good personal hygiene procedures should be implemented.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

**Ingredient comments** No exposure limits known for ingredient(s).

## 2,2-DIMETHYL 1,3-PROPANEDIOL (CAS: 126-30-7)

**DNEL** Workers - Inhalation; Long term systemic effects: 35 mg/m³

Workers - Dermal; Long term systemic effects: 10 mg/kg bw/day General population - Inhalation; Long term systemic effects: 8.7 mg/m³ General population - Dermal; Long term systemic effects: 5 mg/kg bw/day General population - Oral; Long term systemic effects: 5 mg/kg bw/day

PNEC - Fresh water; 5 mg/l

- marine water; 0.5 mg/l

- STP; 20 mg/l

## 8.2. Exposure controls

#### Protective equipment





Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles.

**Hand protection** Gloves are recommended for prolonged use. Nitrile rubber. or Neoprene.

Other skin and body

Hygiene measures

protection

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any

clothing that becomes contaminated. When using do not eat, drink or smoke.

**Respiratory protection** No specific recommendations.

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

**Appearance** Liquid. Colour White. Odour Acrylic

Odour threshold Not determined.

pН pH (concentrated solution): 9.5 - 10

Melting point 0°C

Initial boiling point and range 100°C @ 1 atm Flash point Not applicable.

**Evaporation rate** Not determined. Not determined. **Evaporation factor** Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

The product is not flammable.

Other flammability Not applicable. Vapour pressure 2.3 kPa @ 20°C Vapour density Not determined. Relative density 1.02 @ 20°C **Bulk density** Not applicable.

Solubility(ies) Emulsible in water. Partition coefficient Not determined.

**Auto-ignition temperature** Not applicable.

Viscosity Not determined.

**Explosive properties** Not considered to be explosive. Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

Not determined.

9.2. Other information

**Decomposition Temperature** 

Other information Not available.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

There are no known reactivity hazards associated with this product. Reactivity

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

#### **RENDEROC RP252 LIQUID**

10.4. Conditions to avoid

Conditions to avoid Temperatures below 2°C.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decompostion may yield acrylic monomers.

products

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Toxicological effects** The toxological assessment is based on a knowledge of the toxicity of the product's

components.

General information No specific health hazards known.

**Inhalation** Low volatility makes inhalation unlikely at ambient temperature.

**Ingestion** Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.

**Eye contact** Irritating to eyes.

Medical symptoms No specific symptoms noted, but this chemical may still have adverse health impact, either in

general or on certain individuals.

## SECTION 12: Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, large or

frequent spills may have hazardous effects on the environment.

12.1. Toxicity

**Toxicity** Not expected to be ecotoxic to fish/daphnia/algae

# 12.2. Persistence and degradability

**Persistence and degradability** The product is biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not determined.

12.4. Mobility in soil

**Mobility** The product is miscible with water. May spread in water systems.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

## 12.6. Other adverse effects

Other adverse effects Not applicable.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

#### **RENDEROC RP252 LIQUID**

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

#### **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Control of Substances Hazardous to Health Regulations 2002 (as amended).

**EU legislation** Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

**Guidance** Workplace Exposure Limits EH40.

Respiratory protective equipment at work (HSG53).

Authorisations (Annex XIV

Regulation 1907/2006)

No specific authorisations are known for this product.

Restrictions (Annex XVII Regulation 1907/2006)

No specific restrictions on use are known for this product.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

General information Only trained personnel should use this material. For professional users only.

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 08/10/2019

Revision 4a

Supersedes date 31/05/2015

SDS number 10823

Hazard statements in full H315 Causes skin irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



# SAFETY DATA SHEET RENDEROC RP252 POWDER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name RENDEROC RP252 POWDER

Product number A2229021UK9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cementitious overlay

## 1.3. Details of the supplier of the safety data sheet

**Supplier** Fosroc Limited

**Drayton Manor Business Park** 

Coleshill Road Tamworth Staffordshire B78 3XN England

Tel: +44 (0) 1827 262222 Fax: +44 (0) 1827 262444 enquiryuk@fosroc.com

## 1.4. Emergency telephone number

Emergency telephone +44 (0) 1827 265 279 (Monday-Sunday 24 hours a day)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

Environmental hazards Not Classified

Human health Dust or splashes from the mixture may cause permanent eye damage. Dust may irritate the

respiratory system. Symptoms following overexposure may include the following: Coughing. Dust has an irritating effect on moist skin. Prolonged contact with moist or wet product may cause burns. Frequent inhalation of dust over a long period of time increases the risk of

developing lung diseases.

**Environmental** The product will harden into a solid mass in contact with water and moisture. The resultant

material is not biodegradable.

#### 2.2. Label elements

#### Hazard pictograms





Signal word Danger

**Hazard statements** H315 Causes skin irritation.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

**Precautionary statements** P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/ container in accordance with national regulations.

Contains ORDINARY PORTLAND CEMENT, CALCIUM ALUMINATE SULPHATE

Supplementary precautionary

statements

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/ doctor.
P312 Call a POISON CENTRE/doctor if you feel unwell.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

# 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

### SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

QUARTZ (SiO2) 60-100%

Classification
Not Classified

ORDINARY PORTLAND CEMENT 30-60%

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

#### **RENDEROC RP252 POWDER**

CALCIUM ALUMINATE SULPHATE <1%

CAS number: 12005-25-3 EC number: 818-462-4

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

SILICA FUME <1%

CAS number: 112945-52-5 EC number: 601-216-3

Classification
Not Classified

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General information No personal protective equipment is needed for first aid responders. First aid workers should

avoid contact with wet cement or wet cement containing preparations.

Inhalation Move affected person to fresh air at once. Dust in throat and nasal passages should clear

spontaneously. Get medical attention if irritation persists or later develops, or if discomfort,

coughing or other symptoms persist.

**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Give

milk instead of water if readily available. Never give anything by mouth to an unconscious

person. Get medical attention immediately.

Skin contact After contact with skin, take off immediately all contaminated clothing, and wash immediately

with plenty of water. Get medical attention promptly if symptoms occur after washing.

**Eye contact** Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention. Show this Safety Data

Sheet to the medical personnel.

## 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Frequent inhalation of dust over a long period of time increases the risk of developing lung

diseases.

**Ingestion** Ingestion of large doses may result in irritation to the gastrointestinal tract.

Skin contact May have an irritating effect on moist skin after prolonged contact, or may cause dermatitis

after repeated contact. Prolonged skin contact with wet preparation may cause serious burns

without pain being felt, including through clothing.

**Eye contact** Eye contact may cause serious and potentially irreversible injuries.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Suitable extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards Water used for fire extinguishing, which has been in contact with the product, may be

corrosive. No unusual fire or explosion hazards noted.

Hazardous combustion

products

No known hazardous decomposition products.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use work methods which minimize dust production. Avoid contact with eyes and prolonged

skin contact. Wear protective clothing as described in Section 8 of this safety data sheet.

Avoid inhalation of dust.

## 6.2. Environmental precautions

**Environmental precautions** Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or

watercourses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into

suitable waste disposal containers and seal securely. Dry material: Collect powder using special dust vacuum cleaner with particle filter. Alternatively, damp powder with fine spray (to avoid dust formation) and remove slurry. Place into container and allow to solidify before disposal as described in section 13. Wet material: Clean up wet material and place in a container. Allow to dry and solidify before disposal as described in section 13.

#### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Avoid generation and spreading of dust. Avoid inhalation of

dust. Mechanical ventilation or local exhaust ventilation may be required. Change

contaminated clothing. Do not eat, drink or smoke when using the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place. Unsuitable container

> materials: Aluminium. The product contains less than 2 mg chromate/kg dry cement, and this limit will not be exceeded for 6 months from the packing date stated on the packaging. Seal opened containers and use up as soon as possible. To be stored out of reach of children in its

original packaging in a dry place.

#### 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

#### Occupational exposure limits

#### QUARTZ (SiO2)

Long-term exposure limit (8-hour TWA): WEL 0,1 mg/m³ Respirable crystalline silica

#### ORDINARY PORTLAND CEMENT

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

#### **CALCIUM ALUMINATE SULPHATE**

Long-term exposure limit (8-hour TWA): ACGIH/TLV:0.1 mg/m3 res

TLV - Threshold Limit Value 10 mg/m³

#### SILICA FUME

Long-term exposure limit (8-hour TWA): ACGIH/TLV:0.1 mg/m3 res

TLV - Threshold Limit Value 2.4 mg/m3 Resp. Dust

WEL = Workplace Exposure Limit

## ORDINARY PORTLAND CEMENT (CAS: 65997-15-1)

**DNEL** Workers - Inhalation; Short term : 3 mg/m<sup>3</sup>

## 8.2. Exposure controls

#### Protective equipment







Appropriate engineering controls

Atmospheric levels of dust must be maintained within the Occupational Exposure Limit. Where mechanical methods are inadequate or impractical, appropriate personal protective equipment must be used.

Personal protection

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. This product may present a chromate (VI) allergy risk. It contains a chromate reducing agent, but users should wear appropriate personal protective equipment.

Eye/face protection

The following protection should be worn: Chemical splash goggles. (conform EN 166)

Hand protection

Use impervious, abrasion and alkali resistant gloves. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the

Other skin and body protection

Use barrier creams to minimise skin contact. Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

This product contains silica sands.

The grain size distribution of silica sand present means that it is not classified as hazardous. However, any respirable crystalline dust generated by secondary processing may cause

Prolonged and /or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness.

Occupational exposure to respirable crystalline silica dust should be monitored and controlled.

#### Respiratory protection

Wear a respirator fitted with the following cartridge: Particulate filter, type P2.

## **RENDEROC RP252 POWDER**

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Dusty powder.

Colour Grey.

Odour Odourless.

Odour threshold Not relevant.

pH (concentrated solution): >12

Melting point >1250°C

Initial boiling point and rangeNot applicable.Flash pointNot applicable.Evaporation rateNot applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

**Evaporation factor** 

The product is not flammable.

Not applicable.

Vapour pressure Not applicable.

Vapour density Not applicable.

Relative density 1.37 @ 20°C

Solubility(ies) Slightly soluble in water. Hardens in contact with water.

Auto-ignition temperature Not determined.

Decomposition Temperature Not determined.

Viscosity Not applicable.

**Explosive properties**Not considered to be explosive.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

**Comments** Information given is applicable to the product as supplied.

9.2. Other information

Other information Not available.

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** When mixed with water, hardens to form a stable mass that is not reactive in normal

conditions.

# 10.2. Chemical stability

#### **RENDEROC RP252 POWDER**

Stability

Stable under the prescribed storage conditions. When stored under humid conditions, the chromate neutralization will decrease. This product contains a chromate reducing agent to reduce the risk of allergic dermatitis causes by chromium (VI). This product has a shelf life. If not stored in accordance with packaging instructions (sealed and dry), there is an increased risk of the presence of hexavalent chromate leading to an increased risk of an allergic

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

None known. Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Water, moisture.

10.5. Incompatible materials

Materials to avoid Acids. Chemically-active metals.

10.6. Hazardous decomposition products

Hazardous decomposition

products

No known hazardous decomposition products.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Skin sensitisation

Skin sensitisation Some individuals may exhibit eczema upon exposure to wet cement caused either by the high

pH which induces irritant contact dermatitis, or by an immunological reaction to soluble Cr (VI) which elicits allergic contact dermatitis. The cement contains a soluble Cr (VI) reducing agent and as long as the mentioned period of effectiveness is not exceeded, a sensitising effect is

not expected.

**Inhalation** Irritating to respiratory system. Inflammation of the nasal mucous membrane by exposure to

cement dust.

**Ingestion** May cause irritation of mouth, throat and digestive tract.

**Skin contact** This product is strongly irritating. Prolonged contact may cause burns. May cause

sensitisation by skin contact.

**Eye contact** Irritating and may injure eye tissue if not removed promptly.

Acute and chronic health

hazards

Repeated and/or prolonged contact may lead to dermatitis.

## SECTION 12: Ecological information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Not determined.

The product is not expected to be hazardous to the environment. The addition of cements to water will, however, cause the pH to rise and may therefore be toxic to aquatic life in some

circumstances.

## 12.2. Persistence and degradability

**Persistence and degradability** The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product hardens to a solid, immobile substance. The product is not volatile but may be

spread by dust-raising handling.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

**General information** Do not empty into drains, sewers or water courses. Cement that has exceeded its shelf life:

when demonstrated that it contains more than 0.0002% Cr (VI), the product shall not be used other than in controlled closed and totally automated processes. It may be recycled and/or

treated again with a reducing agent.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Note that fully cured material is not considered as hazardous

waste.

## **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not relevant.

## 14.2. UN proper shipping name

Not relevant.

# 14.3. Transport hazard class(es)

Not relevant.

## 14.4. Packing group

Not relevant.

## 14.5. Environmental hazards

## Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

Not relevant.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not relevant. **Annex II of MARPOL 73/78** 

and the IBC Code

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

**EU legislation** Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

**General information** For professional users only. Only trained personnel should use this material.

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 08/10/2019

Revision 4a

Supersedes date 31/05/2015

SDS number 10856

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.



# SAFETY DATA SHEET RENDEROC RP252 SURFACE CONDITIONER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name RENDEROC RP252 SURFACE CONDITIONER

Product number 2229040UK9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Surface Treatments for Mortar and Concrete

1.3. Details of the supplier of the safety data sheet

**Supplier** FOSROC Limited

Drayton Manor Business Park

Coleshill Road Tamworth Staffordshire B78 3XN

enquiryuk@fosroc.com Tel. +44 (0) 1827 262222 Fax. +44 (0) 1827 262444

1.4. Emergency telephone number

Emergency telephone +44 (0) 1827 265 279 (08.30 to 17.00hrs Mon - Thu; 08.30 to 16.00hrs Fri)

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

**Human health** See Section 11 for additional information on health hazards.

**Environmental** The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements NC Not Classified

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

3.2. Mixtures

**Composition comments** None of the ingredients are required to be listed.

## **SECTION 4: First aid measures**

#### RENDEROC RP252 SURFACE CONDITIONER

#### 4.1. Description of first aid measures

General information No specific recommendations. Move affected person to fresh air and keep warm and at rest in

a position comfortable for breathing.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Keep affected person under observation.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing

immediately and wash skin with soap and water.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes.

#### 4.2. Most important symptoms and effects, both acute and delayed

**General information** No specific symptoms noted.

**Ingestion** May cause discomfort if swallowed.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Material can splatter above 100'C. Polymer film can burn. Irritant fumes.

Hazardous combustion

products

Does not decompose when used and stored as recommended.

## 5.3. Advice for firefighters

Protective actions during

firefighting

Move containers from fire area if it can be done without risk. No specific firefighting precautions known. Control run-off water by containing and keeping it out of sewers and

watercourses.

## SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** For personal protection, see Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Avoid the spillage or runoff entering drains, sewers or

watercourses.

## 6.4. Reference to other sections

**Reference to other sections** For waste disposal, see section 13.

## RENDEROC RP252 SURFACE CONDITIONER

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

**Usage precautions** Good personal hygiene procedures should be implemented.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

**Ingredient comments** No exposure limits known for ingredient(s).

## 8.2. Exposure controls

#### Protective equipment





Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection Gloves are recommended for prolonged use. Nitrile rubber. or Neoprene.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective

clothing in case of contact.

Hygiene measures Do not smoke in work area. Wash hands at the end of each work shift and before eating,

smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove

any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection No specific recommendations.

## **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour White.

Odour Acrylic

Odour threshold Not determined.

pH (concentrated solution): 9.5 - 10

Melting point 0°C

Initial boiling point and range 100°C @ 1 atm

Flash point Not applicable.

Flammability (solid, gas) Not applicable.

## RENDEROC RP252 SURFACE CONDITIONER

Upper/lower flammability or

explosive limits

The product is not flammable.

Other flammability Not applicable.

Vapour pressure 2.3 kPa @ 20°C

Vapour density Not determined.

Relative density 1.02 @ 25°C

Bulk density Not applicable.

**Solubility(ies)** Emulsible in water.

**Auto-ignition temperature** Not applicable.

**Explosive properties** Not considered to be explosive.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information Not available.

## SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

None known.

10.4. Conditions to avoid

Conditions to avoid Temperatures below 2'C.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decompostion may yield acrylic monomers.

products

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Toxicological effects** The toxological assessment is based on a knowledge of the toxicity of the product's

components.

Acute toxicity - oral

Acute toxicity oral (LD50

5.000.0

mg/kg)

**Species** Rat

## RENDEROC RP252 SURFACE CONDITIONER

Acute toxicity - dermal

Acute toxicity dermal (LD₅o

mg/kg)

5,000.0

**Species** Rat

**General information** No specific health hazards known.

**Inhalation** Low volatility makes inhalation unlikely at ambient temperature.

**Ingestion** Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.

Medical symptoms No specific symptoms noted, but this chemical may still have adverse health impact, either in

general or on certain individuals.

## SECTION 12: Ecological Information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, large or

frequent spills may have hazardous effects on the environment.

12.1. Toxicity

**Toxicity** Not expected to be ecotoxic to fish/daphnia/algae

#### 12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

**Mobility** The product is miscible with water. May spread in water systems.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Not applicable.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

## SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

## RENDEROC RP252 SURFACE CONDITIONER

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

## Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

**EU legislation** Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

**Guidance** Workplace Exposure Limits EH40.

Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are known for this product.

Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions on use are known for this product.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 31/05/2015

Revision 4

SDS number 10824

Risk phrases in full NC Not classified.

# **RENDEROC RP252 SURFACE CONDITIONER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.