

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Stormdry

Use: Waterproofing Façade Cream

Supplier: Safeguard Europe Ltd.,
Unit 2,
Redkirk Close,
Horsham,
West Sussex.
RH13 5QL

Telephone: +44 (0) 1403 210204 (Mon-Fri 9- 5pm)
FAX : +44 (0) 1403 217529
Email: info@safeguardeurope.com

2. HAZARDS IDENTIFICATION

EC Classification: R66: Repeated exposure may cause skin dryness or cracking.

Hazards:
Repeated exposure may cause skin dryness or cracking. May cause eye irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name:	CAS No.	EC No.	%W/W	EU Hazard Symbol	EU Risk Phrases
Triethoxy (2,4,4-trimethylpentyl) silane	35435-21-3	252-558-1	15 - 18	N	R10, R52/53
Triethoxyoctylsilane	2943-75-1	220-941-2	2 - 6	Xi	R38
Alkanes, C11 - C15 (iso)	90622-58-5	292-460-6	20 - 40	Xn	R65, R66
Octyl silane hydrolysate			3 - 10	Xi	R10, R38

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and give 200-300 ml (half a pint) of water to drink. Obtain immediate medical attention.

Inhalation: Remove persons affected by vapour to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Remove contaminated clothing immediately and wash affected skin with soap and water. If symptoms persist, obtain medical attention. Contaminated clothing should be thoroughly cleaned.

Eye Contact: Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 15 minutes. If symptoms persist, obtain medical attention.

5. FIRE-FIGHTING MEASURES

General: Keep containers cool by spraying with water if exposed to fire. Contain run-off water with, for example, temporary earth barriers.

Extinguishing Media: Water spray, foam, dry powder or CO₂.

Unsuitable Extinguishing Media: None.

Fire Fighting Protective Equipment: A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

Other: Combustion products: Carbon monoxide, Carbon dioxide, silicon oxides.

6. ACCIDENTAL RELEASE MEASURES

Eliminate sources of ignition. Ensure adequate ventilation. Caution - spillages may be slippery.

Personal Protection: Wear suitable gloves and eye/face protection. (See Section: 8)

Methods for Cleaning Up: Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

Other: Do not allow to enter drains, sewers or watercourses. Disposal should be in accordance with local, state or national legislation.

7. HANDLING AND STORAGE

Handling: Eliminate sources of ignition. Provide adequate ventilation. Avoid contact with eyes. Avoid prolonged skin contact.

Storage: Keep containers in a clean, cool and dry area away from heat sources. Keep away from direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

General: Provide adequate ventilation.



Respirators: Not normally required.



Eye Protection: For large quantities - Goggles giving complete protection to eyes.



Gloves: For large quantities - Plastic or rubber gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid. Cream.
Flash Point (°C): > 60

10. STABILITY AND REACTIVITY

Stable under normal conditions.

Incompatible materials and conditions: Strong oxidising agents.

Stormdry

Hazardous Decomposition Product(s): Carbon monoxide, Carbon dioxide , silicon oxides.

11. TOXICOLOGICAL INFORMATION

Inhalation: High concentrations of vapour may be irritant to the respiratory tract.

Ingestion: Ingestion may cause irritation of the gastrointestinal tract.

Skin Contact: May cause irritation. Repeated exposure may cause skin dryness or cracking.

Eye Contact: May cause eye irritation.

12. ECOLOGICAL INFORMATION

Do not allow to enter drains, sewers or watercourses.

13. DISPOSAL CONSIDERATIONS

Do not empty into drains; dispose of this material and its container in a safe way.

Disposal should be in accordance with local, state or national legislation.

14. TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

15. REGULATORY INFORMATION

Company Identification: Safeguard Europe Ltd.

Risk Phrases: R66: Repeated exposure may cause skin dryness or cracking.

Safety Phrases: S2: Keep out of the reach of children.
S13: Keep away from food, drink and animal feedingstuffs.
S24/25: Avoid contact with skin and eyes.

16. OTHER INFORMATION

Use: Waterproofing Façade Cream

Risk Phrases:

R10: Flammable.
R38: Irritating to skin.
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65: Harmful: may cause lung damage if swallowed.
R66: Repeated exposure may cause skin dryness or cracking.