

Revision Date 21.01.2015

Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sarnafil T Clean

1.2 Relevant identified uses of the substance or mixture and uses advised against

At present there is no complete information available on identified uses. When the data becomes available, it will be integrated into the safety data sheet.

Product use : Special system.

1.3 Details of the supplier of the safety data sheet

Company	: Sika Limited Watchmead Welwyn Garden City Hertfordshire AL7 1BQ United Kingdom
	Welwyn Garden City Hertfordshire AL7 1BC

Telephone : +44 (0)1707 394444

1.4 Emergency telephone number

Emergency telephone num-	: +44 (0)1707 363899 (available during office hours)
ber	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids , Category 3 Acute toxicity , Category 4 Acute toxicity , Category 4 Skin irritation , Category 2 Aspiration hazard , Category 1	 H226: Flammable liquid and vapour. H332: Harmful if inhaled. H312: Harmful in contact with skin. H315: Causes skin irritation. H304: May be fatal if swallowed and enters airways.
Classification (67/548/EEC, 1999/45/EC)	
Flammable	R10: Flammable.
Harmful	R20/21: Harmful by inhalation and in contact with skin.
	R38: Irritating to skin.



Revision Date 21.01.2015

Version 1.0

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)					
Hazard pictograms :					
Signal word	Danger	• •			
Hazard statements :	H226 H304	Flammable liquid and vapour. May be fatal if swallowed and enters air- ways.			
	H312 + H H315				
Precautionary statements :	Preventi P210	on: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.			
	P261	Avoid breathing dust/ fume/ gas/ mist/ va- pours/ spray.			
	Respons	e:			
	P301 + P				
	P303 + P	361 + P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water/shower.			
	P331 P370 + P	Do NOT induce vomiting.			

Hazardous components which must be listed on the label:

• 215-535-7 xylene

Additional Labelling:

The data sheet for medical personnel is available at the here provided emergency address.

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	Classification	Classification	Concentration
CAS-No.	(67/548/EEC)	(REGULATION	[%]



Revision Date 21.01.2015

Version 1.0

EC-No.		(EC) No	
Registration number		1272/2008)	
xylene 1330-20-7 215-535-7 01-2119488216-32-XXXX	R10 Xn; R20/21 Xi; R38	Asp. Tox.1; H304 Flam. Liq.3; H226 Acute Tox.4; H332 Acute Tox.4; H312 Skin Irrit.2; H315	>= 50 - <= 100
Substances with a workplace exposure	limit :		
1-methoxy-2-propanol 107-98-2 203-539-1 01-2119457435-35-XXXX	R10 R67	Flam. Liq.3; H226 STOT SE3; H336	>= 10 - < 15

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

Components according to Detergents Regulation EC 648/2004

Concentration	Components
30 % and more	Aromatic hydrocarbons

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.	
If inhaled	: Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 	
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 	
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital. 	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	: Aspiration may cause pulmonary oedema and pneumonitis. Respiratory disorder Erythema Headache	



Revision Date 21.01.2015	Version 1.0	Print Date 21.01.20
	Dermatitis Skin disorders See Section 11 for more detailed information and symptoms.	n on health effects
Risks	: Risk of serious damage to the lungs (by asp irritant effects	viration).
4.3 Indication of any immediate n	edical attention and special treatment neede	ed
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	ires	
5.1 Extinguishing media		
Suitable extinguishing media	: Alcohol-resistant foam, Carbon dioxide (CO	2), Dry chemical
Unsuitable extinguishing media	: Water	
5.2 Special hazards arising from	ne substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are kno	iwn
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained brea	athing apparatus.
Further information	: Use water spray to cool unopened contained	rs.
Further information	: Use water spray to cool unopened contained	rs.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons.
		Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
6.2 Environmental precautions		
Environmental precautions	:	Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.



Revision Date 21.01.2015

Version 1.0

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	: Contain spillag
	sorbent materia

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding of the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against electrostatic discharges.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	cl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord-

	ance with local regulations.
Other data	: No decomposition if stored and applied as directed.
7.3 Specific end use(s)	

Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters



Revision Date 21.01.2015

Version 1.0

Components with workplace control parameters

Components	CAS-No.	Value	Control parame- ters *	Basis *
xylene	1330-20-7	TWA	50 ppm 220 mg/m3	GB EH40
		STEL	100 ppm 441 mg/m3	GB EH40
		TWA	50 ppm 221 mg/m3	2000/39/EC
		STEL	100 ppm 442 mg/m3	2000/39/EC
1-methoxy-2-propanol	107-98-2	TWA	100 ppm 375 mg/m3	2000/39/EC
		STEL	150 ppm 568 mg/m3	2000/39/EC
		TWA	100 ppm 375 mg/m3	GB EH40
		STEL	150 ppm 560 mg/m3	GB EH40

8.2 Exposure controls

	Personal protective equipment	nt	
	Eye protection	:	Safety glasses with side-shields Eye wash bottle with pure water
	Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
			Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
	Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
	Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.
οι	untry GB 000000122027		6 / 1



Revision Date 21.01.2015	Version 1.0	Print Date 2		
	organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth ods for determining inhalation exposure). This applies in par ticular to the mixing / stirring area. In case this is not sufficer to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			
	Ensure adequate ventilation, especially	[,] in confined areas.		
Environmental everences	trala.			

Environmental exposure controls

General advice : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	red
Odour	:	characteristic
Odour Threshold	:	No data available
Flash point	:	ca. 30 °C
Ignition temperature	:	465 °C
Lower explosion limit	:	1 %(V)
Upper explosion limit	:	13,8 %(V)
Flammability (solid, gas)	:	No data available
Oxidizing properties	:	No data available
Auto-ignition temperature	:	No data available
рН	:	Note: not applicable
Melting point/range / Freez-	:	No data available
ing point Boiling point/boiling range	:	ca. 120 °C
Vapour pressure	:	ca.12 hPa at 20 °C

Revision Date 21.01.2015



Density	: ca.0,88 g/cm3 at 20 °C
Water solubility	: No data available
Partition coefficient: n-	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: < 6,9 mm2/s at 40 °C
Relative vapour density	: No data available
Evaporation rate	: No data available

Version 1.0

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Stable under recommended storage conditions.
	Vapours may form explosive mixture with air.
10.4 Conditions to avoid	
Conditions to avoid	: Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Components:



Revision Date 21.01.2015	Version 1.0	Print Date 21.01.20
xylene : Acute dermal toxicity	: Acute toxicity estimate : 1.100 mg/kg Method: Converted acute toxicity point estimat	e
1-methoxy-2-propanol : Acute oral toxicity	: LD50 Oral rat: > 5.000 mg/kg	
Acute inhalation toxicity	: LC50 : 7,5 mg/l Exposure time: 4 h	
Acute dermal toxicity	: LD50 Dermal rabbit: > 5.000 mg/kg	
Skin corrosion/irritation		
Product		
Causes skin irritation.		
Serious eye damage/eye irritati	on	
Product		
No data available		
Desniratory or skin consitiontic		
Respiratory or skin sensitisatio	in the second	
<u>Product</u> No data available		
no data avallable		
Germ cell mutagenicity		
<u>Product</u>		
Mutagenicity	: No data available	
Carcinogenicity		
Product		
Carcinogenicity	: No data available	
Reproductive Toxicity/Fertility		
Reproductive toxicity	: No data available	
No data available		
Reproductive Toxicity/Develop	ment/Teratogenicity	
Teratogenicity	: No data available	
No data available		
STOT - single exposure		
Country GB 00000122027		9 / 14

Print Date 21.01.2015

Revision Date 21.01.2015

Version 1.0

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

Product

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1-methoxy-2-propanol :

Toxicity to fish

: LC50: > 100 mg/l, 96 h, Fish

Toxicity to daphnia and other : EC50: > 100 mg/l, 48 h, Daphnia aquatic invertebrates

12.2 Persistence and degradability

This product does not contain any tensides according to the definition in the EU Detergents Regulation (EU/648/2004))

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: The generation of waste should be avoided or minimized



Revision Date 21.01.2015	Version 1.0	Print Date 21.01
	 wherever possible. Empty containers or liners may retain some product resid This material and its container must be disposed of in a sway. Dispose of surplus and non-recyclable products via a lice waste disposal contractor. Disposal of this product, solutions and any by-products shat all times comply with the requirements of environmenta protection and waste disposal legislation and any regiona local authority requirements. Avoid dispersal of spilled material and runoff and contact soil, waterways, drains and sewers. 	
European Waste Catalogue	: 07 07 04* other organic solvents, washii liquors	ng liquids and mother
Contaminated packaging	: 15 01 10* packaging containing residues by dangerous substances	of or contaminated

SECTION 14: Transport information

14.3 Class 14.4 Packing group Classification Code	 1993 FLAMMABLE LIQUID, N.O.S. (1-methoxy-2-propanol, xylene) 3 III F1 3 (D/E) no
IATA 14.1 UN number 14.2 Description of the goods 14.3 Class 14.4 Packing group Labels 14.5 Environmentally hazard- ous	 1993 Flammable liquid, n.o.s. (1-methoxy-2-propanol, xylene) 3 III 3 no
IMDG 14.1 UN number 14.2 Description of the goods 14.3 Class 14.4 Packing group Labels	 1993 FLAMMABLE LIQUID, N.O.S. (1-methoxy-2-propanol, xylene) 3 III 3

Print Date 21.01.2015

Revision Date 21.01.2015

Version 1.0

EmS Number 1	:	F-E
EmS Number 2	:	S-E
14.5 Marine pollutant	:	no

14.6 Special precautions for user No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

:

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to EC Directives (1999/45/EC)

Hazard pictograms

Harmful				
R-phrase(s)	: R10 R20/21	Flammable. Harmful by inhalation and in contact with skin.		
	R38	Irritating to skin.		
S-phrase(s)	: S36/37	Wear suitable protective clothing and gloves.		
Hazardous components which must be listed on the label:215-535-7 xylene				
Prohibition/Restriction REACH - Restrictions on the manufacture, placing on : not applicable the market and use of certain dangerous substances, preparations and articles (Annex XVII)				
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).: None of the components are listed (=> 0.1 %).				
REACH - List of substances subject to authorisation : not applicable (Annex XIV)				
REACH Information: All substances contained in our Products are - preregistered or registered by our upstream suppliers, and/o - preregistered or registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.				



Revision Date 21.01.2015	Version 1.0	Print Date 21.01.201
VOC-CH (VOCV)	: 99,85 %	
VOC-EU (solvent)	: 99,85 %	

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation specific for the substance or mixture:	 The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 Control of Substances Hazardous to Health Regulations 2002 The Management of Health and Safety at Work Regulations 1999 Health and Safety at Work Act 1974 Environmental Protection Act 1990 & Subsidiary Regulations

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Full text of R-Phrases

R10	Flammable.
R20/21	Harmful by inhalation and in contact with skin.
R38	Irritating to skin.
R67	Vapours may cause drowsiness and dizziness.

Full text of H-Statements

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

Full text of other abbreviations

Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquids
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any any use and processing.

Changes as compared to previous version !

Revision Date 21.01.2015

Version 1.0

