## Sarnafil® T Clean Cleaner for heavily soiled Sarnafil® T

Product Description	Mixture of organic solvents
Uses	Sarnafil® T Clean is a cleaner to remove heavy soiling and adhesive residues from Sarnafil® TG/TCG and TS/TCS membranes. Sarnafil® T Clean is also suitabe for cleaning tools and degreasing metal sheets.
Characteristics / Advantages	<ul> <li>Dissolves surface dirt</li> <li>Evaporates quickly</li> <li>Suitable for heavily stained seam overlaps of Sarnafil<sup>®</sup> T/TC membranes</li> <li>Highly flammable</li> </ul>
Tests	
Approvals / Standards	Quality management system EN ISO 9001
Product Data	
Form	
Consistency	liquid
Colour	red
Packaging	Canister: 2 I, Packing unit: Europallet or single canister
Storage	
Storage Conditions	Store in dry conditions at temperatures between 0 °C and +30 °C
Shelf-Life	24 months from date of production if stored properly in original, unopened and undamaged sealed canister. Expiry date on canister.
Technical Data	
Chemical Basis	Mixture of organic solvents
Density	0.88 kg/l (+20°C)



Sarnafil<sup>®</sup> T Clean 1/3

System Information	
Processing Requirements / Limits	
Ambient Temperature	At least -20 °C
Substrate Temperature	At least -30 °C
Limits	Avoid contact to materials that are not resistant to solvents.
Processing	
Application Guidline	Based on the valid installation instructions of the relevant roof waterproofing membrane.
Application Method	Depending on the degree of soiling, the subjected area should be cleaned first with water, brush or cleaning pad. Soak a clean white cloth with Sarnafil® T Clean and then clean the membrane, tool or metal sheet. The cloths should be changed frequently to avoid the spreading of dirt. When cleaning seams a new cloth is to be used. Allow Sarnafil® T Clean to evaporate completely. In seam areas allow Sarnafil® T Clean to evaporate completely before preparing the seams with Sarnafil® T Prep.
Notes of Application / Limits	In seam areas Sarnafil <sup>®</sup> T Clean can only be used for cleaning purposes and may not be used as seam preparation. Sarnafil <sup>®</sup> T Clean reduces the seam quality and should only be used on heavily soiled areas. White cloths will effectively absorb dirt and the colour will not stain the membrane. Use solvent resistant gloves and eye protection glasses during application. Sarnafil <sup>®</sup> T Clean contains high volatile and flammable solvents. Application in closed rooms is allowed only with sufficient room ventilation. Smoking and open fire are not permitted.

Sarnafil® T Clean 2/3

Value Base	All technical data stated in this Product Data Sheet are based on laboratory tests.  Actual measured data may vary due to circumstances beyond our control.
Local Restrictions	Please note that as a result of specific local regulations the performance of this product may vary from country to country. Please consult the local Product Data Sheet for the exact description of the application fields.
Health and Safety Information	For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Material Safety Data Sheet containing physical, ecological, toxicological and other safety-related data.

All data in our product information are based on our current knowledge and experience. They do not release users from careful testing of the application and strict observation of the relevant processing regulations because of the wide range of possible influences during the application and use of our products. Legally valid assurances of specific characteristics or suitability for special purposes of application other than those provided in our documentation for the specific product cannot be inferred from our information. Any protective rights or existing laws and provisions must be followed by the recipient or processor of our products at their own responsibility. Moreover our general terms and conditions of sale and guarantee are valid.



**Sika Ltd,** Bankside 300, Peachman Way, Broadland Business Park, Norwich, NR7 0WF.

Tel: 01603 709360 Fax: 01603 433436 Email: sarnafilroofing@uk.sika.com

Registered Office: Sika Ltd, Watchmead, Welwyn Garden City, Hertfordshire, AL7 1BQ Registered in England: 226822





Sarnafil<sup>®</sup> T Clean 3/3