

Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika MonoTop[®]-614 F

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier:Sika Limited
Watchmead Welwyn Garden City
Hertfordshire. AL7 1BQTelephone:+44 (0)1707 394444Telefax:+44 (0)1707 329129E-mail address of person
responsible for the SDS:EHS@uk.sika.com

1.4 Emergency telephone number

+44 (0)1707 363899 (available during office hours).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC)	No 1272/2008)	
Hazard pictograms	:	E E	
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements	:	Prevention:	
		P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
		Response: P302 + P352	IF ON SKIN: Wash with plenty of water.



Revision Date 27.10.2020Version 3.0Print Date 27	; 21.1
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. 	n-

Hazardous components which must be listed on the label:

• Cement (chromium reduced)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		
Limestone	1317-65-3		>= 10 - < 20
Contains:	215-279-6		
Quartz (SiO2) <5µm >= 0,1 %			

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately.
`			

Country GB 10000014818



Revision Date 27.10.2020	Version 3.0	Print Date 27.10.2
	Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	 Small amounts splashed into eyes can cause sue damage and blindness. In the case of contact with eyes, rinse immed of water and seek medical advice. Continue rinsing eyes during transport to hos Remove contact lenses. Keep eye wide open while rinsing. 	diately with plenty
If swallowed	 Do not induce vomiting without medical advise Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsc 	
4.2 Most important symptoms and	d effects, both acute and delayed	
Symptoms	: Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	n on health effects
Risks	: irritant effects	
	Causes skin irritation. Causes serious eye damage.	
4.3 Indication of any immediate m	edical attention and special treatment neede	d
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting measu	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction.	
5.2 Special hazards arising from t	he substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are know	vn
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained breat	thing apparatus.
Further information	: Standard procedure for chemical fires.	



Version 3.0

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Avoid breathing dust.
		Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Try to prevent the material from entering drains or water courses.
		No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust.
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling	
	Advice on safe handling :	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, inc	luding any incompatibilities
	Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- : age stability	Keep in a dry place. No decomposition if stored and applied as directed.



Version 3.0

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0,1 mg/m3 (Silica)	GB EH40
	dust and inha will be collected the methods of pling and grav aerosols., The health include in air equal to dust or 4 mg.r any dust will b above these le WELs and expl limits., Most ir sizes. The bel after entry into sponse that it HSE distinguis termed 'inhala the fraction of during breathi respiratory tra penetrates to tions and expl dusts contain the relevant lin short-term exp	ation: For the purpo- lable dust are those ed when sampling is described in MDHS1 vimetric analysis or r e COSHH definition is dust of any kind w or greater than 10 r m-3 8-hour TWA of r be subject to COSHI evels. Some dusts h posure to these mus- naviour, deposition a of the human respira- elicits, depend on the shes two size fraction able' and 'respirable' airborne material the ng and is therefore anatory material are components that hamits should be comp- posure limit is listed, e limit should be use	beses of these limits fractions of airbor a undertaken in ac 4/4 General meth respirable, thoraci of a substance ha when present at a mg.m-3 8-hour TW respirable dust. Th H if people are exp have been assigned to particles of a we and fate of any pa tory system, and the ne nature and size ons for limit-setting and the period dust a hat enters the nose available for depo approximates to the egiven in MDHS1 we their own assigned blied with., Where a figure three time ad.	rne dust which cordance with ods for sam- c and inhalable izardous to concentration /A of inhalable nis means that posed to dust ed specific appropriate ride range of rticular particle the body re- e of the particle. g purposes pproximates to e and mouth sition in the ne fraction that Fuller defini- 4/4., Where gned WEL, all no specific les the long-
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40
Limestone	1317-65-3	TWA (Respirable dust) TWA (inhalable dust)	4 mg/m3 10 mg/m3	GB EH40 GB EH40
	dust and inha will be collected the methods of pling and grav aerosols., The health include in air equal to dust or 4 mg.r	aation: For the purpo lable dust are those ed when sampling is described in MDHS1 vimetric analysis or r e COSHH definition s dust of any kind w or greater than 10 r m-3 8-hour TWA of r be subject to COSHI	fractions of airbor undertaken in ac 4/4 General meth respirable, thoraci of a substance ha when present at a ng.m-3 8-hour TW respirable dust. Th	rne dust which cordance with ods for sam- c and inhalable zardous to concentration /A of inhalable nis means that



Revision Date 27.10.2020	Version 3.0	Print Date 27.10.2020
	WELs and exposure to these limits., Most industrial dusts of sizes. The behaviour, deposit after entry into the human res sponse that it elicits, depend HSE distinguishes two size fra termed 'inhalable' and 'respirat the fraction of airborne materia during breathing and is theref respiratory tract. Respirable of penetrates to the gas exchan- tions and explanatory materia dusts contain components that the relevant limits should be of short-term exposure limit is list term exposure limit should be	
	TWA (Respirat dust)	able 4 mg/m3 GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40
Respirable fraction	TWA	4 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipmen	t
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	 Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth-



Revision Date 27.10.2020	Version 3.0	Print Date 27
	ods for determining inhalation exposure ticular to the mixing / stirring area. In ca to keep the concentrations under the oc limits then respiration protection measu	se this is not sufficent cupational exposure
Environmental exposure c	controls	
General advice	: Try to prevent the material from entering courses. No special environmental precautions re	•

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	grey
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	ca. 1,480 g/cm3 (20 °C)
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		



SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4	Conditions	to avoid
------	------------	----------

Conditions to avoid	: No data available

10.5 Incompatible materials

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Revision Date 27.10.2020

Version 3.0



Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: The generation of waste should be avoided or minimized



Revision Date 27.10.2020	Version 3.0	Print Date 27.10
	wherever possible. Empty containers or liners may retain s This material and its container must be way. Dispose of surplus and non-recyclable waste disposal contractor. Disposal of this product, solutions and at all times comply with the requiremer protection and waste disposal legislation local authority requirements. Avoid dispersal of spilled material and soil, waterways, drains and sewers.	e disposed of in a safe products via a licensed any by-products should nts of environmental on and any regional
Contaminated packaging	: 15 01 10* packaging containing residu by dangerous substances	es of or contaminated

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es) Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on
the market and use of certain dangerous substances,
preparations and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Cement (chromium reduced) (Number on list 47) Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified



Revision Date 27.10.2020	Version	3.0		Print Date 27.10.20
International Chemical Weapons Schedules of Toxic Chemicals an	Convention (CWC)	:	Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the compone $(=> 0.1 \%)$.	ents are listed
REACH - List of substances subject to authorisation (Annex XIV)		:	Not applicable	
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
Regulation (EC) No 850/2004 on lutants	persistent organic pol-	:	Not applicable	
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or tion, and/or	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		nent	t and of the Council on	the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) Volatile organic compo no VOC duties		-	

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01 %

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation
 specific for the substance or mixture:
 Environmental Protection Act 1990 & Subsidiary Regulations
 Health and Safety at Work Act 1974 & Subsidiary Regulations
 Control of Substances Hazardous to Health Regulations
 (COSHH)
 May be subject to the Control of Major Accident Hazards
 Regulations (COMAH), and amendments.

Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Version 3.0

SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H318	:	Causes serious eye damage.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Dam.	:	Serious eye damage			
Skin Irrit.	:	Skin irritation			
STOT SE	:	Specific target organ toxicity - single exposure			
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits			
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)			
ADR	:	European Agreement concerning the International Carriage of			
040		Dangerous Goods by Road			
CAS	÷	Chemical Abstracts Service Derived no-effect level			
DNEL EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
IATA	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	÷	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of			
		test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in			
		air that kills 50% of the test animals during the observation			
		period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
		Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	÷	Predicted no effect concentration			
REACH		Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg-			
		istration, Evaluation, Authorisation and Restriction of Chemi-			
		cals (REACH), establishing a European Chemicals Agency			
SVHC		Substances of Very High Concern			
vPvB	÷	Very persistent and very bioaccumulative			
_	•	,			
Further information					
Classification of the mixtur	e:	Classification procedure:			
Skin Irrit. 2	H3	15 Calculation method			

Eye Dam. 1H318Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

Country GB 10000014818



Revision Date 27.10.2020

Version 3.0

GB / EN