

Revision Date 06.07.2020

Version 7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

[:] Sika MonoTop[®]-630 Rapid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Repairing mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

+44 (0)1707 363899 (available during office hours).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single ex-	H335: May cause respiratory irritation.
posure, Category 3, Respiratory system	

2.2 Label elements

Labelling (REGULATION (EC)	No 1272/2008)	
Hazard pictograms	:	L Z	!
Signal word	:	Danger	•
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		Prevention:	



Revision Date 06.07.2020	N	/ersion 7.0	Print Date 06.07.2
	P271	Use only outdoors or in a well-v ea.	ventilated ar-
	P280	Wear protective gloves/ eye proprotection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal: P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

• Cement (chromium reduced)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)	
	Registration number		(/0 10/10)	
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40	
	266-043-4	Eye Dam. 1; H318		
		STOT SE 3; H335		
hexacalcium hex-	12004-14-7	Skin Irrit. 2; H315	>= 5 - < 10	
aoxotris[sulphato(2-	234-448-5	Eye Dam. 1; H318		
)]dialuminate(12-)	01-2119529248-35-	STOT SE 3; H335		
	0112			
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 60 - < 80	
	238-878-4			

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician.

:



evision Date 06.07.2020		Version 7.0	Print Date 06.07.20
	Sho	w this safety data sheet to the docto	or in attendance.
If inhaled		ve to fresh air. Isult a physician after significant exp	osure.
In case of skin contact	Was	e off contaminated clothing and sho sh off with soap and plenty of water. mptoms persist, call a physician.	
In case of eye contact	sue In th of w Con Rem	all amounts splashed into eyes can o damage and blindness. he case of contact with eyes, rinse in vater and seek medical advice. tinue rinsing eyes during transport to nove contact lenses. p eye wide open while rinsing.	nmediately with plenty
If swallowed		not induce vomiting without medical se mouth with water.	advice.
		not give milk or alcoholic beverages. er give anything by mouth to an unc	
Most important sympto	Nev	er give anything by mouth to an unc	
Most important sympto Symptoms	New ms and effect : Cou Res Exce Eryt Derr See	er give anything by mouth to an unc	conscious person.
	New ms and effect Ecou Exce Eryti Derr See and	er give anything by mouth to an unc s, both acute and delayed ugh piratory disorder essive lachrymation thema matitis 9 Section 11 for more detailed inform	conscious person.
Symptoms	New ms and effect: Cou Res Exce Eryti Derr See and : irrita Cau Cau	er give anything by mouth to an unc s, both acute and delayed gh piratory disorder essive lachrymation thema matitis Section 11 for more detailed inform symptoms.	conscious person.
Symptoms	New ms and effect Exce Eryti Derr See and : irrita Cau Cau May	er give anything by mouth to an unc as, both acute and delayed ugh piratory disorder essive lachrymation thema matitis e Section 11 for more detailed inform symptoms. ant effects uses skin irritation. uses serious eye damage.	conscious person.

. I Extinguishing media		
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		



Revision Date 06.07.2020	Version 7.0	Print Date 06.07.20
5.3 Advice for firefighters		
Special protective equipment for firefighters	In the event of fire, wear self-contained brea	athing apparatus.
Further information	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protecti	ve equipment and emergency procedures	
Personal precautions	 Use personal protective equipment. Avoid breathing dust. 	
	Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	Try to prevent the material from entering dra courses.	ains or water
6.3 Methods and material for cont	ainment and cleaning up	
Methods for cleaning up	Pick up and arrange disposal without creating	ng dust.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling :		 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion		Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures :		Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, ind	cl	uding any incompatibilities
	Requirements for storage : areas and containers		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- :		Keep in a dry place.



Revision Date 06.07.2020	Version 7.0	Print Date 06.07.2020
age stability	No decomposition if stored and applied	as directed.
7.3 Specific end use(s)		

7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0,1 mg/m3 (Silica)	GB EH40
	dust and inhala will be collected the methods d pling and gravi aerosols., The health includes in air equal to dust or 4 mg.n any dust will b above these le WELs and exp limits., Most in sizes. The beh after entry into sponse that it HSE distinguis termed 'inhala the fraction of during breathir respiratory trac penetrates to t tions and expla dusts contain of the relevant lin short-term exp	ation: For the purpo able dust are those ed when sampling is escribed in MDHS1 imetric analysis or r COSHH definition of greater than 10 m n-3 8-hour TWA of r e subject to COSHH evels. Some dusts h posure to these must dustrial dusts contain aviour, deposition a the human respirat elicits, depend on the shes two size fraction ble' and 'respirable' airborne material the ng and is therefore a ct. Respirable dust a components that has nits should be compo posure limit is listed, limit should be use	pses of these limits fractions of airbor undertaken in ac 4/4 General meth espirable, thoracie of a substance ha then present at a c ng.m-3 8-hour TW respirable dust. Th d if people are exp ave been assigne to comply with the in particles of a w and fate of any pa tory system, and t he nature and size ons for limit-setting at enters the nose available for depo approximates to the egion of the lung. e given in MDHS14 we their own assigned blied with., Where a figure three tim id.	ne dust which cordance with ods for sam- c and inhalable zardous to concentration /A of inhalable nis means that posed to dust d specific appropriate ide range of rticular particle he body re- of the particle. purposes pproximates to e and mouth sition in the ne fraction that Fuller defini- 4/4., Where gned WEL, all no specific es the long-
Cement (chromium reduced)	65997-15-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWÁ (Respirable dust)	4 mg/m3	GB EH40

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Value type	Control parameters	Basis
Inhalable	TWA	10 mg/m3	GB EH40



Revision Date 06.07.2020	Version 7.0	Print Date 06.07.2020

Respirable fraction	TWA	4 mg/m3	GB EH40	

8.2 Exposure controls

Personal protective equipment	
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P
	P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure contr	ols
General advice :	Try to prevent the material from entering drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	powder grey odourless No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	Not applicable

Country GB 00000602105



Revision Date 06.07.2020		Version 7.0	Print Date 0
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Density	:	No data available	
Bulk density	:	1.400 kg/m3	
Solubility(ies) Water solubility Solubility in other solvents	:	insoluble No data available	
Partition coefficient: n-	:	No data available	
octanol/water Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	Not applicable	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Country GB 00000602105



Revision Date 06.07.2020	Version 7.0	Print Date 06.07.202
Conditions to avoid	: No data available	
0.5 Incompatible materials		
Materials to avoid	: No data available	
0.6 Hazardous decompositio	n products	
No decomposition if stored	and applied as directed.	
SECTION 11: Toxicological	information	
1.1 Information on toxicologi		
Acute toxicity		
Not classified based on ava	ilable information.	
Skin corrosion/irritation		
Causes skin irritation.		
Serious eye damage/eye i Causes serious eye damag		
Respiratory or skin sensi		
Skin sensitisation		
Not classified based on ava	ailable information.	
Respiratory sensitisation		
Not classified based on ava	allable information.	
Germ cell mutagenicity Not classified based on ava	ailable information.	
Carcinogenicity		
Not classified based on ava	ailable information.	
Reproductive toxicity		
Not classified based on ava STOT - single exposure	aliable information.	
May cause respiratory irrita	tion.	
STOT - repeated exposure	e	
Not classified based on ava	ailable information.	
Aspiration toxicity	ile ble in ferme alle a	
Not classified based on ava	allable information.	

12.1 Toxicity

No data available

Country GB 00000602105



Version 7.0

12.2 Persistence and degradability

No data available

Revision Date 06.07.2020

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	16 03 03* inorganic wastes containing dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good



Revision Date 06.07.2020

Version 7.0

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	Safety, health and environmen	tal regulations/legislat	ion	specific for the substance or mixture
	REACH - Restrictions on the market the market and use of certain dat preparations and articles (Annex	ngerous substances,	:	Not applicable
	International Chemical Weapons Schedules of Toxic Chemicals ar		:	Not applicable
	REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
	REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
	Regulation (EC) No 1005/2009 o plete the ozone layer	n substances that de-	:	Not applicable
	Regulation (EC) No 850/2004 on lutants	persistent organic pol-	:	Not applicable
	REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	tion, and/or
	Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	and of the Council on the control of ma-

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties



Revision Date 06.07.2020

Version 7.0

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

This product contains cement. Wet cement or mortar may cause alkali burns if in direct and/or prolonged contact with the skin. Wear protective clothing at all times when working with cement based products.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315 :	Causes skin irritation.
H318 :	Causes serious eye damage.
H335 :	May cause respiratory irritation.
Full text of other abbreviations	
Eye Dam. :	Serious eye damage
Skin Irrit.	Skin irritation
STOT SE :	Specific target organ toxicity - single exposure
GB EH40	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	Long-term exposure limit (8-hour TWA reference period)
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at
2030	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	6
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-



Revision Date 06.07.2020	Version 7.0	Print Date 06.07.2
SVHC : vPvB :	 istration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency Substances of Very High Concern Very persistent and very bioaccumulative 	
Further information		
Classification of the mixture:	Classification	procedure:
Skin Irrit. 2 H	315 Calculation met	hod
Eye Dam. 1 H	318 Calculation met	hod
STOT SE 3 H	335 Calculation met	hod

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN