

Revision Date 12.10.2018

Version 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier** 

Trade name : Sikagard<sup>®</sup>-850 AG

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

### 1.4 Emergency telephone number

+44 (0)1707 363899 (available during office hours).

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H226 H317	Flammable liquid and vapour. May cause an allergic skin reaction.
Precautionary statements	:	Prevention: P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# Sikagard<sup>®</sup>-850 AG



Revision Date 12.10.2018		Version 2.0	Print Date 16.05.2
I	P261	Avoid breathing dust/ fume/ ga pours/ spray.	ıs/ mist/ va-
	P280	Wear protective gloves/ protection eye protection/ face protection	
	Response:		
	P303 + P361 +	P353 IF ON SKIN (or hair): Ta ately all contaminated clothing with water.	
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical
	P370 + P378	In case of fire: Use dry sand, d alcohol-resistant foam to extin	
11			

Hazardous components which must be listed on the label:

- N,N-Dibutylaminomethyl-triethoxysilane
- N-(3-(trimethoxysilyl)propyl)ethylenediamine

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
N,N-Dibutylaminomethyl-	35501-23-6	Skin Sens. 1B; H317	>= 5 - < 10
triethoxysilane	Not Assigned		
	01-2120096609-40-		
	XXXX		
Hydrocarbons, C9-C10, n-	Not Assigned	Flam. Liq. 3; H226	>= 2,5 - < 5
alkanes, isoalkanes, cyclics, <2%	927-241-2	STOT SE 3; H336	
aromatics	265-150-3	Asp. Tox. 1; H304	
	01-2119471843-32-	Aquatic Chronic 3;	
	XXXX [corresponding	H412	
	group CAS 64742-48-		
	9]		



evision Date 12.10.2018	Version 2	Print Date 16.05.201	
N-(3- (trimethoxysi- lyl)propyl)ethylenediamine Contains: N,N'-bis[3- (trimethoxysi- lyl)propyl]ethylenediamine <= 3 % 1-(2-Aminoethyl)-2,2-dimethoxy-1- aza-2-silacyclopentane <= 3 %	1760-24-3 217-164-6 01-2119970215-39- XXXX	Eye Dam. 1; H318 Skin Sens. 1B; H317	< 1

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	ind e	effects, both acute and delayed
Symptoms	:	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
Risks	:	sensitising effects
		May cause an allergic skin reaction.
4.3 Indication of any immediate	mee	dical attention and special treatment needed
Treatment	:	Treat symptomatically.

Revision Date 12.10.2018

Version 2.0



# **SECTION 5: Firefighting measures**

5.1 Extinguishing media	
Suitable extinguishing media :	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Sand Water mist
	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing : media	Water
5.2 Special hazards arising from the	e substance or mixture
Hazardous combustion prod- : ucts	Carbon dioxide (CO2) Carbon monoxide Silicon oxides Nitrogen oxides (NOx)
	No hazardous combustion products are known
5.3 Advice for firefighters	
Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing apparatus.
Further information :	Use water spray to cool unopened containers.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons.		
Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.		
Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.		

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up :		Contain spillage, and then collect with non-combustible ab-
---------------------------	--	---



Revision Date 12.10.2018

Version 2.0

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

# 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Use explosion-proof equipment. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Take pre- cautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

Revision Date 12.10.2018

#### Version 2.0

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
ethanol	64-17-5	TWA	1.000 ppm 1.920 mg/m3	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	Workers	Skin contact		300 mg/m3 300 mg/kg
	Workers	Inhalation		1500 mg/m3
	Consumers	Skin contact		300 mg/m3 300 mg/kg
	Consumers	Inhalation		900 mg/m3
	Consumers	Ingestion		300 mg/m3 300 mg/kg

#### 8.2 Exposure controls

#### Personal protective equipment

Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	No special measures required.		
Environmental exposure controls			

General advice : Prevent product from entering drains.



Revision Date 12.10.2018

Version 2.0

If the product contaminates rivers and lakes or drains inform respective authorities.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance		viscous liquid
Colour	:	colourless, light yellow
Odour	:	pleasant
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	ca. 54 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self ignition temperature	:	410 °C
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	2 hPa
Relative vapour density	:	No data available
Density	:	ca. 0,9816 g/cm3 (25 °C)
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	255 °C

# Sikagard<sup>®</sup>-850 AG



Revision Date 12.10.2018		Version 2.0	Print Date 16.05.2019
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	
9 2 Other information			

### 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions :	Methanol is given off during processing and by reaction with water.
	No hazards to be specially mentioned.
	Vapours may form explosive mixture with air.
10.4 Conditions to avoid	
Conditions to avoid :	Heat, flames and sparks. Exposure to moisture
	Heat, flames and sparks.
10.5 Incompatible materials	
Materials to avoid :	Water Acids and bases
	No data available
10.6 Hazardous decomposition proc	ducts
Hazardous decomposition : products	ethanol

Revision Date 12.10.2018

Version 2.0



# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Not classified based on available information.

# Components:

	Components:			
Ι	Hydrocarbons, C9-C10, n-all	kan	es, isoalkanes, cyclics, <2% aromatics:	
	Acute oral toxicity		LD50 Oral (Rat): > 5.000 mg/kg	
	Acute inhalation toxicity	:	LC50 (Rat): 4.951 mg/l Exposure time: 4 h Test atmosphere: vapour	
	Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg	
	N-(3-(trimethoxysilyl)propyl)	oth	vlenediamine.	
I	Acute oral toxicity			
	Acute oral toxicity	·	LD50 Oral (Rat): 2.995 mg/kg	
	Skin corrosion/irritation			
	Not classified based on availal	hla	information	
		DIC		
	Components:			
Π	Hydrocarbons, C9-C10, n-all	kan	es, isoalkanes, cyclics, <2% aromatics:	
-	Assessment	:	Repeated exposure may cause skin dryness or cracking.	
	<b>.</b>			
	Serious eye damage/eye irrit			
	Not classified based on availab			
	Respiratory or skin sensitisa	atic	n	
	Skin sensitisation			
	May cause an allergic skin rea	ictio	on.	
	Respiratory sensitisation			
	Not classified based on availal	ble	information.	
	Germ cell mutagenicity			
	Not classified based on availal	ble	information.	
	Carcinogenicity			
	Not classified based on availal	ble	information.	
	Reproductive toxicity			
	Not classified based on availal	ble	information.	
	STOT - single exposure			
	Si Si Singis exposure			

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

# Sikagard<sup>®</sup>-850 AG

Print Date 16.05.2019

Revision Date 12.10.2018

Version 2.0

### Aspiration toxicity

Not classified based on available information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

```
Assessment
```

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	The generation of waste should be avoided or minimized wherever possible.			
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe			
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.			
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.			
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.			
European Waste Catalogue	: 07 01 04* other organic solvents, washing liquids and mother liquors			

# Sikagard®-850 AG



Revision Date 12.10.2018	Version 2.0	Print Date 16.05.2019
Contaminated packaging	: 15 01 10* packaging containing residue by dangerous substances	es of or contaminated

# **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks

: Not classified as supporting combustion according to the transport regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer	:	Not applicable
Regulation (EC) No 850/2004 on persistent organic pol- lutants	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the fol-



Revision Date 12.10.2018	Version 2	2.0	Print Date 16.05.201
the market and use of certain d preparations and articles (Anne		lowing entries shou Number on list 3	uld be considered:
REACH Information:	All substances containe - registered by our upst - registered by us, and/ - excluded from the reg - exempted from the reg	tream suppliers, and/or /or julation, and/or	
Seveso III: Directive 2012/18/E jor-accident hazards involving o P5c			on the control of ma-
Volatile organic compounds	: Law on the incentive ta (VOCV) Volatile organic compo	-	
	Directive 2010/75/EU o emissions (integrated p Volatile organic compo 14,8 %, 145,28 g/l VOC content excluding	oollution prevention and unds (VOC) content:	

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

Full text of H-Statements				
H226 H304 H317 H318 H336	<ul> <li>Flammable liquid and vapour.</li> <li>May be fatal if swallowed and enters airways.</li> <li>May cause an allergic skin reaction.</li> <li>Causes serious eye damage.</li> <li>May cause drowsiness or dizziness.</li> </ul>			
H412	: Harmful to aquatic life with long lasting effects.			
Full text of other abbreviations				
Aquatic Chronic Asp. Tox. Eye Dam.	<ul> <li>Long-term (chronic) aquatic hazard</li> <li>Aspiration hazard</li> <li>Serious eye damage</li> </ul>			



Revision Date 12.10.2018	Version 2.0	Print Date 16.0
Flam. Liq.	Flammable liquids	
Skin Sens.	Skin sensitisation	
STOT SE :	Specific target organ toxicity - single exposure	
GB EH40 :	UK. EH40 WEL - Workplace Exposure Limits	
GB EH40 / TWA :	Long-term exposure limit (8-hour TWA reference	e period)
ADR :	European Agreement concerning the Internation	
	Dangerous Goods by Road	
CAS :	Chemical Abstracts Service	
DNEL :	Derived no-effect level	
EC50 :	Half maximal effective concentration	
GHS :	Globally Harmonized System	
IATA :	International Air Transport Association	
IMDG :	International Maritime Code for Dangerous Good	ds
LD50 :	Median lethal dosis (the amount of a material, gi	
	once, which causes the death of 50% (one half)	of a group of
	test animals)	
LC50 :	Median lethal concentration (concentrations of the	
	air that kills 50% of the test animals during the o	bservation
	period)	
MARPOL :	International Convention for the Prevention of Po	
	Ships, 1973 as modified by the Protocol of 1978	
OEL :	Occupational Exposure Limit	
PBT :	Persistent, bioaccumulative and toxic Predicted no effect concentration	
PNEC : REACH :		Dorliament
REACH	Regulation (EC) No 1907/2006 of the European	
	and of the Council of 18 December 2006 concer istration, Evaluation, Authorisation and Restriction	
	cals (REACH), establishing a European Chemic	
SVHC :	Substances of Very High Concern	als Agency
vPvB :	Very persistent and very bioaccumulative	
Further information		
Classification of the mixture:	Classification procedu	ure.

		• • • • • •
Flam. Liq. 3	H226	Based on product data or assessment
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN