# Safety Data Sheet



Revision Date 06-Dec-2018

Version 3

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

VANDEX UNIMÖRTEL 1 Z / VANDEX UNI MORTAR 1 Z **Product name** 

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Sealing cement

**Product category** PC10 - Building and construction mixtures not covered elsewhere

# 1.3 Details of the supplier of the safety data sheet

Vandex Isoliermittel-Gesellschaft **Supplier** 

> Industriestrasse 21 D-21493 Schwarzenbek Phone: +49 4151 89 15-0 Fax: +49 4151 89 15 50

Vandex International Ltd / Vandex AG

P.O. Box / Rötistrasse 6 CH-4500 Solothurn Phone: +41 32 626 36 36 Fax: +41 32 626 36 37

This telephone number is available during office hours only.

For further information, please contact: ehs@vandex.com

#### 1.4 Emergency telephone number

**Emergency telephone number** Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

112 **Europe** 

Austria +43 1 406 43 43

**Belgium** Poison center (BE): +32 70 245 245

Denmark Poison Control Hotline (DK): +45 82 12 12 12 Poison Information Centre (FI):+358 9 471 977 **Finland** 

ORFILA (FR): + 01 45 42 59 59 **France** 

Poison Center Berlin (DE): +49 030 30686 790 Germany

Poison Center Nord: +49 551 19240 (24h available English / German)

Ireland National Poisons Information Centre (IE): +353 1 8379964 / + 353 1 8092566

**Iceland** +354 543 2222

Poison Center, Milan (IT): +39 02 6610 1029 Italy

Luxembourg 112

National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only **Netherlands** 

available to health professionals)

Poisons Information (NO):+ 47 22 591300 **Norway** 

Poison Information Center (PT): +351 21 330 3284 **Portugal** Poison Information Service (ES): +34 91 562 04 20 Spain Sweden Poisons Information Center (SV):+46 8 33 12 31

Poison Center: Tel 145; +41 44 251 51 51

111 / 0300 020 0155 **United Kingdom** 

# 2. Hazards identification

# 2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity (single exposure)	Category 3 - (H335)

#### 2.2 Label elements



Danger

**Switzerland** 

#### **Hazard Statements**

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

#### Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

P261 - Avoid breathing dust

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

P310 - Immediately call a POISON CENTER or doctor/physician

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P312 - Call a POISON CENTER or doctor if you feel unwell

Contains PORTLAND CEMENT Cr+VI<2ppm

# Special labeling of certain preparations

Contains cement low in chromate according to EN 196-10

#### 2.3. Other Hazards

No information available

# 3. Composition/information on ingredients

### 3.1 Substances

This product is a mixture. Health hazard information is based on its components.

# 3.2 Mixtures

#### **Chemical nature**

Mixture of cement, quarz sand and additives.

Chemical Name	EC-No	CAS No.	Weight-%	Classification (1272/2008/EC)	REACH Registration Number
SILICA SAND	238-878-4	14808-60-7	50 - 75	no data available	no data available
PORTLAND CEMENT Cr+VI<2ppm	266-043-4	65997-15-1	25 - 50	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	no data available

For the full text of the H-Statements mentioned in this Section, see Section 16

# 4. First Aid Measures

#### 4.1 Description of first-aid measures

General advice Show this safety data sheet to the doctor in attendance. If symptoms persist, call a

physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or

on clothing.

**Inhalation** Move to fresh air. Call a physician if irritation develops or persists. If breathing is irregular or

stopped, administer artificial respiration.

**Skin contact** Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Ingestion** Gently wipe or rinse the inside of the mouth with water. Drink plenty of water. If symptoms

persist, call a physician. Do not induce vomiting without medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** Eye irritation. Irritating to respiratory system and skin.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

# 5. Fire-Fighting Measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment, The product itself does not burn, Use water spray, fog, Carbon dioxide (CO<sub>2</sub>), foam or dry chemical.

# Extinguishing media which shall not be used for safety reasons

High volume water jet.

# 5.2 Special hazards arising from the substance or mixture

No hazardous decomposition products are known.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Use personal protective equipment. For personal protection see section 8.

#### Advice for emergency responders

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. See Section 12 for additional Ecological information.

### 6.3 Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Take up mechanically and collect in suitable container for disposal. Clean up promptly by

sweeping or vacuum.

#### 6.4 Reference to other sections

See Section 8, 13 for additional information.

# 7. Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling Do not breathe vapors or spray mist. Do not breathe dust. Avoid contact with skin, eyes and

clothing. Wear personal protective equipment. Remove and wash contaminated clothing

before re-use. Do not eat, drink or smoke when using this product.

**Hygiene measures** When using, do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

German storage class LGK 13

# 7.3 Specific end uses

#### Specific use(s)

SU19 - Building and construction work

#### **Exposure scenario**

No information available.

# 8. Exposure controls/personal protection

#### 8.1 Control parameters

**Exposure Limit Values** 

Chemical Name	European Union	Austria	Belgium	Denmark	Finland	France
SILICA SAND 14808-60-7		TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
PORTLAND CEMENT Cr+VI<2ppm 65997-15-1		TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>		TWA: 5 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	
Chemical Name	Germany	Iceland	Ireland	Italy	Luxembourg	The Netherlands
SILICA SAND 14808-60-7 PORTLAND CEMENT Cr+VI<2ppm 65997-15-1	TWA: 1.25 mg/m <sup>3</sup>	TWA: 0.3 mg/m³ total dust TWA: 0.1 mg/m³ respirable dust Ceiling: 0.6 mg/m³ total dust Ceiling: 0.2 mg/m³ respirable dust TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust Ceiling: 20 mg/m³ total dust	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³	TWA: 0.025 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>		TWA: 0.075 mg/m <sup>3</sup>
		Ceiling: 10 mg/m <sup>3</sup> respirable dust				
Chemical Name	Norway	Portugal	Spain	Sweden	Switzerland	The United Kingdom
SILICA SAND 14808-60-7	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 0.9 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m³	LLV: 0.1 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>
PORTLAND CEMENT Cr+VI<2ppm 65997-15-1		TWA: 10 mg/m <sup>3</sup>	TWA: 4 mg/m³		TWA: 5 mg/m³	STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>

TWA: Time weighted average STEL: Short term exposure limit LLV: Exposure Limit Values STV: Short Term Value

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration

(PNEC)

No information available

8.2 Exposure controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eve/Face Protection** 

Tightly fitting safety goggles. Wear chemical-resistant glasses and/or goggles and a face shield when eve and face contact is possible due to handling and processing of material.

Hand Protection

Rubber/latex/neoprene or other suitable chemical resistant gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the

supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Skin and body protection Long sleeved clothing. Wear impervious gloves and/or clothing if needed to prevent contact

with the material.

**Respiratory protection** Effective dust mask. In case of mist, spray or aerosol exposure wear suitable personal

respiratory protection and protective suit.

Recommended Filter type: The type of protective equipment must be selected according to the concentration and

amount of the dangerous substance at the specific workplace.

**Hygiene measures** When using, do not eat, drink or smoke.

**Environmental Exposure Controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

# 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

**Physical state** Solid **Appearance** Powder Color Gray Odor Odorless

**Odor Threshold** No information available

Property Values Remarks

рΗ 11-13,5 (as aqueous solution) No information available Melting/freezing point Boiling point/boiling range No information available No information available **Flash Point** No information available **Evaporation rate** No information available

Flammability (solid, gas) Flammability Limits in Air

upper flammability limit No information available lower flammability limit No information available

No information available Vapor pressure Vapor density No information available Specific Gravity No information available

Water solubility approx. 1.5 g/l

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available

No information available

9.2 Other information

**Oxidizing Properties** 

Volatile organic compounds (VOC) content None **Bulk Density** 1.6 kg/l

# 10. Stability and Reactivity

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

None under normal processing.

#### 10.4 Conditions to Avoid

Avoid moisture.

#### 10.5 Incompatible Materials

Acids

### 10.6 Hazardous Decomposition Products

None under normal use conditions.

# 11. Toxicological information

# 11.1 Information on toxicological effects

#### **Acute toxicity**

# **Product Information**

Product does not present an acute toxicity hazard based on known or supplied information at the Product level.

**Inhalation** Irritating to respiratory system.

**Eye contact** Irritating to eyes. Risk of serious damage to eyes.

**Skin contact** Irritating to skin. **Ingestion** May cause irritation.

#### **Component Information**

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

Specific target organ systemic toxicity (single exposure)

No information available.

Specific target organ systemic No information available.

toxicity (repeated exposure)

**Chronic toxicity** No information available.

Target Organs Eyes. Skin. Respiratory system. Lungs.

**Aspiration hazard** No information available.

# 12. Ecological information

#### 12.1 Toxicity

#### **Ecotoxicity effects**

Discharge to water will affect pH and harm aquatic organisms. Neutralization is normally necessary before waste water is discharged into water treatment plants

# 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

#### Mobility in soil

No information available.

# **Mobility**

No information available.

### 12.5 Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6 Other adverse effects.

No information available.

# 13. Disposal Considerations

#### 13.1 Waste treatment methods

Waste from residues / unused

products

If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EWC Waste Disposal No** 17 01 01, 15 01 05

application specific.

# 14. Transport Information

#### ADR

14.1 UNNot regulated14.2 Proper shipping nameNot regulated14.3 Hazard classNot regulated14.4 Packing GroupNot regulated14.5 Environmental hazardNot applicable14.6 Special ProvisionsNone

#### **IMDG**

14.1UNNot regulated14.2Proper shipping nameNot regulated14.3Hazard classNot regulated14.4Packing GroupNot regulated14.5Marine pollutantNot applicable

14.6 Special Provisions None

14.7 Transport in bulk according to No information available

MARPOL 73/78 and the IBC Code

#### IATA

14.1UNNot regulated14.2Proper shipping nameNot regulated14.3Hazard classNot regulated14.4Packing GroupNot regulated14.5Environmental hazardNot applicable14.6Special ProvisionsNone

# 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulatory information

Germany WGK Classification Hazardous to water/Class 1

**Denmark - MAL Factor** 00-4

Chemical Name	French RG number	Title
SILICA SAND 14808-60-7	RG 25	-
PORTLAND CEMENT Cr+VI<2ppm 65997-15-1	RG 8,RG 10	-

#### **European Union**

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Dir 94/33/EC on the protection of young people at work.

Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers

## Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### **Persistent Organic Pollutants**

Not applicable

#### **International Inventories**

**TSCA** Complies **EINECS/ELINCS** Complies DSL Complies **PICCS** Complies Complies **ENCS** Complies **IECSC** Complies AICS Complies **KECL NZIoC** Complies

#### Legend

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

#### 15.2 Chemical Safety Assessment

No information available

# 16. Other information

# Key or legend to abbreviations and acronyms used in the safety data sheet

# Full text of H-Statements referred to under section 3

H335 - May cause respiratory irritation

H315 - Causes skin irritation

H318 - Causes serious eye damage

Prepared By Vandex

Regulatory Affairs/Product Safety

Revision Date 06-Dec-2018

**Revision Note** (M)SDS sections updated, 1, 8, 16.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**