

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: LOGCO PATH & MASONRY CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Logco Path & Masonry Cleaner is designed as a cleaner for mortar and cement from brick work, etc.

1.3. Details of the supplier of the safety data sheet

Company name: Leeds Oil & Grease Co. Ltd

Cliffdale Road Meanwood

Leeds

West Yorkshire

LS7 2JH United

Kingdom

Tel: +44 (0)11 3216 8811

Fax: +44 (0)11 3216 8833

Email: technical@logco.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0)11 3216 8811

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314; STOT SE 3: H335; Met. Corr. 1: H290

Most important adverse effects: Causes severe skin burns and eye damage. May cause respiratory irritation. May be corrosive to metals.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

H290: May be corrosive to metals.

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark



SAFETY DATA SHEET

LOGCO PATH & MASONRY CLEANER

Page: 2

Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

Other hazards: Causes severe skin burns and eye damage. May cause respiratory irritation. May be corrosive to metals.

PBT: This product is not identified as a PBT/VPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Non-classified ingredients:

HYDROCHLORIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-595-7	-	-	Skin Corr. 1B: H314; STOT SE 3: H335	30-50%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Remove any contact lenses and open eyelids widely. Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Never give anything by mouth to an unconscious person. Consult a doctor. Do not induce vomiting.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If breathing is irregular or stopped administer artificial respiration. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

[cont...]

SAFETY DATA SHEET

LOGCO PATH & MASONRY CLEANER

Page: 3

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Show this safety data sheet to the doctor in attendance.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Carbon dioxide. Dry chemical powder. For larger fires with water spray or alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. In combustion emits toxic fumes of hydrogen chloride/phosgene.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Use personal protective equipment. Turn leaking containers leak-side up to prevent the escape of liquid. Ensure adequate ventilation. Do not create dust. Do not walk through or touch spilled material. Avoid ingestion, inhalation of vapours and contact with skin and eyes. Evacuate non-essential personnel.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid contact with skin and eyes. Do not breathe vapours or spray mist. For precautions see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Containers which are open must be carefully resealed and kept upright to prevent leakage

[cont...]

SAFETY DATA SHEET

LOGCO PATH & MASONRY CLEANER

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): Apart from uses mentioned in section 1.2 no other uses are stipulated.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	6mg/m ³	24mg/m ³	-	-

Non-classified ingredients:

HYDROCHLORIC ACID 100%...

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	2 mg/m ³	8 mg/m ³	-	-

DNEL/PNEC Values

LOGCO PATH & MASONRY CLEANER

Type	Exposure	Value	Population	Effect
-	No data available	-	-	-

8.2. Exposure controls

Engineering measures: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

Respiratory protection: Respiratory protection not required. Where risk assessment shows air purifying respirators are appropriate use a full face respirator with multi-purpose combination (US) or type AXBEK (EN14387) respirator cartridge as a backup to engineering controls. If the respirator is the sole means of protection use a full face supplied air respirator. Use respirators and components tested & approved under appropriate government standards eg CEN (EU) or NIOSH (US).

Hand protection: Protective gloves. Nitrile gloves. Gloves (acid resistant). Breakthrough time of the glove material > 8 hours.

Eye protection: Ensure eye bath is to hand. Tightly fitting safety goggles. Face Shield (8 inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH(US) or EN166 (EU).

Skin protection: Protective clothing. The type of protective equipment must be selected according to the concentration and amount of dangerous substance at the specific workplace. Ensure safety shower is to hand.

SAFETY DATA SHEET
LOGCO PATH & MASONRY CLEANER

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Pungent

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Soluble

Viscosity: No data available.

Boiling point/range°C: >100

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: No data available.

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: Not applicable.

Vapour pressure: No data available.

Relative density: No data available.

pH: No data available.

VOC g/l: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids. Bases. Amines. Alkali metals. Metals. hexalithium disilicide, permanganates, eg potassium permanganate, fluorine

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes. In the event of fire see section 5.

Section 11: Toxicological information

[cont...]

SAFETY DATA SHEET
LOGCO PATH & MASONRY CLEANER

Page: 6

11.1. Information on toxicological effects

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Recovery operations: Not applicable.

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

SAFETY DATA SHEET
LOGCO PATH & MASONRY CLEANER

Page: 7

Section 14: Transport information

14.1. UN number

UN number: UN 1789

14.2. UN proper shipping name

Shipping name: Hydrochloric acid

14.3. Transport hazard class(es)

14.4. Packing group

Packing group: II

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Tunnel code: E

Transport category: 8

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.