

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 09/08/2016 Revision date: 06/02/2024 Supersedes version of: 09/08/2016 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture Product name : rbs Debonding Com	pound
Product code : 003DBC	
Product group : End product	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category Use of the substance/mixture : Consumer use,Professional use,Industrial use : Coatings and paints, thinners, paint removers

1.3. Details of the supplier of the safety data sheet

Distributor Resapol Ltd Unit D4, Moss Industrial Estate Leigh, Lancashire WN7 3PT United Kingdom T +44 (0) 800 083 1942 sales@resapol.com - www.resapol.com

1.4. Emergency telephone number

Emergency number

: +44 (0) 1942 609001 (office hours only)

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, Category 3 H226 Specific target organ toxicity – Single exposure, Category 3, H336 Narcosis Specific target organ toxicity – Repeated exposure, Category 1 H372 Hazardous to the aquatic environment – Chronic Hazard, H411 Category 2 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (E Hazard pictograms (CLP)			
	GHS02 GHS07 GHS08 GHS09		
Signal word (CLP)	: Danger		
Contains	: Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		
Hazard statements (CLP)	: H226 - Flammable liquid and vapour.		
	H336 - May cause drowsiness or dizziness.		
	H372 - Causes damage to organs through prolonged or repeated exposure.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P233 - Keep container tightly closed.
	P240 - Ground and bond container and receiving equipment.
	P241 - Use explosion-proof lighting, electrical, ventilating equipment.
	P260 - Do not breathe fume, dust, gas, mist, spray, vapours.
	P264 - Wash hands thoroughly after handling.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

not identified

not identified

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	EC-No.: 919-446-0 REACH-no: 01-211-458049	40 – 50	Flam. Liq. 3, H226 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation	 Call a poison center or a doctor if you feel unwell. Remove person to fresh air and keep comfortable for breathing. Move the affected person away from the contaminated area and into the fresh air.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects Symptoms/effects after inhalation	 May cause drowsiness or dizziness. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Repeated exposure may cause skin dryness or cracking. None under normal conditions. None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Flammable liquid and vapour. No direct explosion hazard. Toxic fumes may be released. 		
5.3. Advice for firefighters			
Firefighting instructions Protection during firefighting	 Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures :	Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.		
For non-emergency personnel			
Protective equipment :	Wear recommended personal protective equipment.		
Emergency procedures :	Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray.		
For emergency responders			
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures :	Evacuate unnecessary personnel. Stop leak if safe to do so.		
6.2. Environmental precautions			
Avoid release to the environment.			

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.	
Methods for cleaning up	 Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. 	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Not expected to present a significant hazard under anticipated conditions of normal use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures Storage conditions Packaging materials	 Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. **Personal protective equipment symbol(s):**



Eye and face protection

Eye protection: Safety glasses

Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic phy	ysical and chemical properties	
Physical state	: Liquid	
Colour	: Black.	
Odour	: characteristic.	
Odour threshold	: Not available	
Melting point	: Not applicable	
Freezing point	: Not determined	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point	: ≥ 153 °C
Flammability	: Flammable liquid and vapour.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: ≥40 °C
Auto-ignition temperature	: ≥200 °C
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: ≥ 20.5 mm²/s @ 40°C (ISO 3104/3105)
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.89 – 0.92 Specific gravity
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable
9.2. Other information	

9.2. Other information

Other safety characteristics

VOC content

: ≈ 389 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
Skin corrosion/irritation	: Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Causes damage to organs through prolonged or repeated exposure.	
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard :	Not classified	
rbs Debonding Compound		
Viscosity, kinematic ≥ 20.5 mm ² /s @ 40°C (ISO 3104/3105)		
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute) Hazardous to the aquatic environment, long-term :	Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.
(chronic) 12.2. Persistence and degradability	
rbs Debonding Compound	
Persistence and degradability	Not readily biodegradable.
Hydrocarbons, C9-C12, n-alkanes, isoalkanes	
Persistence and degradability	Not rapidly degradable
12.3. Bioaccumulative potential	
rbs Debonding Compound	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
rbs Debonding Compound	
Mobility in soil	No data available
12.5. Results of PBT and vPvB assessment	
rbs Debonding Compound	
not identified	
not identified	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Other adverse effects :	May cause long-term adverse effects in the aquatic environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Regional waste regulation: Disposal must be done according to official regulations.Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.Sewage disposal recommendations: Disposal must be done according to official regulations.Product/Packaging disposal recommendations: Disposal must be done according to official regulations.Additional information: Flammable vapours may accumulate in the container. Do not re-use empty containers.				
SECTION 14: Transport information				
SECTION 14: Transport information	RID			

14.1. UN NUMBER OF ID N	lumper			
UN 1999	UN 1999	UN 1999	UN 1999	UN 1999
14.2. UN proper shippin	g name			
TARS, LIQUID	TARS, LIQUID	Tars, liquid	TARS, LIQUID	TARS, LIQUID
Transport document descr	iption			
UN 1999 TARS, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1999 TARS, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1999 Tars, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1999 TARS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1999 TARS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			

14.4. Packing group

III	III	III	III	III

14.5. Environmental hazards Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-E EmS-No. (Spillage): S-E Dangerous for the environment: Yes Dangerous for the environment: Yes No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	:	F1
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T1
Portable tank and bulk container special provisions	:	TP3
(ADR)		
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR) Hazard identification number (Kemler No.)	: S2 : 30
Orange plates	
Orange plates	30
	1000
	1999
Tunnel restriction code (ADR)	: D/E
EAC code	: 2W
APP code	: A(fl)
Transport by sea	
Special provisions (IMDG)	: 955
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP3
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Mobile liquids prepared by mixing asphalt with petroleum distillate. Pungent odour.
	Immiscible with water.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions	: TP3
(RID)	
Tank codes for RID tanks (RID) Transport category (RID)	: LGBF : 3
Special provisions for carriage – Packages (RID)	: 5 : W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30
14.7. Maritime transport in bulk according	to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content

: ≈ 389 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.