

Printing date 04.07.2018 Version number 3 Revision: 18.05.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name weber CL150

Safety data sheet no.: 44P45957

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

## 1.3 Details of the supplier of the safety data sheet

# Manufacturer/Supplier:

Saint-Gobain Weber

Dickens House

**Enterprise Way** 

Flitwick

Bedford.

**MK45 5BY** 

Tel: +44(0)1525 718877 Web: www.netweber.co.uk

email:sara.kelly@netweber.co.uk

**1.4 Emergency telephone number:** +44(0) 8703 330070 Office hours only (08.30-17.00 UK time)

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS07

#### Signal word Warning

#### **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

(Contd. on page 2)



Printing date 04.07.2018 Version number 3 Revision: 18.05.2018

#### Trade name weber CL150

Avoid release to the environment.

(Contd. of page 1)

P273

Wear protective gloves/protective clothing/eye protection/face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention. P332+P313 P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### Additional information:

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains a biocidal product.

#### 2.3 Other hazards

## Results of PBT and vPvB assessment **PBT:** Does not contain PBT substances. vPvB: Does not contain vPvB substances.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 68391-01-5	alkyl(C=12-18) benzyl dimethyl ammonium chloride	2-5%
EINECS: 269-919-4	Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302	
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	<0.1%
EINECS: 247-761-7	Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B,	
Index number: 613-112-00-5	H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1,	
	H410 (M=1); (1) Acute Tox. 4, H302; Skin Sens. 1, H317	

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

## **General information**

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

### After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position

for transportation.

## After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

(Contd. on page 3)



Printing date 04.07.2018 Version number 3 Revision: 18.05.2018

Trade name weber CL150

(Contd. of page 2)

**After swallowing** If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 04.07.2018 Version number 3 Revision: 18.05.2018

Trade name weber CL150

(Contd. of page 3)

## 8.1 Control parameters

## Ingredients with limit values that require monitoring at the workplace:

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

### 8.2 Exposure controls

## Personal protective equipment:

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

## Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands: Protective gloves.

Material of gloves NBR (Nitrile Rubber) DIN EN 374-III

Eye protection: Safety glasses.

Body protection: Protective work clothing.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and cher General Information	nical properties		
Appearance:			
Form:	Fluid		
Colour:	According to product specification		
Odour:	Characteristic		
Odour threshold:	Not determined.		
pH-value at 20 °C:	7		
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. Undetermined.		
Flash point:	Not applicable		
Flammability (solid, gas):	Not applicable.		
Ignition temperature:	Not determined.		
Decomposition temperature:	Not determined.		
Auto-ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
	(Contd. on page 5)		

(Contd. on page 5)



Printing date 04.07.2018 Version number 3 Revision: 18.05.2018

#### Trade name weber CL150

	(Contd. of page		
Oxidising properties	Not determined.		
Vapour pressure at 20 °C:	48 hPa (DIN 51640)		
Density:	Not determined		
Bulk density:	Not applicable.		
Relative density	Not determined.		
Vapour density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix		
Segregation coefficient (n-octanol/w	vater) log		
Pow:	Not determined.		
Viscosity:			
dynamic:	Not determined.		
kinematic:	Not determined.		
Solvent separation test:	Not determined		
Solvent content:			
Organic solvents:	0.4 %		
Water:	90.0 %		
EU-VOC	0.30 %		
9.2 Other information	No further relevant information available.		

# **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Туре	Value	Species	
CAS: 68391-01-5 alky	yl(C=12-18) benzy	yl dimethy	yl ammonium chloride	
Oral LD50 400 mg/kg	g (Rat)			

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 6)



Printing date 04.07.2018 Version number 3 Revision: 18.05.2018

Trade name weber CL150

(Contd. of page 5)

## Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

Behaviour in environmental systems:

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	

(Contd. on page 7)



Printing date 04.07.2018 Version number 3 Revision: 18.05.2018

Trade name weber CL150

14.5 Environmental hazards:
Marine pollutant:
No

14.6 Special precautions for user
Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable.

UN "Model Regulation":
Void

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**Department issuing SDS:** Environment, Health and Safety Department (EHS)

Contact: Dr S. Kelly; tel. + 44 (0) 1525 718877

## Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

(Contd. of page 7)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.07.2018 Revision: 18.05.2018 Version number 3

### Trade name weber CL150

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* Data compared to the previous version altered.