according to 1907/2006/EC, Article 31

Printing date 02.08.2017

Version number 2

Revision: 16.03.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name webercem grout eco

Safety data sheet no.: 44P45965 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Saint-Gobain Weber Dickens House Enterprise Way Flitwick Bedford. MK45 5BY Tel: +44(0)1525 718877 Web: www.netweber.co.uk email:sara.kelly@netweber.co.uk
1.4 Emergency telephone number: +44(0) 8703 330070 Office hours only (08.30-17.00 UK time)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. **Hazard pictograms**



(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 02.08.2017

Signal word Danger

Version number 2

Revision: 16.03.2015

Trade name webercem grout eco

(Contd. of page 1)

Hazard-determining components of labelling: cement portland, grey **Hazard statements** H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapours/spray. P261 P280 Wear protective gloves/protective clothing/eve protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. 2.3 Other hazards Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture: consisting of the following components.

Dangerous components:

CAS: 65997-15-1 cement portland, grey EINECS: 266-043-4 🔗 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335

25 - 50%

SVHC Void

Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelflife, so that the identification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30 °C).

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 02.08.2017

Version number 2

Revision: 16.03.2015

Trade name webercem grout eco

(Contd. of page 2)

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Provide suction extractors if dust is formed. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2017

Version number 2

Revision: 16.03.2015

Trade name webercem grout eco

	(Contd. of page 3)
8.1 Control parameters	
PNECs	t require monitoring at the workplace:
65996-69-2 Slags, ferrous metal,	blast furnace
Predicted No Effect Concentration	1000 mg/kgxdwt (earth rating factor)
Predicted No Effect Concentration	500 mg/l (sea water rating factor)
	5000 mg/l (fresh water rating factor)
CAS No. Designation of materi	ial % Type Value Unit
65997-15-1 cement portland, grey	۲
WEL Long-term value: 10* 4** mg/ *inhalable dust **respirable d	
Quartz alveolar dust (< 5 µm) : 0,15 Additional information:	Ire Limit Values for possible hazards during processing: 5 mg/m ³ ist) was used as the basis for the preparation and/or revision of this
8.2 Exposure controls Personal protective equipment: General protective and hygienic of The usual precautionary measures Wash hands before breaks and at to Respiratory protection: Protective Protection of hands: Protective glue Eye protection: Tightly sealed gog Body protection: Protective work of	s are to be adhered to when handling chemicals. the end of work. re mask type FFP2 loves. ggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and cher General Information	mical properties	
Appearance:		
Form:	Powder	
Colour:	Grey	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	Not applicable	
Flammability (solid, gas):	Product is not flammable.	
Ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
		(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 02.08.2017

Version number 2

Revision: 16.03.2015

Trade name webercem grout eco

	(Contd. of page
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure:	Not applicable.
Density:	Not applicable.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Unsoluble
Segregation coefficient (n-octanol/	water) log
Pow:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
EU-VOC	0.00 %
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compon	ents	Туре	Value	Species	
65997-15	-1 cement	portland, grey			
Dermal	LD50	> 2000 mg/kg (Rab	obit)		
	·	•			(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2017

Version number 2

Revision: 16.03.2015

Trade name webercem grout eco

			ontd. of page 5)
65996-69-2	2 Slags, fo	errous metal, blast furnace	
Oral	LD50	> 2000 mg/kg (Rat)	
Dermal	LD50	> 4000 mg/kg (Rat)	
Inhalative	LC50/4 h	> 5 mg/l (Rat)	
Primary in	ritant effe	ct:	
Skin corro	osion/irrita	ation	
Causes sk			
		e/irritation	
Causes se			
		sensitisation	
•	•	c skin reaction.	
		ogenity, mutagenicity and toxicity for reproduction)	
		city Based on available data, the classification criteria are not met.	
		sed on available data, the classification criteria are not met.	
		ty Based on available data, the classification criteria are not met.	
STOT-sing			
	•	ry irritation.	
		osure Based on available data, the classification criteria are not met.	
Aspiration	hazard E	Based on available data, the classification criteria are not met.	
SECTIO	N 12: Ec	ological information	
12.1 Toxic	itv		
		further relevant information available.	
Type of te	st Effoctiv	a concentration Method Assessment	

Type of test	Effective concentration Method Assessment]				
65996-69-2 \$	Slags, ferrous metal, blast furnace]				
LC50/96h	LC50/96h > 100 mg/l (Leuciscus idus (Orfe))					
LC0/96h	>100 mg/l (Leuciscus idus (Orfe))					
EC50/72h	> 90 000 mg/l (Algae)					
NOEC (72h)	50-100 mg/l (Algae)					
NOEC (21d)	1563 mg/l (Daphnia magna)					
EC 0/48h	EC 0/48h > 100 mg /l (Daphnia magna)					
12.3 Bioaccu Behaviour ir 12.4 Mobility	ence and degradability No further relevant information available. umulative potential No further relevant information available. n environmental systems: / in soil No further relevant information available. cological information:					
12.5 Results PBT: Does n vPvB: Does	es: Do not allow product to reach ground water, water course or sewage system. of PBT and vPvB assessment ot contain PBT substances. not contain vPvB substances. dverse effects No further relevant information available.	в-				

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 02.08.2017

Version number 2

Revision: 16.03.2015

Trade name webercem grout eco

(Contd. of page 6)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

Uncleaned packaging:

Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR Class ADN/R Class:	- (-) Void
IMDG Class Label	Void -
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user EMS Number:	Not applicable.
14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)



⁻ GB

according to 1907/2006/EC, Article 31

Printing date 02.08.2017

Version number 2

Revision: 16.03.2015

Trade name webercem grout eco

(Contd. of page 7) **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

Department issuing SDS: Product safety department. Contact: Dr S. Kelly; tel. + 44 (0) 1525 718877 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * Data compared to the previous version altered.