according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 26.08.2015

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name weber.cem keycoat

Safety data sheet no.: 44P46084 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
Saint-Gobain Weber
Dickens House
Enterprise Way
Flitwick
Bedford.
MK45 5BY
Tel: +44(0)1525 718877
Web: www.netweber.co.uk
email:sara.kelly@netweber.co.uk
1.4 Emergency telephone number: +44(0) 8703 330070 Office hours only (08.30-17.00 UK time)

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.STOT SE 3 H335 May cause respiratory irritation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 26.08.2015

Trade name weber.cem keycoat

Signal word Danger

(Contd. of page 1)

Hazard-determining components of labelling: cement portland, grey Hazard statements H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. **Precautionary statements** P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. Additional information: Contains chromium (VI). May produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

### Dangerous components:

CAS: 65997-15-1	cement portland, grey	> 50%
EINECS: 266-043-4	📀 Eye Dam. 1, H318; 🕔 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT	
	SE 3, H335	

### SVHC Void

### **Additional information**

The mixture is "low chromate" according to 2006/1907/EEC within the product shelf-life, so that the identification with R 43 (H317 + EUH203) is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and

present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact If skin irritation continues, consult a doctor.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Version number 2

Revision: 26.08.2015

Trade name weber.cem keycoat

After eye contact

Printing date 31.05.2017

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30 °C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Provide suction extractors if dust is formed. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)





(Contd. of page 2)

according to 1907/2006/EC, Article 31

Version number 2

Revision: 26.08.2015

Trade name weber.cem kevcoat

Flammability (solid, gas):

**Decomposition temperature:** 

Auto-ignition temperature:

Ignition temperature:

**Explosive properties:** 

**Explosion limits:** Lower:

Upper:

	(Contd. of page
8.1 Control parameters	
Ingredients with limit values that require m	nonitoring at the workplace:
CAS No. Designation of material %	Type Value Unit
65997-15-1 cement portland, grey	
WEL Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust	
Additional information: The applicable TRGS 900 (MAK list) was us safety data sheet.	ed as the basis for the preparation and/or revision of th
8.2 Exposure controls	
Personal protective equipment: General protective and hygienic measures	
The usual precautionary measures are to be a	
Wash hands before breaks and at the end of	
Respiratory protection:	aandad
Suitable respiratory protective device recomm Filter P2.	nended.
Protection of hands: Protective gloves.	
Eye protection: Tightly sealed goggles	
<b>Eye protection:</b> Tightly sealed goggles <b>Body protection:</b> Protective work clothing.	
Eye protection: Tightly sealed goggles	properties
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical	
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical 9.1 Information on basic physical and cher General Information	
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical 9.1 Information on basic physical and cher General Information Appearance:	mical properties
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical 9.1 Information on basic physical and cher General Information Appearance: Form:	mical properties Powder
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical 9.1 Information on basic physical and cher General Information Appearance: Form: Colour:	mical properties Powder Grey
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical 9.1 Information on basic physical and cher General Information Appearance: Form:	mical properties Powder
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical 9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour:	mical properties Powder Grey Characteristic
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical 9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour: Ddour threshold: pH-value at 20 °C:	mical properties Powder Grey Characteristic Not determined.
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical 9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour threshold:	mical properties Powder Grey Characteristic Not determined.
Eye protection: Tightly sealed goggles Body protection: Protective work clothing. SECTION 9: Physical and chemical 9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour: Ddour threshold: pH-value at 20 °C: Change in condition	mical properties Powder Grey Characteristic Not determined. 12.5

Product is not flammable.

Product is not selfigniting.

Product does not present an explosion hazard.

Not determined.

Not determined.

Not determined.

Not determined.

(Contd. on page 5) GB

# ven

Printing date 31.05.2017

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 26.08.2015

Trade name weber.cem keycoat

	(Contd. of page 4
Oxidising properties	Not determined.
Vapour pressure:	Not applicable.
Density:	Not applicable.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Unsoluble
Segregation coefficient (n-octano	I/water) log
Pow:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	••
Organic solvents:	0.0 %
EU-VOC	0.00 %
9.2 Other information	No further relevant information available.

### **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Components	Туре	Value	Species		
65997-15-1 cement portland, grey					
Dermal LD50 > 2	2000 mg/kg (Rabbit)				
Primary irritant e					
Skin corrosion/i					
Causes severe skin burns and eye damage.					
Serious eye dam	age/irritation				
Causes serious e	ve damage.				
Respiratory or s					
May cause an allergic skin reaction.					

(Contd. on page 6)

<sup>-</sup> GB

according to 1907/2006/EC, Article 31

Version number 2

Revision: 26.08.2015

Printing date 31.05.2017

Trade name weber.cem keycoat

(Contd. of page 5)

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

Behaviour in environmental systems:

**12.4 Mobility in soil** No further relevant information available.

Additional ecological information:

### **General notes:**

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### 12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR Class	- (-)	



according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 26.08.2015

Trade name weber.cem keycoat

	(Contd. of page 6)
ADN/R Class:	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. Contact: Dr S. Kelly; tel. + 44 (0) 1525 718877 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2

(Contd. on page 8)

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 26.08.2015

Trade name weber.cem keycoat

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

(Contd. of page 7)

GB

