

### according to 1907/2006/EC, Article 31

Printing date 21.02.2019 Version number 3 Revision: 21.02.2019

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name weberfloor smooth rapid 4160

Safety data sheet no.: 44P46054

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Weber Dickens House **Enterprise Way** 

Flitwick Bedford.

**MK45 5BY** 

Tel: +44(0)1525 718877 Web: www.netweber.co.uk email:sara.kelly@netweber.co.uk

**1.4 Emergency telephone number:** +44(0) 8703 330070 Office hours only (08.30-17.00 UK time)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

# **SECTION 3: Composition/information on ingredients**

3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances without any hazardous components

Dangerous components: Void

**SVHC** Void

**Additional information** 

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelf-life, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.



# according to 1907/2006/EC, Article 31

Printing date 21.02.2019 Version number 3 Revision: 21.02.2019

Trade name weberfloor smooth rapid 4160

(Contd. of page 1)

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

## After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Provide suction extractors if dust is formed. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

GB



# according to 1907/2006/EC, Article 31

Printing date 21.02.2019 Version number 3 Revision: 21.02.2019

Trade name weberfloor smooth rapid 4160

(Contd. of page 2)

# **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS No. Designation of material % Type Value Unit

Additional Occupational Exposure Limit Values for possible hazards during processing:

Quartz respirable dust (< 5 µm): 0,15 mg/m<sup>3</sup>

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

### 8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Respiratory protection: Not required. Protection of hands: Protective gloves. Eye protection: Tightly sealed goggles **Body protection:** Protective work clothing.

# **SECTION 9: Physical and chemical properties**

General Information	
Appearance:	5
Form:	Powder
Colour:	Grey Characteristic
Odour: Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable
Flammability (solid, gas):	Product is not flammable.
Ignition temperature:	430 °C (DIN 51794)
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure:	Not applicable.
Density:	Not applicable.
Relative density	Not determined.

(Contd. on page 4)



# according to 1907/2006/EC, Article 31

Printing date 21.02.2019 Version number 3 Revision: 21.02.2019

#### Trade name weberfloor smooth rapid 4160

(Contd. of page 3) Vapour density Not applicable. **Evaporation rate** Not applicable. Solubility in / Miscibility with Water: Unsoluble Segregation coefficient (n-octanol/water) log Not determined. Viscosity: dynamic: Not applicable. kinematic: Not applicable. Solvent content: Organic solvents: 0.0 % **EU-VOC (%)** 0.00 % EU-VOC (g/L)  $0.0 \, g/l$ **Solids content:** 100.0 % 9.2 Other information No further relevant information available.

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Туре	Value	Species	
CAS: 1317-65-3 limestone				
Oral LD50 >5,000 mg/kg (Rat)				
CAS: 65997-16-2 Cement, alumina, chemicals				
Oral LD50 >2,000 mg/k	(g (Rat)			

#### Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)



# according to 1907/2006/EC, Article 31

Printing date 21.02.2019 Version number 3 Revision: 21.02.2019

Trade name weberfloor smooth rapid 4160

(Contd. of page 4)

Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test Effective concentration Method Assessment

CAS: 1317-65-3 limestone

LC50/96h |>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))

EC50/48h >1,000 mg/l (Daphnia magna)

EC50/72h >200 mg/l (Algae)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

Behaviour in environmental systems:

**12.4 Mobility in soil** No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

#### **Uncleaned packaging:**

# Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Recommended cleaning agent: Thoroughly shake out sacks.

# SECTION 14: Transport information

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR		
Class	- (-)	
ADN/R Class:	Void	
IMDG		
Class	Void	
Label	-	

(Contd. on page 6)



### according to 1907/2006/EC, Article 31

Printing date 21.02.2019 Version number 3 Revision: 21.02.2019

#### Trade name weberfloor smooth rapid 4160

	(Contd. of page 5			
14.4 Packing group ADR, IMDG, IATA	Void			
14.5 Environmental hazards:	Not applicable.			
14.6 Special precautions for user EMS Number:	Not applicable.			
14.7 Transport in bulk according to Anr of Marpol and the IBC Code	nex II  Not applicable.			
Transport/Additional information:	Not dangerous according to the above specifications.			
UN "Model Regulation":	Void			

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:** Quality Department **Contact:** Dr S. Kelly; tel. + 44 (0) 1525 718877

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.