according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 12.03.2015

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name weber.rend OCR

Safety data sheet no.: 44P45977 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
Saint-Gobain Weber
Dickens House
Enterprise Way
Flitwick
Bedford.
MK45 5BY
Tel: +44(0)1525 718877
Web: www.netweber.co.uk
email:sara.kelly@netweber.co.uk
1.4 Emergency telephone number: +44(0) 8703 330070 Office hours only (08.30-17.00 UK time)

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



Signal word Danger

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 12.03.2015

Trade name weber.rend OCR

	ermining components of labelling:
cement port	
calcium dihy	
Hazard stat	
	es skin irritation.
	es serious eye damage.
H317 May c	ause an allergic skin reaction.
Precaution	ary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician
P321	Specific treatment (see on this label).
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
2.3 Other h	azards
Results of	PBT and vPvB assessment

PBT: Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture: consisting of the following components.

Dangerous components:				
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey Eye Dam. 1, H318;  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	10 - 20%		
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide Eye Dam. 1, H318;	5 - 10%		
CAS: 1332-58-7 EC number: 310-194-1	Aluminium silicate hydroxide substance with a Community workplace exposure limit	2 - 5%		

### SVHC Void

#### Additional information

The mixture is "low chromate" according to 2006/1907/EEC within the product shelf-life, so that the identification with R 43 (H317 + EUH203) is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

GB



(Contd. of page 1)

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 12.03.2015

Trade name weber.rend OCR

(Contd. of page 2)

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

#### After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position

for transportation.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30 °C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

**5.3 Advice for firefighters** 

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Prevent formation of dust.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Version number 2

Revision: 12.03.2015

Trade name weber.rend OCR

Printing date 31.05.2017

Provide suction extractors if dust is formed. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs				
471-34-1 0	calcium carbonate			
Inhalative	Derived No Effect Level	4.26 mg/m <sup>3</sup> (worker local long therm value)		
		1.06 mg/m <sup>3</sup> (consumer local long therm value)		
1305-62-0	calcium dihydroxide			
Inhalative	Derived No Effect Level	I 1 mg/m <sup>3</sup> (consumer local long therm value)		
		4 mg/m <sup>3</sup> (consumer local short therm value)		
PNECs				
1305-62-0	calcium dihydroxide			
Predicted	No Effect Concentration	0.49 mg/l (fresh water rating factor)		
		1.08 mg/l (soil/groundwater)		
CAS No	. Designation of materi	al % Type Value Unit		
	1 cement portland, grey			
	g-term value: 10* 4** mg/			
*inh	alable dust **respirable d	ust		
1305-62-0	calcium dihydroxide			
	g-term value: 5 mg/m <sup>3</sup>			
1332-58-7	Aluminium silicate hyd	Iroxide		
WEL Long	g-term value: 2 mg/m <sup>3</sup>			
		e Limit Values for possible hazards during processing:		
	eolar dust (< 5 μm) : 0,15 <b>I information:</b>	5 mg/m <sup>3</sup>		
		st) was used as the basis for the preparation and/or revision of this		
safety data				
8.2 Expos	ure controls			
	protective equipment:			
	rotective and hygienic			
		are to be adhered to when handling chemicals.		
inimediate	ly remove all soiled and o	(Contd. on page 5)		



(Contd. of page 3)

according to 1907/2006/EC, Article 31

Version number 2

Revision: 12.03.2015

Printing date 31.05.2017

Trade name weber.rend OCR

Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Use a moisturising skin cream after processing the product. **Respiratory protection:**In case of brief exposure or low pollution use respiratory filter device.
In case of intensive or longer exposure use self-contained respiratory protective device. **Protection of hands:** Protective gloves. **Eye protection:** Tightly sealed goggles **Body protection:** Protective work clothing.

o product specification
o product specification
o product specification
tic
ned.
ble.
ed.
ed.
ble
ot flammable.
ned.
ned.
ot selfigniting.
es not present an explosion hazard.
ned.
ned.
ned.
ble.
ble.
ned.
ble.
ole.



(Contd. of page 4)

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 12.03.2015

Trade name weber.rend OCR

(Contd. of page 5)

Viscosity: dynamic: kinematic: Solvent content: Organic solvents: EU-VOC Solids content: 9.2 Other information

Not applicable. Not applicable.

0.0 % 0.00 % 100.0 %

No further relevant information available.

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Туре	Value	Species	
471-34-	1 calci	um carbonate			
Oral	LD50	>2000 mg/kg (Rat)			
Dermal	LD50	>2000 mg/kg (Rat)			
65997-1	5-1 ce	ment portland, grey			
Dermal	LD50	> 2000 mg/kg (Rabbit)			
1305-62	2-0 cal	cium dihydroxide			
Oral	LD50	7340 mg/kg (Rat)			
Dermal	LD50	> 2500 mg/kg (Rabbit)			
		nt effect:			
		n/irritation			
Causes					
		amage/irritation			
		s eye damage.			
		r skin sensitisation			
		allergic skin reaction.			
		carcinogenity, mutagenic			
		0 ,		ne classification criteria are not met.	
				ification criteria are not met.	
Reprod	uctive	toxicity Based on available	e data, the	classification criteria are not met.	
					(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 12.03.2015

Trade name weber.rend OCR

(Contd. of page 6)

**STOT-single exposure** Based on available data, the classification criteria are not met. **STOT-repeated exposure** Based on available data, the classification criteria are not met. **Aspiration hazard** Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test Effective concentration Method Assessment

471-34-1	calcium	carb	onate

EC50/72h 14 mg/l (Algae)

### 1305-62-0 calcium dihydroxide

LC50/96h 158 mg/l (Daphnia magna)

> 50.6 mg/l (Fish)

EC50/48h 49.1 mg/l (Daphnia magna)

EC50/72h 184.57 mg/l (Algae)

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

#### Behaviour in environmental systems:

**12.4 Mobility in soil** No further relevant information available.

### **Ecotoxical effects:**

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

14.1 UN-Number

ADR, ADN, IMDG, IATA

Void

(Contd. on page 8)



GB •

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

Version number 2

Revision: 12.03.2015

Trade name weber.rend OCR

	(Contd. of page 7
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR Class ADN/R Class:	- (-) Void
IMDG Class Label	Void -
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user EMS Number:	Not applicable. -
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Relevant phrases**

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

**Department issuing SDS:** Quality Department **Contact:** Dr S. Kelly; tel. + 44 (0) 1525 718877

(Contd. on page 9)

<sup>-</sup> GB

according to 1907/2006/EC, Article 31

Printing date 31.05.2017

#### Version number 2

Revision: 12.03.2015

#### Trade name weber.rend OCR

(Contd. of page 8)

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \* Data compared to the previous version altered. GB