

Printing date 01.06.2020 Version number 6 Revision: 01.06.2020

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: TREMCO CS100 A
- · MSDS code: W-T-CS100A
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

Restricted to professional users.

· Application of the substance / the mixture

Epoxy resin

Primer / Subcoating

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Tremco CPG UK Ltd

tremco illbruck Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410

msds@tremco-illbruck.com

#### · Further information obtainable from:

Tremco CPG UK Ltd

tremco illbruck Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400. F: +44 (0) 1942251410

www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com

#### 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. Muta. 2 H341 Suspected of causing genetic defects.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Version number 6 Printing date 01.06.2020 Revision: 01.06.2020

Trade name: TREMCO CS100 A

(Contd. of page 1)

#### Hazard pictograms





GHS07 GHS08

#### · Signal word Warning

#### · Contains:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

CIT [EC 247-500-7]: MIT [EC 220-239-6] (3:1)

2,3-epoxypropyl neodecanoate

#### Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

P273 Avoid release to the environment.

Wear protective gloves / eye protection. P280

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

#### Supplemental information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

Restricted to professional users.

#### Regulation (EC) No 528/2012 on biocidal products

Contains a biocidal product: C(M)IT/MIT (3:1)

Wear protective gloves / protective clothing.

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB**: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	5-<10%
EINECS: 216-823-5	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2,	
Reg.nr.: 01-2119456619-26-xxxx	·	
CAS: 26761-45-5	2,3-epoxypropyl neodecanoate	1-<5%
EINECS: 247-979-2	Muta. 2, H341; Aquatic Chronic 2, H411; Skin Sens. 1, H317	
Reg.nr.: 01-2119431597-33-xxxx		
(Contd. on page 3		



Printing date 01.06.2020 Version number 6 Revision: 01.06.2020

Trade name: TREMCO CS100 A

	(Conto	d. of page 2)
CAS: 68412-54-4	Poly(oxy-1,2-Ethanediyl), α-(nonylphenyl)-	0.1-<1%
NLP: 500-209-1	Aquatic Chronic 3, H412	
CAS: 52-51-7	bronopol (INN)	<0.1%
EINECS: 200-143-0	Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 55965-84-9 Reg.nr.: 01-2120764691-48-xxxx	CIT [EC 247-500-7]: MIT [EC 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 1, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10); Skin Sens. 1A, H317	

#### ·SVHC

CAS: 68412-54-4 Poly(oxy-1,2-Ethanediyl), α-(nonylphenyl)-

Additional information: For the wording of the listed hazard phrases refer to section 16.

### Regulation (EU) No 528/2012 Biocidal Products Regulation

CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Take affected persons out of danger area and lay down.

Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Irritating to eyes and skin.

- · Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 4)

PT6



Printing date 01.06.2020 Version number 6 Revision: 01.06.2020

Trade name: TREMCO CS100 A

(Contd. of page 3)

#### · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon dioxide (CO2)

Carbon monoxide (CO)

- 5.3 Advice for firefighters
- · **Protective equipment:** Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

#### · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

#### · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to Section 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with the eyes and skin.

Wear suitable protective clothing and gloves.

Open and handle receptacle with care.

Pregnant women should strictly avoid inhalation or skin contact.

- Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Protect from heat and direct sunlight.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Storage temperature: +5°C to +25°C

· 7.3 Specific end use(s) No further relevant information available.

GB



Printing date 01.06.2020 Version number 6 Revision: 01.06.2020

Trade name: TREMCO CS100 A

(Contd. of page 4)

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Wear suitable protective clothing and gloves.

Pregnant women should strictly avoid inhalation or skin contact.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber. NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 6)



Printing date 01.06.2020 Version number 6 Revision: 01.06.2020

Trade name: TREMCO CS100 A

(Contd. of page 5)

· Body protection:



Protective work clothing

### **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Colour: White

Odour: CharacteristicMelting point/freezing point: Undetermined.

· Initial boiling point and boiling range: 100 °C

· Flash point: Not applicable.

• **Explosive properties:** Product does not present an explosion hazard.

· Density at 20 °C: 1.05 g/cm<sup>3</sup>

· Solubility in / Miscibility with

water: Fully miscible.

· Solvent content:

Organic solvents: 0.0 %

• **9.2 Other information**No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity Stable
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 01.06.2020 Version number 6 Revision: 01.06.2020

Trade name: TREMCO CS100 A

		(Contd. of page 6)	
· LD/LC50 \	· LD/LC50 values relevant for classification:		
CAS: 2676	CAS: 26761-45-5 2,3-epoxypropyl neodecanoate		
Oral	LD50	>9,600 mg/kg (rat)	
Dermal	LD50	>3,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	>5 mg/L (rat)	
CAS: 52-5	CAS: 52-51-7 bronopol (INN)		
Oral	LD50	305 mg/kg (rat)	
CAS: 5596	CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)		
Dermal	LD50	660 mg/kg (rabbit)	
Inhalative	LC50/4 h	2.36 mg/L (rat)	

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity

Suspected of causing genetic defects.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

CAS: 5596	5-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)
LC50/96 h	0.19 mg/L (rainbow trout)
EC50/48 h	0.16 mg/L (daphnia magna)
EC50/72 h	0.027 mg/L (algae)

- 12.2 Persistence and degradability Not easily biodegradable
- 12.3 Bioaccumulative potential May be accumulated in organism
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

(Contd. on page 8)



Printing date 01.06.2020 Version number 6 Revision: 01.06.2020

Trade name: TREMCO CS100 A

(Contd. of page 7)

- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

· European waste catalogue		
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	
HP11	Mutagenic	
HP14	Ecotoxic	

- · Uncleaned packaging:
- · Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informati	on	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	

(Contd. on page 9)



Printing date 01.06.2020 Version number 6 Revision: 01.06.2020

Trade name: TREMCO CS100 A		
		(Contd. of page 8)
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

### **SECTION 15: Regulatory information**

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** "CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

"BPR" Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Regulation (EU) 2016/131 of 1 February 2016 approving C(M)IT/MIT (3:1) as an existing active substance for use in biocidal products for product-types 2, 4, 6, 11, 12 and 13.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) 2001/118/EC as regards the list of wastes

2008/98/EC on waste

### · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

CAS: 68412-54-4 | Poly(oxy-1,2-Ethanediyl), α-(nonylphenyl)- | Sunset date: 2021-01-04

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Regulation	ı (EU) No	649/2012
------------	-----------	----------

CAS: 68412-54-4 Poly(oxy-1,2-Ethanediyl), α-(nonylphenyl)Annex I Part 1
Annex I Part 2

#### National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 68412-54-4 Poly(oxy-1,2-Ethanediyl), α-(nonylphenyl)-

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H301 Toxic if swallowed.

(Contd. on page 10)



Printing date 01.06.2020 Version number 6 Revision: 01.06.2020

Trade name: TREMCO CS100 A

(Contd. of page 9)

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### Department issuing SDS:

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 4: Acute toxicity - oral - Category 4

Acute Tox. 2: Acute toxicity - dermal - Category 2

Acute Tox. 1: Acute toxicity - inhalation - Category 1

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Muta. 2: Germ cell mutagenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

\* Data compared to the previous version altered.