Sikagard[®]-720 Epocem (B)



Revision Date 29.10.2018

Version 0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product i	identifier
---------------	------------

Trade name

Sikagard[®]-720 Epocem (B)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

+44 (0)1707 363899 (available during office hours).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315 H317 H319	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statements	:	Prevention:	

Sikagard®-720 Epocem (B)



Revision Date 29.10.2018		Version 0.0	Print Date 29.10.2
	P261	Avoid breathing dust/ fume/ gas pours/ spray.	s/ mist/ va-
	P280	Wear protective gloves/ eye pro	otection/ face
	Response:		
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical
	P337 + P313	If eye irritation persists: Get me attention.	dical advice/
	P362 + P364	Take off contaminated clothing before reuse.	and wash it
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

• 3-aminomethyl-3,5,5-trimethylcyclohexylamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
3-aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2 220-666-8 01-2119514687-32- XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1A; H317 Aquatic Chronic 3; H412 Eye Dam. 1; H318	>= 1 - < 2,5

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air.

Sikagard[®]-720 Epocem (B)



Revision Date 29.10.2018		Version 0.0	Print Date 29.10.
		Consult a physician after significant exposure.	
In case of skin contact	:	Take off contaminated clothing and shoes imme Wash off with soap and plenty of water. If symptoms persist, call a physician.	diately.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	s person.
4.2 Most important symptoms a	nd	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate	me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.2 Special hazards arising from	n the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	g apparatus.

Sikagard[®]-720 Epocem (B)

Revision Date 29.10.2018



Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental rele	ease measures	
6.1 Personal precautions, pro Personal precautions	 tective equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. 	

Version 0.0

6.2 Environmental precautions

Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	
6.3 Methods and material for containment and cleaning up		

Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
	···· · · · · · · · · · · · ·

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Revision Date 29.10.2018

Version 0.0

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment	
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	No special measures required.
Environmental exposure contro	ols
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

Revision Date 29.10.2018

Version 0.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	an :	liquid
Colour	:	white
Odour	:	amine-like
Odour Threshold	:	No data available
рН	:	ca. 11
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	72 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	23 hPa
Relative vapour density	:	No data available
Density	:	ca. 1,03 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available

Sikagard[®]-720 Epocem (B)



Revision Date 29.10.2018	Version 0.0	Print Date 29.10.2018
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : N	o data available
-------------------------	------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Acute oral toxicity	:	LD50 Oral (Rat): 1.030 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,01 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg

Sikagard®-720 Epocem (B)

Skin corrosion/irritation

Revision Date 29.10.2018

Version 0.0

Causes skin irritation. Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. **Respiratory sensitisation** Not classified based on available information. Germ cell mutagenicity Not classified based on available information. Carcinogenicity Not classified based on available information. **Reproductive toxicity** Not classified based on available information. STOT - single exposure Not classified based on available information. STOT - repeated exposure Not classified based on available information. Aspiration toxicity Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

3-aminomethyl-3,5,5-trimethylcyclohexylamine:

:

Toxicity to algae

ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Sikagard[®]-720 Epocem (B)



Revision Date 29.10.2018	Version 0.0	Print Date 29.10.2018
Assessment	: This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher	and toxic (PBT), or
12.6 Other adverse effects		
Draduati		

|--|

Additional ecological infor- : There is no data available for this product. mation	Additional ecological infor- mation	:	There is no data available for this product.
--	--	---	--

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 01 11* waste paint and varnish containing organic sol- vents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good



Revision Date 29.10.2018

Version 0.0

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15. ⁻	I Safety, health and environment International Chemical Weapons Schedules of Toxic Chemicals an	Convention (CWC)	ion :	specific for the substance or mixture Not applicable		
	REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).		
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable		
	Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable		
	Regulation (EC) No 850/2004 on lutants	persistent organic pol-	:	Not applicable		
	Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable		
	REACH - Restrictions on the mar the market and use of certain dan preparations and articles (Annex 2	igerous substances,	:	Not applicable		
	REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea l/or gula	am suppliers, and/or ition, and/or		
	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable					
	Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01 %		
			pollı	4 November 2010 on industrial ution prevention and control) ds (VOC) content:		

Sikagard[®]-720 Epocem (B)



Revision Date 29.10.2018

Version 0.0

VOC content excluding water

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation	: Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or mixture:	Control of Substances Hazardous to Health Regulations (COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 H312 H314 H317 H318 H412	:	Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Harmful to aquatic life with long lasting effects.		
Full text of other abbreviations				
Acute Tox. Aquatic Chronic Eye Dam. Skin Corr. Skin Sens. ADR	:	Acute toxicity Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin sensitisation European Agreement concerning the International Carriage of		
CAS DNEL EC50 GHS IATA IMDG LD50	:	Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of		
LC50 MARPOL	:	test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) International Convention for the Prevention of Pollution from		

Sikagard®-720 Epocem (B)



Revision Date 29.10.2018	Versio	on 0.0	Print Date 29.10.2018
OEL PBT PNEC	Ships, 1973 as mod Occupational Expos Persistent, bioaccun Predicted no effect o	mulative and toxic	78
REACH	: Regulation (EC) No and of the Council o istration, Evaluation,	1907/2006 of the Europea of 18 December 2006 conco , Authorisation and Restric blishing a European Chem	erning the Reg- tion of Chemi-
SVHC vPvB	: Substances of Very : Very persistent and	High Concern very bioaccumulative	

Further information					
Classification of the mixture:		Classification procedure:			
Skin Irrit. 2	H315	Calculation method			
Eye Irrit. 2	H319	Calculation method			
Skin Sens. 1	H317	Calculation method			

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN