# **Material Safety Data Sheet**

Date prepared: November 2014

Date revised: 1st Edition



# 1. Identification of the Substance/Preparation and the Company/Undertaking

Substance or preparation

trade name:

Visqueen Waterstop Mastic

Company/undertaking name & address:

Visqueen Building Products Heanor Gate Industrial Estate

Heanor Derbyshire DE75 7RG

Telephone:

0333 202 6800

Email:

enquiries@visqueenbuilding.co.uk

### 2. HAZARDOUS IDENTIFICATIONS

Caution: SLIP HAZARD

Not classified as hazardous according to the EU Directives.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

No Dangerous Components

### 4. FIRST AID MEASURES

Skin Contact: Wash off skin thoroughly with water. If discomfort persists – OBTAIN MEDICAL

**ATTENTION** 

Eye Contact: Irrigate thoroughly with water for at least 15 minutes. If discomfort persists

\_

# **OBTAIN MEDICAL ATTENTION**

Ingestion: Wash mouth out thoroughly with water. If ingested, it may cause discomfort due to

the product expanding. If discomfort persists - OBTAIN MEDICAL ATTENTION Inhalation: Remove from exposure, rest and keep warm - OBTAIN MEDICAL ATTENTION

# 5. FIRE FIGHTING MEASURES

Visqueen Waterstop MASTIC is non combustible.

## 6. ACCIDENTAL RELEASE MEASURES

Clean up method: Shovel up into a suitable container for disposal.

### 7. HANDLING AND STORAGE

Special requirements: Store out of direct sunlight and in dry conditions. Replace lid to bucket after use to prevent drying out of the paste material. Information suited to your specific needs or call 0845 302 4758

# **Material Safety Data Sheet**

Date prepared: November 2014



Date revised: 1st Edition

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION AVOID CONTACT WITH:

Water n/a Acids n/a Bases n/a

Hygiene Measures: Wash hands after handling paste and before eating, smoking, using

the lavatory

and at the end of the day.

Personal Protective Equipment:

Respirator n/a Ventilation n/a

Gloves plastic/rubber - if handling large quantities

Eye protection n/a Other measures n/a

# 9. PHYSICAL AND CHEMICAL PROPERTIES

M Pt (deg C): n/a B Pt (deg C): n/a Specific Gravity: n/a

Solubility in water: Colloidal

Vapour Pressure: n/a mmHg at Deg C

Vapour Density: n/a (air=1)

### 10. STABILITY AND REACTIVITY

Stability Stable
Reactions with water Expands
Other known hazards None

### 11. TOXICOLOGY INFORMATION

Not harmful

## 12. ECOLOGICAL INFORMATION

Not tested

# 13. **DISPOSAL CONSIDERATIONS**

Carefully pick up and dispose of in accordance with local and national regulations.

### 14. TRANSPORT INFORMATION

Visqueen Waterstop Mastic is non hazardous for transport.

# 15. Regulatory Information

Not classified as dangerous under the Chemicals (Hazard Information and Packaging for Supply) Regulations.

# **Material Safety Data Sheet**

Date prepared: November 2014

Date revised: 1st Edition



### 16. Other Information

The data contained in this Material Safety Data Sheet has been supplied as required by the Chemical (Hazard Identification and Packaging) Regulations 1994, as amended, for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided. Please ensure that it is passed to the appropriate person(s) in your company, who is capable of acting on the information.

This information is given in good faith, being based on the latest knowledge available to Visqueen Building Products. No known relevant information has been omitted from this data sheet and the information provided is designed to enable the user to use the product safely. The user should not assume on the basis of the information provided in this data sheet that the product is suitable for any abnormal use. If the information provided is insufficient to ensure safety in any particular application, contact Visqueen Building Products for further advice before the proposed application is undertaken.