

Solutions for New Build

CRACKS

Curing / Shrinkage Cracks <9mm	
Minor defects / consolidation	Renderoc ST05 <i>Nitobond AR**</i>
	Renderoc FC
Deeper / require filling	Nitofill LV or TH (Nitofill LV chosen when crack can either be sealed on all sides or the crack is not full depth)
Cracks >9mm wide	
	Nitomortar PE
Live Cracks	Consult Fosroc



HONEYCOMBING

Mild Honeycombing	
Self-finish, 0-5mm	Renderoc ST 05 <i>Nitobond AR**</i>
Prior to coating, 0-3mm	Renderoc FC <i>Nitobond AR**</i>
Severe Honeycombing (requiring breaking back to sound)	
Application thickness 0-30mm	Renderoc Patch / Rencero FCR <i>Nitobond AR**</i>
Application thickness 10-80mm (70mm overhead)	Renderoc HB45 <i>Renderoc Primer *</i> <i>Nitobond AR**</i>
Application thickness up to 300mm	Renderoc LA / LA55 / LA60 <i>Nitobond AR**, Concure WB**</i> <i>Fosroc Cure B**</i>





VOIDS

Hand Placed Vertical / Overhead	
Structural, Class R4 10mm-80mm application thickness (70mm overhead)	Renderoc HB45 Renderoc HBS <i>Renderoc Primer*</i> <i>Nitobond AR**</i>
Non-Structural, Class R2 / lightweight 10mm-100mm application thickness (60mm overhead)	Renderoc HB <i>Nitobond HAR*</i> <i>Nitobond AR**</i>
Hand Placed Horizontal	
Rapid setting 12mm – 100mm depth. Max bay size 4m ²	Patchroc GP <i>Foot Traffic - Renderoc Primer*</i> <i>Vehicle Traffic - Nitobond EP*</i> <i>Concure WB**</i>
Deep Section / Rapid Setting 25–250mm depth, Max bay size 4m ²	Patchroc 250 <i>Concure WB**</i>
Large Area Repair 12mm – 100mm depth. Max bay size 18m ²	Paveroc <i>Nitobond EP*</i> <i>Concure WB**</i>
Pourable Large Voids (the following require the repair area to be restrained)	
25mm – 150mm	Renderoc LA <i>Nitobond AR**, Concure WB**, Fosroc Cure B**</i>
25mm – 200mm	Renderoc LA55 <i>Nitobond AR**, Concure WB**, Fosroc Cure B**</i>
25mm – 300mm	Renderoc LA60 <i>Nitobond AR**, Concure WB**, Fosroc Cure B**</i>

DAMAGED SLABS

Internal	
Light traffic / foot traffic 5-50mm	Cemtop GP <i>Nitoprime 33*</i>
Industrial use 6-12mm	Cemtop XD <i>Nitoprime 33*</i> N.B. Cemtop GP can be used as a base layer for Cemtop XD where a harder wearing finish is required.
External	
Localised repairs 0-15mm	Renderoc ST 05 <i>Nitobond AR**</i>
12-100mm Max bay size 18m ²	Paveroc <i>Nitobond EP*</i> <i>Concure WB**</i>
5-100mm Max bay size 4m ²	Renderoc S <i>Foot Traffic - Nitobond AR*</i> <i>Vehicle Traffic - Nitobond EP*</i> <i>Concure WB**</i>



LOW COVER

Additional cover to sound surface Applied between 0-5mm	Renderoc ST 05 * <i>(2mm = 21mm of concrete cover)</i> <i>Nitobond AR**</i>
Decorative	Dekguard Range Anti-Carbonation Coating



DAMAGED EDGES

Trafficked Arris (5mm- 50mm)	Nitomortar S <i>Nitoprime 25*</i>
Slab Edge 10mm - 100mm	Patchroc GP <i>Foot Traffic - Renderoc Primer*</i> <i>Vehicle Traffic - Nitobond EP*</i> <i>Concure WB**</i>
25mm - 250mm	Patchroc 250 <i>Concure WB**</i>



JOINT SEALANTS

One Part - Façade	Nitoseal MS60 / MS100 for natural stone
One Part - Trafficked floor	Nitoseal MS300
One Part - Immersed Joints	Nitoseal MS600
Two Part - Polysulphide	Thioflex 555 (rapid set) Thioflex 600
Two Part - Roads / Car Parks	Colpor 200 PF



GROUTING

General Purpose 10-75mm	Conbextra GP <i>Concure WB**</i>
High Flow 10-100mm	Conbextra HF <i>Concure WB**</i>
Bridge Bearing - HA2601 compliant 10-100mm	Conbextra BB <i>Concure WB**</i>
Pointing Mortar 10mm+ pumped or pointed	Conbextra PM
Bedding Mortar	Conbextra BM
Epoxy	Conbextra EP
Ultra High performance	Conbextra BB92 <i>Concure WB**</i>



Key Contacts

Sales Director

Dan Gay 07920 527923 dgay@resapol.com
Unit D4, Moss Industrial Estate, St. Helens Road, Leigh, Lancashire, WN7 3PT

Leigh Manager

Steve Harrison 01942 609001 sharrison@resapol.com
Unit D4, Moss Industrial Estate, St. Helens Road, Leigh, Lancashire, WN7 3PT

London Manager

George Bouchier 020 8965 5133 gbouchier@resapol.com
Unit 738 Tudor Estate, Park Royal, London, NW10 7UN

Stockton-on-Tees Manager

Sam Oliver 01642 611 255 soliver@resapol.com
Unit A, Lustrum Trade Park, Cheltenham Road, Portrack Lane, Stockton-on-Tees, TS18 2QQ

Southampton Manager

Barney Wotman 023 8052 9307 bwotman@resapol.com
Unit 10 Southampton Trade Park, Third Avenue, Southampton, SO15 0AD

Bristol Manager

Mark Ridgers 01179 411525 mridders@resapol.com
Unit 2, City Business Park, Easton Road, Bristol, BS5 0SP

Glasgow Manager

Dean Dragsnes 0141 429 0482 ddragsnes@resapol.com
Unit 5, Houston Place, Kingston Bridge Trading Estate, Glasgow, G5 8SG

National Technical Support Manager

Paul Rigby 07490 447655 prigby@resapol.com

Regional Sales Manager (North)

Aiden Quinn 07450 193151 aquinn@resapol.com

Regional Sales Manager (Midlands)

Tim Absolom 07435 919637 tabsolom@resapol.com

Regional Sales Manager (South East) - Concrete Repair

Tom Brown 07884 616575 tbrown@resapol.com

Regional Sales Manager (South East) - Waterproofing

Michael Cross 07868 191302 mcross@resapol.com

Business Development Manager - Merchant Support

Sam Higgins 07947 953493 shiggins@resapol.com

www.resapol.com

