according to 1907/2006/EC, Article 31

Printing date 01.09.2022

Version number 1

Revision: 30.08.2022

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name webercem advanced repair concrete CP

Safety data sheet no.: 44P340847 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
Saint-Gobain Weber
Dickens House
Enterprise Way
Flitwick
Bedfordshire MK45 5BY
Tel.: 01525 718877
webersds@saint-gobain.com
1.4 Emergency telephone number:
UK: NHS 111 (Members of the public)
UK NPIS 24-hour telephone helpline: +44 (0)344 892 0111 (Healthcare professionals only)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms** 



Signal word Danger

(Contd. on page 2)

GB

according to 1907/2006/EC, Article 31

Printing date 01.09.2022

Version number 1

Revision: 30.08.2022

#### Trade name webercem advanced repair concrete CP

(Contd. of page 1)

Hazard-det cement, por	ermining components of labelling: tland_white
cement port	
	alcium oxide sulfate
Hazard stat	
	es skin irritation.
	es serious eye damage.
	ause an allergic skin reaction.
	ause respiratory irritation.
	ary statements
P261	Avoid breathing dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
F200	
D205+D251	protection.
F3007F301	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
D240	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
2.3 Other h	azards
Results of	PBT and vPvB assessment
PBT: Does	not contain PBT substances.
vPvB: Does	s not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

CAS: 65997-15-1	cement, portland, white	10-20%
EINECS: 266-043-4	♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 %	
	Eye Dam. 1; H318: C ≥ 1 %	
CAS: 65997-15-1	cement portland, grey	5-10%
EINECS: 266-043-4	♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
	Specific concentration limits: Skin Irrit. 2; H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 %	
CAS: 12005-25-3	aluminum calcium oxide sulfate	≥0.1-<1%
	() Skin Sens. 1A, H317	

For the wording of the listed hazard phrases refer to section 16.

The mixture is 'low chromate' according to EC regulations within product sehl-life, so that identification with H317 + EUH203 is not applicable when packaging was not opened in the meantime.

(Contd. on page 3)

GB



according to 1907/2006/EC, Article 31

Printing date 01.09.2022

Version number 1

Revision: 30.08.2022

#### Trade name webercem advanced repair concrete CP

(Contd. of page 2)

## **SECTION 4: First aid measures**

4.1 Description of first aid measures

#### **General information**

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

#### After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C). **After swallowing** If symptoms persist consult a doctor.

**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: No special measures required.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Provide suction extractors if dust is formed. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles:
Store only in unopened original receptacles.
Information about storage in one common storage facility: Not required.
Further information about storage conditions: None.

(Contd. on page 4)



GB

according to 1907/2006/EC, Article 31

Printing date 01.09.2022

Version number 1

#### Trade name webercem advanced repair concrete CP

7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7. Ingredients with limit values that require monitoring at the workplace:

CAS: 65996-69-2 Slags	ferrous	metal,	blast furnace
-----------------------	---------	--------	---------------

Predicted No-Effect Concentration 1,000 mg/kgxdwt (earth rating factor)

Predicted No-Effect Concentration 500 mg/l (sea water rating factor)

5,000 mg/l (fresh water rating factor)

CAS No. Designation of material % Type Value Unit

#### CAS: 65997-15-1 cement, portland, white

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable dust

#### CAS: 65997-15-1 cement portland, grey

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable dust

#### 8.2 Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

#### **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands: Protective gloves.

Eve protection: Tightly sealed goggles

Body protection: Protective work clothing.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties **General Information** 

Appearance:

Change in condition

Form:

Colour:

Odour:

Characteristic

**Odour threshold:** Not determined.

pH-value:

Melting point/freezing point: Undetermined. Initial boiling point and boiling range:

Powder

Grey

Undetermined.

Not applicable.

(Contd. on page 5)



(Contd. of page 3)

according to 1907/2006/EC, Article 31

Printing date 01.09.2022

Version number 1

Revision: 30.08.2022

#### Trade name webercem advanced repair concrete CP

	(Contd. of page 4)
Flash point:	Not applicable
Flammability (solid, gas):	Product is not flammable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper: Oxidising properties	Not determined. Not determined. Not determined.
Vapour pressure:	Not applicable.
Density: Relative density Vapour density Evaporation rate	Not applicable. Not determined. Not applicable. Not applicable.
Solubility in / Miscibility with Water:	Insoluble
Segregation coefficient (n-octanol/water Pow:	<b>r) log</b> Not determined.
Viscosity: dynamic: kinematic: Solvent content: Organic solvents:	Not applicable. Not applicable. 0.0 %
EU-VOC (%) EU-VOC (g/L) Solids content:	0.0000 % 0.0000 g/l 100.0 %
9.2 Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 30.08.2022

Trade name webercem advanced repair concrete CP

(Contd. of page 5)

GB

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

CAS: 1317-65-3 calcium carbonate         Oral       LD50       >5,000 mg/kg (Rat)         CAS: 65997-15-1 cement, portland, white         Dermal       LD50       >2,000 mg/kg (Rabbit)         CAS: 65996-69-2 Slags, ferrous metal, blast furnace         Oral       LD50       >2,000 mg/kg (Rat)         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage.       Respiratory or skin sensitisation         May cause an allergic skin reaction.       Additional toxicological information:         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)       Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.       STOT-single exposure         May cause respiratory irritation.       STOT-repeated exposure Based on available data, the classification criteria are not met.	Components	Туре	Value	Species
CAS: 65997-15-1 cement, portland, white         Dermal       LD50       >2,000 mg/kg (Rabbit)         CAS: 65996-69-2 Slags, ferrous metal, blast furnace         Oral       LD50       >2,000 mg/kg (Rat)         Dermal       LD50       >2,000 mg/kg (Rat)         CAS: 65997-15-1 cement portland, grey         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage.       Respiratory or skin sensitisation         May cause an allergic skin reaction.       Additional toxicological information:         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)       Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.       StOT-single exposure         May cause respiratory irritation.       StOT-repeated exposure Based on available data, the classification criteria are not met.	CAS: 1317-65-3	3 calcium carbonate		
Dermal       LD50       >2,000 mg/kg (Rabbit)         CAS:       65996-69-2 Slags, ferrous metal, blast furnace         Oral       LD50       >2,000 mg/kg (Rat)         Dermal       LD50       >4,000 mg/kg (Rat)         CAS:       65997-15-1 cement portland, grey         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage.       Respiratory or skin sensitisation         May cause an allergic skin reaction.       Additional toxicological information:         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)       Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.       STOT-single exposure         May cause respiratory irritation.       STOT-sepeated exposure Based on available data, the classification criteria are not met.	Oral LD50 >	>5,000 mg/kg (Rat)		
CAS: 65996-69-2 Slags, ferrous metal, blast furnace         Oral       LD50       >2,000 mg/kg (Rat)         Dermal       LD50       >4,000 mg/kg (Rat)         CAS: 65997-15-1 cement portland, grey       Dermal       LD50         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage.       Respiratory or skin sensitisation         May cause an allergic skin reaction.       Additional toxicological information:         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)       Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.       StOT-single exposure         May cause respiratory irritation.       StOT-sepated exposure Based on available data, the classification criteria are not met.	CAS: 65997-15-	-1 cement, portland, whi	te	
Oral       LD50       >2,000 mg/kg (Rat)         Dermal       LD50       >4,000 mg/kg (Rat)         CAS: 65997-15-1 cement portland, grey         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage/irritation       Causes serious eye damage.         Respiratory or skin sensitisation       May cause an allergic skin reaction.         Additional toxicological information:       CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)         Germ cell mutagenicity Based on available data, the classification criteria are not met.       Carcinogenicity Based on available data, the classification criteria are not met.         Reproductive toxicity Based on available data, the classification criteria are not met.       StOT-single exposure         May cause respiratory irritation.       StOT-single exposure         May cause respiratory irritation.       StOT-repeated exposure Based on available data, the classification criteria are not met.		3 3 4 7		
Dermal       LD50       >4,000 mg/kg (Rat)         CAS:       65997-15-1 cement portland, grey         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage.       Respiratory or skin sensitisation         May cause an allergic skin reaction.       Additional toxicological information:         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)       Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.       StoT-single exposure         May cause respiratory irritation.       StoT-repeated exposure Based on available data, the classification criteria are not met.			olast furn	ace
CAS: 65997-15-1 cement portland, grey         Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage.       Respiratory or skin sensitisation         May cause an allergic skin reaction.       Additional toxicological information:         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)       Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.       STOT-single exposure         May cause respiratory irritation.       STOT-repeated exposure Based on available data, the classification criteria are not met.				
Dermal       LD50       >2,000 mg/kg (Rabbit)         Primary irritant effect:       Skin corrosion/irritation         Causes skin irritation.       Serious eye damage/irritation         Causes serious eye damage/irritation       Causes serious eye damage.         Respiratory or skin sensitisation       May cause an allergic skin reaction.         Additional toxicological information:       CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)         Germ cell mutagenicity       Based on available data, the classification criteria are not met.         Carcinogenicity       Based on available data, the classification criteria are not met.         STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       Based on available data, the classification criteria are not met.				
Primary irritant effect:         Skin corrosion/irritation         Causes skin irritation.         Serious eye damage/irritation         Causes serious eye damage.         Respiratory or skin sensitisation         May cause an allergic skin reaction.         Additional toxicological information:         CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)         Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.         Reproductive toxicity Based on available data, the classification criteria are not met.         STOT-single exposure         May cause respiratory irritation.         STOT-repeated exposure		• • •		
<ul> <li>Skin corrosion/irritation</li> <li>Causes skin irritation.</li> <li>Serious eye damage/irritation</li> <li>Causes serious eye damage.</li> <li>Respiratory or skin sensitisation</li> <li>May cause an allergic skin reaction.</li> <li>Additional toxicological information:</li> <li>CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)</li> <li>Germ cell mutagenicity Based on available data, the classification criteria are not met.</li> <li>Carcinogenicity Based on available data, the classification criteria are not met.</li> <li>STOT-single exposure</li> <li>May cause respiratory irritation.</li> <li>STOT-repeated exposure Based on available data, the classification criteria are not met.</li> </ul>				
	Skin corrosion Causes skin irrit Serious eye da Causes serious Respiratory or May cause an a Additional toxic CMR effects (ca Germ cell muta Carcinogenicity Reproductive to STOT-single ex May cause respi	/irritation mage/irritation eye damage. skin sensitisation llergic skin reaction. cological information: arcinogenity, mutagenic agenicity Based on availa y Based on available data oxicity Based on available cposure iratory irritation. I exposure Based on available	ble data, t , the class e data, the ilable data	the classification criteria are not met. sification criteria are not met. e classification criteria are not met. a, the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

CAS: 1317-	-65-3 calcium carbonate		
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))		
EC50/48h	>1,000 mg/l (Daphnia magna)		
EC50/72h	>200 mg/l (Algae)		
CAS: 65996	6-69-2 Slags, ferrous metal, blast furnace		
LC50/96h	>100 mg/l (Leuciscus idus (Orfe))		
LC0/96h	>100 mg/l (Leuciscus idus (Orfe))		
EC50/72h	>90,000 mg/l (Algae)		
	(Contd.	on page	



**J**wer

Printing date 01.09.2022

according to 1907/2006/EC, Article 31

Printing date 01.09.2022

Version number 1

Revision: 30.08.2022

Trade name webercem advanced repair concrete CP

(Contd. of page 6)

NOEC (72h) 50-100 mg/l (Algae)

NOEC (21d) 1,563 mg/l (Daphnia magna)

EC 0/48h >100 mg /I (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Behaviour in sewage processing plants:

Type of test Effective concentration Method Assessment

CAS: 65996-69-2 Slags, ferrous metal, blast furnace

EC 50 (3h) >10,000 mg/l (Activated sludge)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

**Uncleaned packaging:** 

Recommendation: Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR		
Class	- (-)	
ADN/R Class:	Void	
IMDG		
Class	Void	
Label	-	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
		(Contd. on page 8)
		GB



according to 1907/2006/EC, Article 31

Printing date 01.09.2022

Version number 1

Revision: 30.08.2022

(Contd. of page 7)

Trade name webercem advanced repair concrete CP

**EMS Number:** 

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

**UN "Model Regulation":** 

Void

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"Control of Substances Hazardous to Health" UK Regulations 2002 (as amended) Regulation (EC) No 1907/2006 (UK REACH) (Candidate List, Annexes XIV and XVII) Regulation (EC) No 1272/2008 (GB CLP)

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

#### Department issuing SDS: EHS

Contact: webersds 01525718877 webersds@saint-gobain.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1

(Contd. on page 9) GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2022

Version number 1

Revision: 30.08.2022

(Contd. of page 8)

#### Trade name webercem advanced repair concrete CP

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

According to Annex II of the UK REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

GB

